



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY
G T Road By Pass, Jalandhar-144011, Punjab (India)
EPABX-0181-2690301 & 453 website: www.nitj.ac.in email: registrar@nitj.ac.in

Ref. No. NITJ/PUR/210/18/e-Tender No. 20/2018

Date:

Please find enclosed herewith the following:		Page No.
1.	e-Tender Notice - NITJ/PUR/210/18/e-Tender No. 20/2018 & Schedule for Opening of the e-Tender	2
2.	Detail of Equipments, Tender Fee , EMD & Processing Fee	3
3.	Important Note	4
4.	Instruction to Tenderers	5-7
5.	Tender Evaluation	8-10
6.	Terms & Conditions	11-13
7.	Special Conditions For Submitting Bid In Foreign Currency by The Indian Agents/Dealers	14-15
8.	Questionnaires A & B	16-17
9.	Performa for performance statement	18
10.	Annexure 'A' (Specifications of the Equipment CAT-A,B,C,D,E,F,G,H, I,J & K)	19-33
11.	Annexure 'B' & 'C' (Format For Performance Bond/ Guarantee & Format For Performance Bond (Bank Guarantee)	34-35
12.	Annexure – 'D' (Format for Manufacturer's Authorization Form)	36
13.	Annexure- 'E' (Declaration Regarding Blacklisting/ Debarring for taking part in Tender)	37
14.	Annexure –'F' (Financial Bid for Indian Rupees)	38
15.	Annexure – 'G' (Financial Bid for Foreign Currency)	39
16.	Annexure –'H' (Certificate of Warranty)	40

Assistant Registrar
Dr. B. R Ambedkar NIT Jalandhar
Email: arpurchase@nitj.ac.in



THIS DOCUMENT IS FOR REFERENCE ONLY. ONLY E-TENDERS WILL BE ACCEPTED

e-TENDER NOTICE – NITJ/PUR/210/18/e-Tender No. 20/2018

National Institute of Technology, Jalandhar invites e-tender for purchase of Various Equipments for Labs as per detail list available at Annexure – “A” along with Tender Fee, EMD & Processing Fees for the Equipments required for Various Departments of the Institute as per details given below:

I	Downloading & Submission of Online e-tender	Start Date: 15.02.2019 at 03:00 PM End Date: 12.03.2019 upto 05:00 PM
II	Physical submission of Tender Fee and EMD	End Date: 12.03.2019 upto 05:00 PM
III	Opening of Technical e-Bid (online)	13.03.2019 on 11:00 AM

Detailed Terms and Conditions are available in e-tender document. The bid document can be downloaded from the website of www.tenderwizard.com/NITJ.

Complete tender document is available for reference purposes on Institute website www.nitj.ac.in. Only e-tenders will be accepted. Bidders may contact Mr. Vijay Kumar on behalf of M/s ITI Limited on mobile No. 8146699878 or e-mail: vijay@etenderwizard.com and may also contact on Chandigarh Helplines: 0172-3934667, 9257209340, 8054628821, Delhi Helpline – 011-49424365.

Registrar



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.niti.ac.in email: registrar@niti.ac.in

Ref. No. NITJ/PUR/210/18/e-Tender No. 20/2018

Date:

Detail of Equipments, Tender Fee & EMDs is as under:

CAT.	Item/Equipment	Qty.	Tender Fee	EMD	Tender processing Fee (Including GST)
A	Digital Rotational Viscometer with Accessories	01	Rs.500/-	Rs. 13,000/-	Rs. 885/-
B	Solar PV Wind Hybrid with DC Micro Grid	01	Rs.500/-	Rs. 40,000/-	Rs. 2,360/-
C	Atomic Absorption Spectrophotometer	01	Rs.500/-	Rs. 74,000/-	Rs. 4,333/-
D	CNC Machining Center	01	Rs.500/-	Rs. 45,000/-	Rs. 2,584/-
E	High Pressure Autoclave Reactor	01	Rs.500/-	Rs. 13,000/-	Rs. 885/-
F	Portable UV Spectrophotometer	01	Rs.500/-	Rs. 11,000/-	Rs. 885/-
G	Solar Simulator with I-V Curve Analyzer System	01	Rs.500/-	Rs. 40,000/-	Rs. 2,360/-
H	Supply, Installation & Testing, Commissioning & Erection of the 50 KVA DG Set & AMF Panel with Other Material	01	Rs.500/-	Rs.15,000/-	Rs.885/-
I	Fluorescence Spectrophotometer	01	Rs.500/-	Rs.26,000/-	Rs.1,534/-
J	Trace Metal Analyzer	01	Rs.500/-	Rs.44,000/-	Rs.2,596/-
K	Stir Casting Facilities with Accessories	01	Rs.500/-	Rs.20,000/-	Rs.1,180/-

Note: The quantity of required equipment/items may vary as per requirement.

***Exemption of Tender fee & EMD will only be given to MSME/NSIC registered bidders.**



Important Note

1. All corrigenda, addenda, amendments and clarifications regarding this tender document will be uploaded on the website www.nitj.ac.in only and not in the newspaper; Bidders shall keep themselves updated with all such developments.
 2. In case, the last date of receipt/opening of bids falls on holiday, the bids shall be receipt/opened on the next working day at same time.
 3. In case, the last date of submission of EMD & Tender fee falls on holiday, the EMD & Tender fee shall be submitted on the next working day at same time.
 4. Tenderer who have downloaded the tender document form from the institute website, shall submit a declaration along with tender document that I/We have downloaded the Tender Form from the institute website www.nitj.ac.in and I/we have not tempered /modified the tender form in any manner. In case, if the same is found to be tempered/modified in any manner, I/we understand that my/our tender will be summarily rejected and I/we are liable to be banned from doing business with institute.
 5. **Tender fee of Rs.500/- (Non- refundable separate for each category) in the form of DD in favour of Director, D R B R Ambedkar NIT, Jalandhar.**
 6. **EMD (refundable separate for each category) in the form of DD in favour of Security- A/c, DR B R Ambedkar NIT, Jalandhar.**
 7. **Both EMD and Tender fee are be submitted as per dates mentioned in schedule, failing which e-bids will not considered. The Processing fees for each category shall be paid through online mode only to M/s ITI Limited, New Delhi.**
- ❖ **All the bidders are required to submit the Tender Fee and EMD as per requirement of tender document failing which bids received straightway rejected and bid will be treated invalid.**
 - ❖ **Note: If the bidder inadvertently or otherwise upload the quoted rates in the technical bid, the bid will be straightway rejected and treated invalid.**
 - ❖ **If the bidder is exempted for payment of Tender Fee and EMD as NSIC/MSME registered bidders, then bidder is required to submit NSIC/MSME exemption certificate for same. The Certificate must be valid as on last date of submission of bid.**
- Tenderer must submit a scanned copy (duly signed and stamped) regarding terms & conditions as per our tender documents along-with make/model, specifications, bill of quantity as per required equipment in the technical bid for examine the bid as per our institute tender documents. It is noted that no rate should be depicted in the letter head.**



Instructions to Tenderer

1. No tender will be accepted in physical form. The bidders shall have to submit their bids online in Electronic Format under Digital Signatures. For participation in the e-tendering process, the bidders need to register themselves on www.tenderwizard.com/NITJ. The registration and other charges are available on their website. On registration, they will be provided a user ID and a system generated password enabling them to submit their Bids online using Digital System Certificates (DSC).
2. Tenders without Digital Signatures will not be accepted by the electronic tendering system.
3. Bids will be opened online as per time given schedule.
4. **Before submission of online bids, bidders must ensure that scanned copies of all the necessary/relevant documents have been uploaded with the bid which should be duly signed and stamped. The duly signed and stamped copies of Terms & Conditions of the tender, reply of the Questionnaire of Plant & Machinery and other documents of the Tender & Annexures must be uploaded, failing which their bids may be rejected.**
5. NIT JALANDHAR, will not be responsible for any delay in online submission of bids due to any reason whatsoever.
6. **Bidders should also upload the scanned copies of Tender fees/EMD/Exemption Certificate as specified in the tender documents alongwith online technical documents. EMD in the form of a Demand Draft in favour of the Security – A/c, Dr B R Ambedkar NIT, payable at Jalandhar (refundable separate for each category) and Tender Fee in the form of a Demand Draft in favour of the Director, Dr B R Ambedkar NIT, payable at Jalandhar (Non- refundable separate for each category) should also be submitted in physical form to the following address as per scheduled time given for physical submission of EMD and Tender fee. Envelope should have full address and phone number of the tenderer.**

Kind Attention- Purchase Section
Submission of EMD and Tender Fee
Due Date _____ and Time _____
Name of the Equipment _____ e-Tender No: _____ Category- _____
Director,
Dr B R Ambedkar National Institute of Technology,
G T Road Amritsar By Pass, Jalandhar-144001, Punjab (India).

7. The details of EMD specified in the tender document should be same as submitted online (scanned copies). Otherwise tender will be rejected summarily.
8. The conditional bids shall not be considered and will be out rightly rejected.

Read and Accepted

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.niti.ac.in email: registrar@niti.ac.in

9. The Financial Bid through e-tendering process shall be opened of only those bidders, who will qualify in the technical bid and approved by the Purchase Committee/Technical Experts. The date, time & place of opening of the financial bid(s) will be intimated in due course of time.
10. At any time prior to the deadline for submission of bid, the institute may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer(s), modify the tender document by issuance of an amendment.
11. The amendment will be uploaded on Institute website only. In order to provide reasonable time to prospective tenderer(s), for preparing their bid as per amendment, the institute may, at its discretion extend the deadline for the submission of tender.
12. **The supplier must upload the original manuals / catalogue of the Equipment /Item.**
13. The Institute is not liable to pay any interest on EMD. Earnest money deposit shall be forfeited, if the tenderer, withdraws its bid during the period of tender validity. The Earnest money deposit of the tenderer, whose tender has been accepted, will be returned on the submission of **performance security @ 5% of the total value of the offer. The performance security will be kept till the warranty period of the Equipment /Item. The warranty period will start from the date of satisfactory installation of the Equipment /Item duly given by the concerned department.** Earnest money deposit of the successful tenderer shall be forfeited, if it refuses or neglects to execute the contract or fails to furnish the required performance security within the time frame as specified by the institute. The EMD(s) of other Bidder(s) whose offer are found according to required specifications/ lowest will be released after finalization of Technical Bids/ Lowest Bid/Purchase.
14. The Format of Performance Bank Guarantee bond or Performance Bank Guarantee issued by the bank as per the format given in **Annexure "B" & "C"**.
15. Delivery time is the essence of the contract and must be met with.
16. Nearest specifications/better specifications can be considered. In case of deviation, complete justification should be furnished with proper documents.
17. The Director may accept a tender in part or whole of the quantity offered, reject any tender without assigning any reasons and may not accept the lowest bidder. Further in case of any doubt/dispute, the decision of the Director of the Institute shall be final.
18. The offer shall be kept valid for minimum 120 days.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.niti.ac.in email: registrar@niti.ac.in

19. a) Either the Indian agent/ dealer on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
b) If an agent/ dealer submits bid on behalf of the Principal/OEM, the same agent /dealer shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
c) All offers other than those from the Principal/OEM should be supported by an authority letter from the manufacturer authorizing the dealer /supplier to tender on their behalf as per **Annexure-D**. In case of manufacturer, a certificate or a copy thereof to the effect that the bidder is a manufacturer of the Equipment /Item must be accompanied with the technical bid.
20. The supplier will be responsible till the entire stores contracted for, arrive in good condition at destination.
21. The tenderer should not have been debarred and/ or blacklisted by any Central Government/ or any State Government Department(s) . This must be supported by an affidavit as per format given in **Annexure-“E”**.
22. If any information furnished by the bidder is, at any stage found to be incorrect/false/fabricated, the Institute shall have the absolute right to forfeit the EMD, warranty/performance guarantees or/and security deposits, in addition to cancellation of contract, and in accordance with law, such other actions may be taken like black-listing of the bidder etc.

Read and Accepted.

(Signature & Stamp of Tenderer)



TENDER EVALUATION

Institute will evaluate all the proposals to determine whether these are complete in all respects as specified in the tender document. Evaluation of the proposals shall be done in two stages as:

(a) Stage – I (Technical Evaluation):

- (i) Institute shall evaluate the technical bid(s) to determine the following like the bid qualifies the essential eligibility criteria or not, the tenderer has submitted the EMD & Tender fee or not, any computational errors have been made or not, all the documents have been properly filled or otherwise, all the documents have been submitted/ uploaded with technical bid or not, the specifications, Make/Model, Catalogue of quoted Equipment /Item are as per requirement tender specifications or not, Authorization of Dealer / Distributor/ Exclusive Agent certificate from manufacturer is in order or not, Sales & service policy of equipment / item during warranty period and after warranty period will also be seen, location of their authorized service centre will also be seen for evaluation etc.

After evaluation of technical bid(s), a list of the qualifying tenderer (s)/ bidder s) shall be made. Short-listed tenderer(s) will be informed of the date, time and place of opening of financial bid(s) and they may attend or depute their authorized representative/s to attend the schedule of opening of financial bid(s) on the scheduled date and time, if they wish to do so. The representative(s) should have a letter of authority to attend the price bid(s) opening event.

Read and Accepted

(Signature & Stamp of Tenderer)



PART – II (e-FINANCIAL BID):

- a) Bidders who are quoting the rates in Indian Rupees should offer the rates as per the format of tender as per **Annexure “F” (online only)**. Detailed bill of material/quantity is also to be provided alongwith the price breakup of each item as per requirement of the tendered specification of the equipment in the online price bid at www.tenderwizard.com/NITJ (**Annexure “F”**) where separate sheet with adequate space has been provided.
- b) Bidders who are quoting the rates in foreign currency should offer the rates as per the format of tender as per **Annexure “G” (online only)**. Detailed bill of material/quantity is to be provided alongwith the price breakup of each item as per requirement of the tendered specification of the equipment in the online price bid n at www.tenderwizard.com/NITJ (**Annexure “G”**) where separate sheet with adequate space has been provided.

In case, some of Items/accessories of required equipment is to be provided with indigenous make accessories/components, the same should be clearly mentioned with rates in the online price bid given at www.tenderwizard.com/NITJ (**Annexure “G”**) where separate sheet with adequate space has been provided. If no rates have been mentioned for said accessories/components, the rates quoted should be treated inclusive of all accessories/ components.



Note: The quoted amount as filled in the Annexure(s) of online financial bid and detailed bill of material/quantity provided with price break up of each item in the online financial bid should be tallied and both must be same, otherwise bid will be treated invalid.

- c) Conversion to Single Currency: To facilitate evaluation and comparison, the Institute will convert all the bid prices expressed in the amounts in various currencies to the Indian Rupees as per the TT selling rates of RBI on the date of opening of technical bids.
- d) Custom, GST or any other taxes, Education Cess and other charges must be mentioned in the price bid. The financial evaluation/comparison will be made after including all the above mentioned charges/taxes.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY
G T Road By Pass, Jalandhar-144011, Punjab (India)
EPABX-0181-2690301 & 453 website: www.niti.ac.in email: registrar@niti.ac.in

ARBITRATION:

In case of any dispute or difference arising out in connection with the tender conditions/job order/Contract, the Institute and the Seller/Service Provider will address the dispute/difference for a mutual resolution and failing which, the matter shall be referred for arbitration to a sole Arbitrator to be appointed by the Institute.

The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Jalandhar only. The decision of the Arbitrator shall be final and binding on both the parties.

JURISDICTION:

The courts at Jalandhar alone will have the jurisdiction to trial any matter, dispute or reference between parties arising out of this tender / contract. It is specifically agreed that no court outside and other than Jalandhar Court shall have jurisdiction in the matter.

Read and Accepted.

(Signature & Stamp of Tenderer)



(TERMS AND CONDITIONS (FOR THE SUPPLY OF GOODS, EQUIPMENT /ITEM)

1. Rate should be quoted F.O.R NIT Jalandhar.
2. Price list for spare parts/consumables parts required after warranty or otherwise may be provided on the separate sheet in the online financial bid as per **Annexure 'F & G** where adequate space is given for purpose (It is only for information purpose and is not part of the price bid).
3. a) For Foreign Import goods/ Equipment, the rates will be evaluated on DAP basis as per Annexure-G alongwith the item/equipment to be supplied in Indian rupees (If any). Therefore, rates should be quoted on DAP basis with separately mentioning of CIF or FOB charges. The complete description viz. make and model of the Equipment / item and name of the manufacturer must be clearly indicated. The equipment should be insured upto NIT, Jalandhar. Institute will provide all the documents regarding custom clearance.

b) e-Bids found without quoted upto DAP NIT value shall be treated as invalid.
4. Where the Equipment /Item are composed of several sub units/components, the rate should be quoted for each subunit/component separately. NIT Jalandhar reserves the right to increase or decrease the number of sub units/components and number of Equipment /Item according to its requirements.
5. The institute being government educational institute is having Excise and Custom duty exemption in terms of government notification No. 51/96-customs Dt. 23-7-1996 and No. 10/97-central excise Dt. 1-3- 1997 as amended from time to time, therefore taxes be quoted accordingly and this must be depicted in Price Bid clearly.
6. a) The tenderer(s) who are quoting rates in foreign currency should quote Custom Duty for import (Foreign) goods against Custom Duty Exemption Certificate. The tenders claiming custom duty as extra should specifically give the present rate of Custom Duty as payable against each Equipment /Item. The custom duty so claimed will be reimburse on custom duty receipt basis.

b) The tenderer(s) who are quoting rates in Indian Rupees, the rates should be quoted inclusive of custom Duty against Custom Duty Exemption Certificate (if any). No custom duty will be paid separately. Only custom duty certificate will be provided.
7. GST or any other chargeable duty where applicable must be specifically mentioned, failing which no tax or duty will be allowed at subsequent stage.
8. All items shall be indicated both in words as well as in figures. If there is difference between amount quoted in words and figures, amount quoted in words shall prevail.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.niti.ac.in email: registrar@niti.ac.in

9. a) 90% payment will be allowed against physical delivery, inspection, installation and training of the Equipment/Item in the institute. Balance 10% payment will be released within 20 days from the installation, receipt of satisfactory working report of the Equipment /Item/ and receipt of Performance Bank Guarantee.
- b) **For Import Equipment /Item:** 90% of the DAP value of the equipment will be released, through irrevocable Letter of Credit (LC)/ Wire Transfer/ foreign draft/ draft at sight document. Balance 10% of the DAP value will be released after inspection, installation, training and performance bank guarantee of the Equipment /Item in the institute. The payment charged by bidder on account of custom clearance, loading/unloading, transportation, insurance etc. as per price bid and delivery upto NIT, Jalandhar will be reimbursed against actual receipt basis in Indian rupees.

In case of payment through Letter of Credit, all the Bank charges within India will be borne by NIT Jalandhar and all bank charges outside India will be borne by the supplier.

10. Warranty: Rates should be quoted with comprehensive warranty. Besides this, policy regarding after sale service on the expiry of warranty period of Equipment /Item may be explained. The bidders should attach duly signed and stamped certificate of **warranty** as per **Annexure-H** with the technical bid.

11. Training: In house training (where applicable) after the installation and commissioning of Equipment /Item shall be provided by the supplier.

12. Delivery: Delivery date will be mentioned in the supply order. The time and date of delivery or dispatch stipulated in a supply order shall be deemed to be the essence of the supply order and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery, the delayed consignment will be accepted subject to penalty as laid down in the supply order, which will be recovered from the pending payments.

1. No recovery of penalty will be made, if the delayed supplies are acceptable by extending the delivery period by the Director with our any LD charges.
2. Director will allow extension on the request of the supplier by recording in writing that in exceptional circumstances the supply was beyond the control of the supplier and there was no loss to the institute.
3. Penalty on account of delay, Director NIT, Jalandhar reserves the right to impose 0.5% (Half) per cent penalty per week on account of delay in supply, if delivery received after expiry of the original delivery period. The total penalty will not exceed 10% of the value of the delayed goods.

13. Installation: Supplier has to install the Equipment /Item/ within two to three weeks from the receipt of the Equipment /Item in NIT Jalandhar.

14. Spares and Accessories, wherever required should be quoted separately and clearly, even if these are not asked for.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.nitj.ac.in email: registrar@nitj.ac.in

- 15. Site Preparation:** The supplier shall inform NIT Jalandhar about the site preparation, if any, needed for the installation, immediately after receipt of the supply order. Supplier must provide complete details regarding space and all infrastructural requirements needed for the Equipment /Item which NIT Jalandhar should arrange before the arrival of Equipment /Item/to ensure its early installation and smooth operation thereafter. The supplier may offer his advice and render assistance to NIT Jalandhar in the preparation of the site and other pre installation requirements.
- 16.** The total scope of work includes the supply, installation, satisfactory commissioning and testing of the Equipment /Item by the supplier, training at NIT Jalandhar, method development and validation for parameters as mentioned in specifications at **Annexure-A**. The supplier will complete installation & Commissioning of Machine within two to three weeks from the date of receipt of Equipment /Item/ of NITJ.
- 17.** Details about the service center for the quoted Equipment /Item in India may be mentioned.

Read and Accepted.

(Signature & Stamp of Tenderer)



SPECIAL CONDITIONS FOR SUBMITTING BID IN FOREIGN CURRENCY BY THE INDIAN AGENTS/DEALERS:

1. The Tenderer should submit the following documents/information while quoting:
 - a) Foreign Principal's Performa invoice/quote indicating the commission payable to the Indian Agent and nature of after sales service to be rendered by the Indian Agent.
 - b) Copy of Agency agreement with the Foreign Principal and the Indian Agent, precise relationship between them and their mutual interest in the business.
 - c) Agency Commission will be paid in only Indian Currency.
 - d) Compliance of the tax laws by the Indian Agent.
2. The following information/documents are to be submitted wherever applicable.
 - Product Literature.
 - The earliest delivery period and country of origin of the Stores.
 - Banker's name, address, telephone/fax Nos. & e-Mail ID of the Contractor.
 - The approximate net and gross weight and dimensions of packages/cases.
 - Recommended spares for satisfactory operation for a minimum period of one year.
 - Details of any technical service, if required for erection, assembly, commissioning and demonstration.
3. The FOB/FCA and C & F prices quoted should be inclusive of all taxes, levies, duties arising in the tenderer's country.
4. Samples, if called for, should be sent free of cost.
5. The offer should be accompanied with with a certification that the quoted item/items has/have not been restricted or canalized under ITC (HS) classification of Import & Export items.
6. The authority of person signing the tender, if called for, shall be produced.
7. Instructions/ Operation Manual containing all assembly details including wiring diagrams should be sent wherever necessary in duplicate. All documents/ correspondence should be in English language only.
8. It is expressly agreed that the acceptance of the Stores Contracted for, is subject to final approval in writing by the Purchaser.
9. Part shipment is not allowed unless specifically allowed by the Institute.
10. Inspection/ Test Certificate (if required) should be provided.

Read and Accepted.

(Signature & Stamp of Tenderer)



Acceptance

We _____ read and accept the instructions to the tenderer, terms & conditions and all other documents as mentioned in the tender and shall Comply with them strictly.

Name of Bidder _____

Signature

Address _____

Seal of firm:

Date:



Questionnaires A & B

QUESTIONNAIRE FOR PLANT & MACHINERY

Note: Please submit the reply in detail and also enclose the necessary documents with proof where required as per Questionnaire. These documents must be submitted in the technical bid document.

Please state that you have submitted your quotations as per procedure mentioned below:-

➤ Bids consisting of technical details bringing out clearly in a separate sheet, the deviation in the specifications if any from that of tender enquiry specifications along with commercial terms and tender form.

1. Please attach list duly signed by you, for such spare parts and tools which are absolutely essential for proper maintenance and operation of machine for a period of two years giving full particulars of spare and tool with a price of each spare parts and tools separately.
2. Please confirm that you have adequate servicing and spare parts facilities in India in respect of Equipment /Item tendered by you or that you should arrange to provide such facilities simultaneously.
3. Please indicate that you guaranteed that before going out of production of spare parts, you will give adequate advance notice to the purchaser so that the institute may order his requirements of spares in one lot, if he so desire.
4. Please indicate that you guaranteed that if you go out of production of spare parts, then you will make available prints, drawings of the spare parts and specifications of the material at no cost if and when required in connection with Equipment /Item to enable the purchaser to fabricate or procure spare parts from other sources.
5. Please confirm that you undertake to enter into a rate contract with the purchaser to supply spare parts on an agreed basis for an agreed period.
6. Status:-
 - a) Indicate whether you are ISU or SSI
 - b) Are you registered with Government e-Marketing (GeM) for the item quoted? If so indicate whether there is any monetary limit or registration.
 - c) If you are a small scale unit registered with NSIC under single point registration scheme whether there is monetary limit.
7. a) If you are registered either with NSIC or with Government e-Marketing (GeM), please State whether you are registered with Directorate of industries of the state government concerned.
 - b) If so, confirm whether you have attached a copy of the certificate, issued by Director of industries.
8. Please indicate:-
Name & Full Address of your Banker
9. Please indicate whether you agree to submit advance samples if called upon to do so within the specified period of 21 days.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.niti.ac.in email: registrar@niti.ac.in

10. Business name and constitution of firm:-

- i) The Indian company Act.1956
- ii) Indian partnership Act.1932
- iii) Any act, if not, who are the owner/partners (please give full name and address)

11. Whether the tendering firm is / are:-

- i) Manufacturers authorized agents
- ii) Holders stock of the stores tendered for
- iii) **NBI manufacturer's agents please enclose with tender the copy of manufacturer's authorization.**

12. Please state whether the inspection clause is acceptable to you

13. Here state specifically:-

- i) Whether the price quoted by you is to the best of your knowledge and belief is not more than the price usually charged by you on stores of the same natures, class of description to any private purchase either foreign or as well as government purchaser. If not state the reason thereof if any also indicates the margin of Difference.
- ii) In respect of indigenous items for which there is a controlled price fixed by law, the price quoted shall not be higher than that the controlled price and rates available on DGS&D/ Government e-Marketing (GeM) contract. The reason thereof should be stated.

14. State whether business dealing with you has been banned by Ministry /Department of supply or any other Govt. Department.

15. Please confirm that you have read all the instruction carefully and have complied with accordingly.

(Signature of Tenderer)

(_____)

1. Full Name & Address of the person signing

(_____)

2. Whether signing as proprietor /partners



PROFORMA FOR PERFORMANCE STATEMENT
(For the Period of last 3 years)

e-Tender Notice - NITJ/PUR/210/18/e-Tender No. 20/2018						
Sr.No.	Order (full placed address of purchaser)	Order No. & dated	Description and Qty. of Stores ordered	Value of Order	Date of Completion of delivery	Has the Equipment/Item been satisfactory commissioned



Annexure-A

Category-A

Tender Specification for Rotational Viscometer for Medium Viscosity to Higher Viscosity

Sl. No.	Item	Specification
1	Dynamic viscosity range	<ul style="list-style-type: none">• 60 mPa.s to 320 M mPa.s or Better• Should be quoted complete spindle Set and DIN Accessories as per ISO 2555 and ISO 3219• Accessory should be Quote for Absolute Measurement as per ISO3219 i.e Concentric Cylinder
2	Temperature Probe	Temperature Probe with ± 0.5 °C Accuracy
3	Spindle Lock System	Easy Lock Spindle Coupling system or similar should be quote. For one-hand removal/attachment of spindles, with quick coupling system.
4	Digital leveling	Automatic Alignment check that should be displayed on instrument screen. Interlock that Instrument should not allow for measurement unless leveling is passed
5	Rotation Scan	Instrument should have speed scan mode if spindle/speed combination is unknown.
6	Display	Displayed information: Viscosity, Speed, Torque, Temperature, Runtime, Spindle and max. Viscosity, Target Time/Torque/Temperature or better
7	Speed range	<ul style="list-style-type: none">• 0.1 rpm to 200 rpm or better
8	Spindle MOC	Should be made up of 316L corrosive resistance SS
9	Accuracy	$\pm 1\%$ or Better
10	Repeatability	$\pm 0.2\%$ or Better
11	Accessories:	<ol style="list-style-type: none">1. Data Acquisition Software and 100ml Viscosity standards2. Temperature sensor3. Bath thermostat 20...100°C; ± 0.03°C; 208-230V/50-60Hz4. Stand for bath thermostat5. Stainless bath cover for 600 ml beaker6. Silicone viscosity standard 600 ml - 11 / 10 mPa.s at 20 / 25 °C7. Silicone viscosity standard 600 ml - 111 / 100 Pa.s at 20 / 25 °C8. Measuring system
12	Communication Interface	USB, PC interface, and Power Connection.
13	Warranty	Standard One Year Warranty
14	Temperature Control	Water bath should be quoted for efficient temperature. (up to 100 Deg C)

CS
Dr. A.K. Agnihotri
Head of the Department

13/9/18
Dr. Shashi Kant Sharma
Indentor

Dr. Shashi Kant Sharma, Assistant Professor
Department of Civil Engineering
For any clarification e-mail to : sharmask@niti.ac.in
Mob: 8894484088



Solar PV WIND Hybrid System with DC Micro Grid
Technical Specifications

Sl. No.	Components	Sub-Components	Specifications
1	Wind Turbine Emulator	DC Motor	
		Number	1
		Output Power Rating	5 Hp
		Gear Box	
		3-Phase Autotransformer	
		1-Phase Autotransformer	
		Bridge Rectifiers	
		DC Drive	
		Control	Fixed Field, Variable Armature Voltage
		Rating	300V, 10A
2	Solar PV Emulator	Input	
		No. of channels	4
		Supply Voltage	230V AC/ 50Hz
		Output	
		Short Circuit Current(Isc)/Channel	0-10 A
		Open Circuit Voltage(Voc)/Channel	0-50 VDC
		Max Output Power /Channel	350 W
		Maximum Channels in Series	4
		Maximum absolute voltage at output	200 VDC
		Voltage Slew Rate Range	0.01V/ms-2V/ms*
		Current Slew Rate Range	0.01A-1A/ms or INF
		Modes of Operation	Fixed Mode, Table Mode, Simulator Mode, Programming Mode
		Physical Box	
		Connector at Output	Banana Type
Number of leads in output connector	4		
Operating Environment	Indoor Use		
3	Generation Unit	Self-Excited Induction Generator	
		Type	3 Phase Squirrel Cage
		Power Rating	1.5kW, 415V AC
		No of poles	8

9/5/20

3/16



-A2-
Page 2

		AC Excitation Capacitor	
		Tacho- Generator	0-10V/1500 RPM
		3 phase rectifier with Capacitor filter	20A/600V
		DC-DC Converter (for MPP Tracking)	
4	DC Micro-Grid Unit	Bidirectional Converter	
		PV boost Converter	
		Battery Bank	
		Rating	12V, 150Ah
		Inverter	
		Type	3 Phase
		Rating	1000VA
		Filter	
		Type	3 phase L-C Filter
		3 phase Transformer	
		Type	Delta-Star
		Rating	1000VA
5	Control and Measurement	Control Card	
		Processing Unit	FPGA
		ADC Inputs	Required
		PWM Outputs	Required
		LAN Connection for Real Time Data Exchange	Required
		User Interface and Software	
		Necessary Software	
		Sensing Board	
		DC Voltage Sensor	
		DC Current Sensor	
		Speed meter	
		DC Voltmeters	
		DC Ammeters	
		AC Voltmeters	
		AC Ammeters	
6	Accessories	Manual	

[Handwritten Signature]
9/5/22

4/16

Dr. Sheela Tiwari, Associate Professor
Department of Instrumentation & Control Engineering
 For any clarification e-mail to : tiwaris@nitj.ac.in
 Mob: 9779090688



Technical Specifications of Atomic Absorption Spectrophotometer

Fully Computer controlled Optical double beam Atomic Absorption Spectrophotometer (AAS) system with Flame, Vapor generator and Graphite Furnace System with following minimum specifications:

Optics:

1. Optical double beam with wavelength range from 190-900 nm or better.
2. Variable band width with automatic switching Nominal 0.1 (available below 400 nm), 0.2, 0.5, and 1.0 nm spectral bandwidths.
3. Monochromator: Echelle monochromator and prism or Grating with 1800 lines/mm blazed at 240nm or so with Reciprocal linear dispersion: 0.8 nm/mm at 200 nm or better.
4. Sensitivity: Minimum absorbance of >0.95 Abs for 5.0 ppm Cu (Copper).
5. No. of lamps mount: Minimum 6 with simultaneous illumination of two (user selected lamps) • Background: Quad line (continuum source D2) BGC for flame as well as Zeeman BGC with Graphite Furnace (Future upgradation)
6. Photomultiplier or Solid State detector
7. Single Element Hollow cathode lamps/EDL/Super Lamps of Cu, Mn, Mg, Co, Hg, Zn, Fe, As, Pb, Ni, Cd, Mo, Cr etc.

Flame System:

1. Burner Head: Automatic Optimization of Burner Height. Burner Heads made up of corrosion resistant pure Titanium with height adjustment of burner through software controlled.
2. Nebulizer Chamber: An Inert fluoroplastic spray chamber
3. All flow rates should be fully automatic and controlled through software.
4. Automatic Gas control system of an instrument must have maximum safety features like Automatic gas leak check, Prevention of wrong burner head use, Gas Pressure monitor, drain tank level monitor, flame monitor, prevention of wrong burner head etc., so as to have complete safe operation.
5. Flame auto sampler with 60 or 70 sample vials capacity should be included for automated flame analysis.

Graphite Furnace with Auto-sampler:

1. Graphite Furnace should have temp range up to 2600°C or more with 12 or more heating programming steps. Graphite furnace auto-sampler must have 50 or 60 or more samples capacity
2. Change over from flame mode to graphite furnace mode or vice versa and alignment through software. No manual atomizer changeover mechanism is required for ease of use and to get good reproducibility.
3. Graphite Furnace camera/TV/vision system for viewing inside graphite tube for exact sample status.

Automatic Dilution System:

System must be quoted and supplied with automatic dilution system with dilution factor of up to 150 times or more for highly concentrated samples.

Vapor Generation Accessory:

Software-controlled/Segmented flow hydride vapor generation accessory for hydride forming elements like Hg, As, Cd etc. at Trace level and should be completely compatible with auto-sampler for automated analysis.

Software:

Software should be windows 10 based and handle instrument linear absorbance reading, concentration, or emission intensity, integration time, built in statistics, calibration equation control, slope of analytical curve using operator selective calibration standard, Comprehensive quality control protocols facility including blank, multiple quality control standards. Software should have hardware validation function and should check wavelength accuracy, noise level, baseline drift, absorbance, repeatability etc. automatically.

Additional Consumables:

Graphite Tubes: 15 Nos.

Handwritten signature and date: 29/11/18
Handwritten mark: 1/2



Accessories/Utilities:

1. Good quality Oil free air compressor with air filters for moisture, dust, oil & mist removal
2. High Purity filled Gas Cylinders for Acetylene, N₂O and Argon with dual stage gas regulators
3. Exhaust Fume hood with vent assembly
4. Standards 100 mL volume, 1000 ppm concentration for above mentioned elements
5. Complete gas purification and control panel for Gases like acetylene, Argon
6. Branded PC Core i3/i5, 4 GB RAM, 1 TB HDD, LaserJet Printer.
7. Water circulator/chiller for cooling of Graphite Furnace
8. Suitable Online UPS with 60 minutes back up
9. Site preparation including gas line is to be provided by the bidder.
10. Warranty: Three years onsite warranty.
11. Flame System, Vapors Generation Accessory and Graphite Furnace should be preferably of same manufacturer for better accuracy and repeatability.
12. Proper Training for the operation as well as routine maintenance of complete system should be provided by the supplier.
13. Quoted system must be a reputed make with worldwide presence. Printed Catalogue should be provided from manufacturer in support of above mentioned specifications.

20/11/14
(Dr. Rohit Mehra)

Dr. Rohit Mehra, Associate Professor
Department of Physics
For any clarification e-mail to mehrar@nitj.ac.in
Mob: 9888534590



TECHNICAL SPECIFICATION OF CNC MACHINING CENTER

Technology	Quantity	
CNC Programming, Machining & Maintenance Technology	1	CNC MACHINING CENTER

TECHNICAL SPECIFICATION, CNC Vertical Machining Centre with Industrial Control

- 3 Axes CNC Vertical Machining Centre with (Fanuc, Sinumerik, Heidenhain) (any one) Control and with option of 8 Station Automatic Tool Changer.
- The machine is provided with widely placed precision LM guide ways for increased rigidity and high accuracy.
- The machine is equipped with cartridge type spindle power with 8 tool arm type ATC, integrated base with coolant tank.

Travel

X axis	mm	300
Y axis	mm	250
Z axis	mm	250

Table

Table size	mm	500x250
T-Slot	mm	3x14x100
Load on table	mm	80

Spindle

Spindle		Direct Drive, Cartridge Type
Spindle nose to table top	mm	105-355
Spindle to Column	mm	290
Spindle nose taper		BT 30
Spindle motor capacity(15 minutes rating parenthesis)	Kw	3.7(5)
Programmable spindle speed	Rpm	100-6000

CNC detail

Control System		Imported (reputed)
----------------	--	--------------------

Accuracy

Positioning accuracy	mm	0.010
Repeatability	mm	±0.005

Handwritten signature and date: 27/8/18



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.nitj.ac.in email: registrar@nitj.ac.in

Axis

Axis resolution	mm	0.010
Average positioning variation in VDI/DGQ 3441/JIS B6336-1986 in X/Y/Z	mm	0.010
Axis motor		AC Servo Motor
Programmable feed rate	mm/min	0-5000
Rapid feed X,Y,Z	mm	25mm&10mm C3 Class
Axis motor Torque X/Y/Z	Nm	3/3/11

Power Source

Main Supply		415V, 3 Ph.,50 Hz
-------------	--	-------------------

Machine Dimensions

LxWxH with ATC (approx)	mm	1550x2180x2150
Weight (approx)	Kgs	1400

Coolant/Lubrication

Coolant Capacity	ltrs	80
Coolant motor	Kw	0.1
Lubrication		Automatic Lubrication System

Features

Compatibility/ Upgradable		FMS/CIM System
---------------------------	--	----------------

For CNC MACHINING CENTER:

Servo Stabilizer 15KVA ,3 Phase-1 no.

Accessories

- **Tooling Kit**
 - (i) End Mill Cutter Set (High Speed Steel) 10mm to 25 mm (one each)
 - (ii) Drill Tool Holder/Drill Chuck with Taper Sleeve Set (one each)
 - (iii) Tapping Attachment (Complete Set)
- Machine Vice 8" = (No.01)
- # Three Years Annual Maintenance Contract (AMC)

[Handwritten Signature]
27/8/18

Dr. Vishal Sharma, Professor
Head- Workshop
For any clarification e-mail to: sharmavs@nitj.ac.in
Mob: 9463010259



High Pressure Autoclave reactor

Specifications:

1.	Volume	250 -500 ml net filling capacity
2.	Material of Construction	Wetted parts: SS 316 or 316L
3.	Maximum working Pressure	Up to 350 bar
4.	Maximum working temperature	500°C
5.	Head mounting style	Removable head and vessel design
6.	Heating	External Electrical ceramic band heater with insulation with high temperature steel cladding & provision to connect heater temperature sensor. Cascade temperature controller to prevent temperature over shoot.
7.	Stirrer	4-bladed turbine stirrer
8.	Standard fittings	External Valves & Fittings: pressure gauge with vacuum protection vent needle valve safety rupture disc (inconel) with vacuum protection gas inlet-valve & liquid sampling valve mounted on common dip tube Solenoid valve at the inlet of cooling coil pipe for automatic cooling.
9.	Closure type	Split clamp with clamp bolts
10.	Control Panel	Programmable P.I.D temperature controller with high temperature alarm system & motor speed controller mounted on it.
11.	Mounting	Table top.
12.	Pressure Regulator	Self venting for releasing the pressure, pressure gauge for O/P pressure for H ₂ gas & adaptor for N ₂ , O ₂ or air cylinder

Dr. Anjireddy Bhavanam, Assistant Professor
Department of Chemical Engineering
For any clarification e-mail to bhavanama@nitj.ac.in
Mob: 08148371241



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: www.nitj.ac.in email: registrar@nitj.ac.in

Category-F

ya ni

Specifications of ~~Portable~~ UV-visible Spectrophotometer (Portable UV Spectrophotometer)

A portable Microprocessor based UV-Vis Spectrophotometer having following specifications:

Photometric System	Double beam optics
Photometric Range	Absorbance: -4 to +4 Abs, Transmittance: 0 – 400 %
Photometric Accuracy	± 0.04 Abs @ 1.0 Abs & ± 0.02 Abs @ 0.5 Abs
Wavelength Range	190 1000 nm or better
Wavelength accuracy	± 0.1 nm or better
Wavelength Repeatability	± 0.1 nm or better
Photometric Repeatability	± 0.001 Abs or better
Scanning speed	Selectable upto 3000 nm/min or better
Spectral Bandwidth	Variable/1 nm or better
Stray light	Less than 0.02 % @ 220 nm & 340 nm
Baseline stability	Less than 0.0003 Abs/H
Baseline Flatness	Less than 0.0006 Abs/H
Noise level	Less than 0.00005 Abs
Monochromator	Czerny Turner blazed holographic grating
Detector	Silicon photodiode (02 Nos)
USB port	3-4 USB ports for Data storage/Transfer, Laptop/PC connectivity
Light source	Tungsten & Deuterium lamp
Quartz Cuvette	3 mL capacity with path length of 10 mm (02 pairs)

Windows based Operating software should have built in features like real time concentration display, Photometric mode Single/Multi wavelength, Enzyme Kinetics calculation, DNA/protein quantification etc. Spectrophotometer must have built in display so that user can be it in standalone mode.

Spectrophotometer should have built in hardware validation for wavelength accuracy, wavelength repeatability, resolution, stray light, photometric accuracy, photometric repeatability, baseline flatness, baseline stability, noise level and validation software along with optical filter for wavelength calibration. Two pair of cuvette (quartz) extra to be provided with this instrument.

Note: The supplier must give the training to be concerned lab staff to use this machine and related software. The supplier may also take care of the maintenance of this machine for one year including the expenses incurred on the executive visit. The supplier may be asked to furnish the list of Institutes like IITs, NITs etc to whom this machine has been supplied early.

Dr. S. Bajpai, Associate Professor
Department of Chemical Engineering
For any clarification e-mail to bajpais@nitj.ac.in
Mob: 9888895253



ANNEXURE-II

Solar Simulator with I-V curve analyser System

Detailed Specification required (New)

Features	Description
Equipment Type:	Class AAA (IES/ASTM/JIS Standard) Solar Simulator
Spot dimensions (AAA class)	5 cm X 5 cm
Incident power	1000 W/m ² (1 Sun)
Type of lamp:	Xenon/high quality LED lamp
Spectral profile	AM1.5G
Emission bandwidth	350 nm – 1400 nm
Lamp lifetime	> 1000 h
Spectral match	Class A
Temporal stability	Class A
Spatial uniformity	Class A
Measurement	Short Circuit Current (μ A-Ampere) Open Circuit Voltage (mV -V) Load Current, Power at Fixed voltage Maximum (Peak) Power Current & Voltage at Peak Power Fill Factor, Conversion efficiency
I-V Characteristic Measurement System	Source meter
<ul style="list-style-type: none">• Voltage Measurement Range• Current Measurement Range	: 1 μ V – 20 V : 10 pA - 1 A
Display Unit	:Digital display unit fitted with required software and I-V Curve Analyzing Software
Power required	:Should work in Indian Standard 240V, 50Hz
ISO Certificate	:Should have ISO 9000 certification enclosed
Class AAA Certificate	: Should Have Class AAA Certificate and meet IEC60904-9 Edition 2(2007), JIS C 8912 and ASTM E 927-05.

Note:

1. The equipment should be supplied with spare lamp with standard make on/off switch, Mains Indicator etc.
2. The equipment should be provided with calibration system and optical filters.
3. Proper COOLING SYSTEM SHOULD BE included for solar simulator safety.
4. Lamp replacement should be simple and easy.



5. Manufacturer/Supplier should have 3 references in India.
6. Manufacturer/ Supplier should have service facility in India and service engineers should be available on request within 5-7 days onsite.
7. A complete set of detailed operating and service manuals in English should be provided.
8. Any other accessories for smooth working and installation of instrument should be provided by the supplier.
9. The equipment should be installed by supplier on the site free of cost.
10. At least three years on-site warranty after completion of installation with free replacement of any damaged component including software has to be provided.
11. Custom Clearance, Custom duty, Taxes, Transportation Charges have to be mentioned.

Handwritten signature
20/7/18
HD/CH

Handwritten signature
20/7/18

Dr. Renu Gupta, Associate Professor
Department of Chemical Engineering
For any clarification E- Mail to: bansalr@niti.ac.in
M: 8283022833



Specifications for DG Set:-

Description of DG Set, AMF Panel and other material required for the installation of the DG set as given below

Sr.No.	Description	Quantity
1	50 KVA Silent DG Set 3 Phase,415 Volts,50 Hz Frequency,0.8 Power Factor (Lagging) Engine Four Cylinders,Liquid Cooling,80HP Power, Fuel High Speed Diesel,Performance Class of DG Sets ISO8528-5 G2 coupled with Alternator 50 KVA at 415 V ($\pm 1\%$),Insulation H Class ,Dynamically Balanced Rotor,Stator with Double Layer Winding,Telephonic Harmonic Factor <2%,Prime Power Performance with ISO 8528,Comlete with Standard Panel, Fuel tank of suitable capacity along with battery.	01
2	Four core copper cable 25mm XLPE Insulated Armoured	150 Mtr
3	AMF Panel Model SKU ELE.AMF.1114204,Wall Mounting,Operating Voltage 180-270 V ,Three Phase,2A Trickle Charger,Maximum Current 100 A ,KVA Rating Upto 62.5KVA <i>or equivalent</i>	<i>23/1/18</i>
4	Supplying and laying of size 63 mm dia (OD 63 mm ID 51mm) DWG HDPE pipe ISI marked along with all accessories like socket, bend, couplers etc. conforming to IS 14930, <i>or equivalent</i> .	50Mtr
5		

Sukhinder Singh
16/11/17
Sukhinder Singh
Sr. Technical Assistant

EOJ(PD)
hosing
16/11/17

Note:

1. The Payment of sr. no. 2 & 4 will be made on actual measurement basis.
2. Please quote miscellaneous charges for installation & foundation.

Mr. Harpreet Singh, AE (P&D)
Estate Office

For any clarification E-Mail to: hpsingh@nitj.ac.in
Mob: 9872813073



Specifications for Fluorescence Spectrophotometer:-

S. No.	Description with Requirements for typical performance :
1.	<ul style="list-style-type: none">➤ Measurements mode & Applications : Fluorescence, phosphorescence, chemiluminescence, and bioluminescence➤ Excitation, emission, constant wavelength synchronous, and constant energy synchronous spectral scanning.➤ 3D excitation/emission scans, 3D synchronous and kinetic scans.➤ Single or multiple wavelength kinetics.
2.	Xenon steady state or pulse lamp 450 W /150W /75kW or suitable
3.	Monochromator: Czerny-Turner/ modified Rowland or equivalent monochromator
4.	Grating: Excitation: 900 lines/mm, blazed at ~340/370 nm or suitable grating and lines/mm Emission: 900 lines/mm, blazed at ~500 /440nm or or suitable grating and lines/mm
5.	Detectors: High performance PMT. The spectrometer should be equipped with a reference photodiode or PMT to monitor excitation lamp intensity fluctuations or reference signals.
6.	Spectral bandwidth :1.5 to 20 nm or better (continuously variable and computer controlled)
7.	Wavelength range: Excitation range: (200 to 850) & Emission range: (200 to 850)
8.	Wavelength accuracy: ± 1.5 nm @ 541nm/610 or better
9.	Wavelength Repeatability: ± 0.3 or better
10.	Typical Signal to noise ratio $> 4000:1$ RMS sensitivity @ 350 nm excitation, excitation and emission slits 10 nm, 1 s Signal Averaging time (Raman band of water) or better
11.	Resolution :1.5 or better
12.	Wavelength scan speed > 24000 nm/min, or better
13.	Software should be User friendly, original licensed Windows based operating software in the form of CD ROM, it should have built in features like have facility for scan application, kinetics, μ s life time measurements, concentration.
14.	Upgradations: System must be upgradable Microplate Reader Accessory, fiber optics probe & Stop Flow accessories.
15.	Solid sample holder accessories for powder and film sample holder.3 ml & 1ml cuvette pair .
16.	Warranty: one years after completion of standard warranty including. Three-year replacement guarantee for source or Additional Xenon source set should be included
17.	Technical literature and compliance statement must be enclosed. Prices must be upto NIT Jalandhar including custom clearance and transportation. Offer should be in separate technical and price bid format.
OPTIONAL ITEMS	
18.	Variable Temperature Measurement Peltier: Peltier temperature controlled single sample holder for 0 °C to +100 °C, water circulator/pump/fluid circulator, controlling software alongwith temperature probe should be provided.
19.	Polarizer accessories: Wavelength range 285-740 nm or better, Four angles possible, S and P (or V and H) etc.
20.	PC , Printer and 3 KVA UPS with 30 min backup
21.	Two year additional warranty.

Dr. Praveen Malik, Assitant Professor

Department of Physics

For any clarification E-Mail to: malikp@nitj.ac.in

Mob: 9888382021



SPECIFICATIONS FOR TRACE METAL ANALYZER

Polarography instrument for the determination of transition metals (Cd, Pb, Ni, Co, Fe, Cr etc. including Hg, As and Ur) based on Voltammetry (wide-band low-noise amplifier & potentiostat and galvanostat with following specifications :

Voltage Range: ± 25 V, Sweep potential range: ± 5 V, Current Range: ± 224 mA, Resolution of measured current (in the smallest measuring range): 6 fA.

Multimode Electrode System comprising of three user selectable modes namely SMDE, HMDE and DME with choice of nine drop sizes and requiring minimum amount of mercury. Flexible & comprehensive windows based software should be provided with facilities for fully quantitative or qualitative analysis & following measurement techniques.

Differential Pulse (DP), Square-wave (SQW), Cyclic Voltammetry, Chronopotentiometry, galvanostatic and for measuring the open-circuit potential.

Measuring cell for higher volume of samples (10 – 70 mL) stirrer with the speed setting of 100 – 3000 revolution per minute (Speed Stability $\pm 5\%$).

The operating software should be windows based (compatible with window 7 or better) and should have all the features for automated operation of the instrument, data analyses and report generation.

Compatible branded PC, Printer, 2 KVA Online UPS with one hour back up, Nitrogen cylinder with regulator should be quoted.

The system should have a warranty of 3 years. The vendor should have supplied the above system in IITs, NITs, Central Universities or any other reputed organizations in last three years.

AMC charge for three years after the expiry of warranty period must be quoted separately as optional.

Validation: Vendor has to validate with standard system specification at the time of installation.

Any other accessories for smooth installation and working of the instrument should be provided by the supplier.

Operator (trained by the company) for running the system should be provided by the vendor for 3 years and its cost per year should be quoted as optional. The person should be a qualified graduate having minimum of 1 year working experience in handling of trace metal analyser or similar equipments. The supplier should also provide adequate training to atleast three persons at Dr. B. R. Amedkar NIT Jalandhar, India.

Dr. S. Bajpai, Associate Professor
Department of Chemical Engineering
For any clarification e-mail to bajpais@nitj.ac.in
Mob: 9888895253



Specifications of the Stir Casting Facilities with Accessories:-

Sr. No:	Specifications
1	Ultrasonic Power: 2000 Watts Ultrasonic Frequency: 20 KHz Including pneumatic foot operated up/down. Trigger pulse and holding stand along with titanium probe full wavelength horn nearly 250 mm and 19 Dia. For particle dispersion of molten metals
2	Accessories: Vortex Cooling Tube for Converter Servo Stabilizer Mechanical stirrer attachment (0-1000 RPM) Spare titanium replaceable tip-4 Nos Niobium rods 4 numbers: length 300mm dia.25mm
3	Furnace: Stir Casting Furnace Maximum Temperature 1000°C Capacity 3 Kg Input Voltage 230 V 1 Phase Ac Power 3.5kw
Total cost	

Vishal
7/8/18

Dev Datta

Dr. Vishal Sharma, Professor
Head-Workshop
For any clarification e-mail to: sharmavs@nitj.ac.in
Mob: 9463010259



FORMAT FOR PERFORMANCE BOND/GUARANTEE

(Undertaking from the supplier on a Non Judicial Stamp Paper of requisite duly attested by Notary)

In consideration for "The Registrar, National Institute of Technology Jalandhar (*hereinafter called NIT Jalandhar*) having agreed to release the payment of net value as per terms and conditions of a concluded Order No. _____ dated _____ (*hereinafter called 'the order'*) for supply of _____ (*here in after called 'the Equipment /Item*) to us Messrs

_____ (*hereinafter called 'the supplier'*) on submission of a Performance Bond to the satisfaction of NIT Jalandhar for the due performance of the said order

We, Messrs _____ hereby submit the FDR/TDR

No _____

issued by _____ (Name of Bank) for _____ pledged in favour of Registrar, NIT Jalandhar as performance guarantee amount and hereby irrevocably, unconditionally and absolutely undertake against any loss or damage caused or suffered by NIT Jalandhar by reason of any failure of the supplier to perform or omission or negligence to perform any part of its obligations to the satisfaction of NIT Jalandhar in terms of the order.

We, the supplier, do hereby authorize Registrar, NIT Jalandhar to forfeit this Performance Guarantee amount / undertake to pay the amount due and payable under this guarantee without any demur merely on a demand from the NIT Jalandhar stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the NIT Jalandhar by reason of any breach by us of any of the terms and conditions contained in the said order or by reason of our failure or omission or negligence to perform the said order or any part thereof. We, the Supplier, undertake to pay to NIT Jalandhar any amount so demanded by NIT Jalandhar, notwithstanding:

- a) Any dispute or difference between NIT Jalandhar and supplier or any other person or between the supplier or any person or any suit or proceeding pending before any court or tribunal or arbitrator relating thereto; or
- b) The invalidity, irregularity or unenforceability of the order; or
- c) Any other circumstances which might otherwise constitute discharge of this guarantee, including any act of omission or commission on the part of NIT Jalandhar to enforce the obligations by the supplier or any other person for any reason whatsoever.

We, the Supplier, further agree that the performance Bond/ Guarantee herein contained shall be continued one and remain in full force and effect during the period that would be taken for the performance of the said order and that it shall continue to be enforceable till all the dues of the NIT Jalandhar under or by virtue of the said order have been fully paid and its claims satisfied or discharged or till the office of the Registrar, NIT Jalandhar certifies that terms and conditions of the said order have been fully and promptly carried out by us and accordingly discharges this Performance Bond/ Guarantee.

We, the Supplier, further agree with NIT Jalandhar, that NIT Jalandhar shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said order or to extend time of performance by the said supplier from time to time or to postpone for any time or from time to time and of the powers exercisable by the NIT Jalandhar against the said supplier and forbear or enforce any of the terms and conditions relating to the order and we shall not be relieved from our liability by reason of any such variation or extension being granted to us or for any forbearance, act or omission on the part of NIT Jalandhar or any indulgence by NIT Jalandhar to us or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

This Performance Bond/Guarantee will not be discharged due to the change in the constitution of the supplier. We, the Supplier, undertake not to revoke this Performance Bond / Guarantee except with the prior consent of NIT Jalandhar in writing.

The disputes relating to this Bank Performance Bond / Guarantee shall be resolved as per the terms and conditions of the order.



FORMAT FOR PERFORMANCE BOND (BANK GUARANTEE)

In consideration for the Registrar, National Institute of Technology Jalandhar, (*hereinafter called NIT Jalandhar*) having agreed to release the payment of net value as per terms and conditions of a concluded Order No. _____ dated _____ (*hereinafter called 'the order'*) for supply of _____ (*hereinafter called 'the Equipment /Item'*) to Messrs _____ (*hereinafter called 'the supplier'*) on submission of a Bank Guarantee to the satisfaction of NIT Jalandhar for the due performance of the said order.

We, _____ (*hereinafter called 'the Bank'*) at the request of the supplier do, as a primary obliger and not merely as surety, hereby irrevocably, unconditionally and absolutely undertake against any loss or damage caused or suffered by NIT Jalandhar by reason of any failure of the supplier to perform or omission or negligence to perform any part of its obligations to the satisfaction of NIT Jalandhar in terms of the order.

We, the Bank do hereby undertake to pay the amount due and payable under this guarantee without any demur merely on a demand from NIT Jalandhar stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by NIT Jalandhar by reason of any breach by the said supplier of any of the terms and conditions contained in a said order or any part thereof. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the bank under this guarantee, which shall not be considered as satisfied by any intermediate payment or satisfaction of any part of or obligation hereunder. However, our liability under this guarantee shall be restricted to an amount not exceeding _____.

We, the Bank, undertake to pay to NIT Jalandhar any amount so demanded by NIT Jalandhar, notwithstanding a). Any dispute and difference between NIT Jalandhar and supplier or any other person or between the supplier or any person or any suit or proceeding pending before any court or tribunal or arbitrator relating

thereto or

a). The invalidity, irregularity or unenforceability of the order or

b). Any other circumstances which might otherwise constitute discharge of this guarantee, including any act of omission or commission on the part of NIT Jalandhar to enforce the obligations by the supplier or any other person for any reason whatsoever.

We, the Bank, further agree that the guarantee herein contained shall continue and remain in full force and effect during the period that would be taken for the performance of the said order and that it shall continue to be enforceable till all the dues of NIT Jalandhar under or by virtue of the said order have been fully paid and its claims satisfied or discharged or till the office of the Registrar, NIT Jalandhar confirms that the terms and conditions of the said order have been fully and promptly carried out by the said supplier and accordingly discharge this guarantee.

We, the Bank, hereby agree and undertake that any claim which the bank may have against the supplier shall be subject to and subordinate to the prior payment and performance in full of all the obligations of the bank hereunder and the bank will not, without prior written consent of NIT Jalandhar, exercise any legal rights or remedies of any kind in respect of any such payment or performance so long as the obligations of the bank hereunder remain owing and outstanding, regardless of the insolvency, liquidation or bankruptcy of the supplier or otherwise. We, the Bank, will not counter claim or set off against its liabilities to NIT Jalandhar hereunder any sum outstanding to the credit of NIT Jalandhar with it.

We, the Bank, further agree with NIT Jalandhar, that NIT Jalandhar shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said order or to extend time of performance by the said supplier from time to time or to postpone for any time or from time to time and of the powers exercisable by the NIT Jalandhar against the said supplier and forbear or enforce any of the terms and conditions relating to the order and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said supplier or for any forbearance, act or omission on the part of NIT Jalandhar or any indulgence by NIT Jalandhar to the said supplier or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

This guarantee will not be discharged due to the change in constitution of the Bank or the supplier.

We, the Bank, lastly undertake not to revoke this Guarantee during its currency except with the prior consent of NIT Jalandhar in writing.

The disputes relating to this Bank Guarantee shall be resolved as per the terms and conditions of the order.



Annexure-D

FORMAT FOR MANUFACTURER'S AUTHORIZATION FORM

To,
The Registrar
Dr B. R Ambedkar National Institute of Technology
Jalandhar

Sub. : e-Tender for “_____”.

Dear Sir,

We, _____, who are established and reputed manufacturers of _____, having factory/office at _____, hereby authorize M/s _____ [name & address of agents/distributors] to bid, negotiate and conclude the order with you for the above goods manufactured by us.

We shall remain responsible for the tender/Agreement negotiated by M/s _____

_____, jointly and severally. No company or firm or individual other than M/s _____ are authorized to bid, negotiate and conclude the order in regard to this business against this specific tender as for all business in the entire territory of India.

We hereby extend our full guarantee and warranty as per the terms and conditions of tender for the goods offered for supply against this invitation for bid by the above supplier.

1. _____

2. _____

***specify in detail manufacturer's responsibilities** the services to be rendered by M/s _____ are as under:

i) _____

ii) _____

[Specify the services to be rendered by the agent/distributor] In case duties of the agent/distributor are changed or agent/ distributor is changed it shall be obligatory on us to automatically transfer all the duties and obligations to the new Indian Agent failing which we will ipso-facto become liable for all acts of commission or omission on the part of new Indian Agent/ distributor.

Yours faithfully,

[Name & Signature] For and on behalf of M/s. _____ [Name of manufacturer]

Note: This letter of authorization should be on the letter head of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer.



DECLARATION REGARDING BLACKLISTING / DEBARRING FOR TAKING PART IN TENDER

Self Attested

I / We _____ (Tenderer) hereby declare that the firm / agency namely M/s. _____ has not been blacklisted or debarred in the past by Union / State Government or organization from taking part in Government tenders in India.

Or

I / We _____ (Tenderer) hereby declare that the Firm / agency namely M/s. _____ was blacklisted or debarred by Union / State Government or any Organization from taking part in Government tenders for a period of _____ years w.e.f. _____ to _____. The period is over on _____ and now the firm/company is entitled to take part in Government tenders.

In case the above information found false I / we are fully aware that the tender/ contract will be rejected / cancelled by Director, NIT Jalandhar, and EMD / SD shall be forfeited.

DEPONENT

Attested:

(Stamp of Company with authorized sign)

Name _____

Address _____



Annexure-F

e-Tender Notice - NITJ/PUR/210/18/e-Tender No. 20/2018

Date of Opening:

The Director
Dr B R Ambedkar National Institute of Technology Jalandhar

I/We hereby certify that I/We are established firm of manufactures/authorized agents of M/s.....with factories at which are fitted with modern Equipment/Item are open to inspection by the representative of the institute. We hereby agree to supply the following items at the price and within the period of delivery indicated below:-

CAT	Description	Specifications for	Rate per unit	GST	Price FOR NITJ	Delivery period	Guarantee / Warranty

1. Please delete whichever is not applicable.
2. It is hereby certified that we have understood the instructions to tenderer and also terms and conditions attached to the tender.
3. This is certified that the rates quoted above are not more than the rates charged from any other Institution/Department/Organization. Further if above quoted item is available on Government e-Marketing (GeM) then the rates charged in this tender are not more than rates available on Government e-Marketing (GeM).
4. We hold this offer valid for acceptance for a period of 120 days.
5. **Earnest money for an amount of equal to is enclosed.**

Date

Place

Signature & Seal of the Manufacturer/Tenderer



e-Tender Notice - NITJ/PUR/210/18/e-Tender No. 20/2018

Date of Opening:

(To be submitted online only)

Name of the Equipment /Item: _____

Name of the Manufacturer : _____

Make of the Equipment /Item: _____

Model Number : _____

County of Origin : _____

Sr. No.	Description	Currency/Unit
	Cost of the Equipment /Item (*FOB value)	
2.	Estimated Packing Forwarding etc.	
3.	Air freight/shipping charges, Insurance charges etc.	
4.	Total CIF value (up to ----- Airport)	
5.	Custom Duty , if any (mention) @ ----- (To be paid by Institute if applicable, against custom duty exemption certificate)	
6.	(Custom Clearance Charges, Loading, transportation, insurance & unloading) up to NIT, Jalandhar (In Rs.) mentioned otherwise treated invalid	
7.	Total cost Delivery at Place (DAP) NIT, Jalandhar	

This is certified that the rates quoted above are not more than the rates charged from any other Institution/Department/Organization.

It is hereby certified that we have understood the instructions to tenderer and also terms and conditions attached to the tender.

Note:

- **Taxes and other levies, if any are to be clearly specified in the bid.**

Signature & Seal of the Manufacturer/Tenderer



CERTIFICATE OF WARRANTY

- i).I/We certify that the warranty shall be for a period of _____ years for _____ and starting from the date of satisfactory installation, commissioning and handing over of the Equipment /Item and of the works conducted therewith covered under the supply order in working order. During the **warranty period, I/we shall provide free “after sale service” and the replacement of any part(s) of the** Equipment /Item or rectification of defects of work of the Equipment /Item will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above warranty shall begin only from the date of satisfactory and faultless functioning of the Equipment /Item for 60 days at NIT Jalandhar premises. The benefit of change in dates of the warranty period shall be in the interest of the use/your organization.
- ii). During the warranty period, we shall provide at least _____ **preventive maintenance visits.**
- iii). Uptime Guarantee: During the warranty period, we will be responsible to maintain the Equipment /Item in good working conditions for a period 350 days (i.e. 95% uptime) in a block of 365 days.
- a). All complaints will be attended by us within 2 working days of receipt of the complaint in our office.
- b). In case there is delay of more than 2 days in attending to a complaint from our side then you can count the number of days in excess of the permissible response time in the downtime. The above said response time of 2 days for attending to a complaint by us will not be counted in the downtime.
- c). **Penalty:** We shall pay a penalty equivalent to **0.5 % of the FOB/CIF** value of the Equipment /Item for every week or part thereof delay in rectifying the defect.
- Note: The right to accept the reason (s) for delay and consider reduction or wave off the penalty for the same shall be at the sole discretion of Director, NIT Jalandhar**
- iv). We certify that the Equipment /Item being/ quoted is the latest model and that spares for the Equipment /Item will be available for a period of at least _____ years and we also guarantee that we will keep the organization informed of any update of the Equipment /Item over a period of ____ years.
- v). We guarantee that in case we fail to carry out the maintenance within the stipulated period, NIT Jalandhar reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs/maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of Performance Bank Guarantee, the same shall be recoverable from us with/without interest in accordance with the circumstances.
- vi). We shall try to repair the Equipment /Item at NIT Jalandhar premises itself. However, the Equipment /Item will be taken to our site on our own expenses in case it is not possible to repair the same at NIT Jalandhar. We shall take the entire responsibility for the safe custody and transportation of the Equipment /Item taken out for repairs till the Equipment /Item is rehabilitated to the NIT Jalandhar after repair Any loss of Equipment /Item or its accessories under its charge on account of theft, fire or any other reasons shall be at our sole risk and responsibility which will be compensated to NIT Jalandhar for such losses at the FOB/CIF value for the damaged/lost Equipment /Item part, including accessories.
- vii. We undertake to perform calibration after every major repair/breakdown/taking the Equipment /Item for repair out of NIT Jalandhar premises.
- viii. In case of extended warrantee, we undertake to carry out annual calibration of the Equipment /Item.
- ix. We guarantee that we will supply spare parts if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.
- x. We guarantee to the effect that before going out of production of spare parts, we will give adequate advance notice to you so that you may undertake to procure the balance of the life time requirements of spare parts.
- xi. We guarantee the entire unit against defects of manufacture, workmanship and poor quality of components.

Signature & Seal of the Manufacturer/Tenderer