



Ref. No. e-Tender Notice No. NITJ/PUR/Gym/112/2019

Please find enclosed herewith the following:		Page No.
1.	e-Tender Notice No. NITJ/PUR/Gym/112/2019 & Schedule for Opening of the e-Tender	2
2.	Annexure-I ( <b>Detail of Equipment(s), Tender Fee &amp; EMD</b> )	3
3.	Important Note	4
4.	Instruction to Tenderers	5-7
5.	Tender Evaluation	8-10
6.	Terms & Conditions	11-13
7.	Special Conditions For Submitting Bid In Foreign Currency by The Indian Agents/Dealers	14-15
8.	Questionnaires A & B	16-17
9.	Pre-qualification/Eligibility Criteria and some additional terms & conditions	18
10.	Stages of Evaluation of bids	19
11.	Technical Bid Proforma	20
12.	Performa for performance statement	21
13.	Annexure 'A' ( <b>Specifications of the Gym Equipment</b> )	22-43
14.	Annexure 'B' & 'C' ( <b>Format For Performance Bond/ Guarantee &amp; Format For Performance Bond (Bank Guarantee)</b> )	44-45
15.	Annexure – 'D' ( <b>Format for Manufacturer's Authorization Form</b> )	46
16.	Annexure- 'E' ( <b>Declaration Regarding Blacklisting/ Debarring for taking part in Tender</b> )	47
17.	Annexure –'F' ( <b>Certificate of Warranty</b> )	48

Assistant Registrar

Dr. B. R Ambedkar NIT Jalandhar

Email: [arpurchase@nitj.ac.in](mailto:arpurchase@nitj.ac.in)



**Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY**

**G T Road By Pass, Jalandhar-144011, Punjab (India)**

EPABX-0181-2690301 & 453 website: [www.nitj.ac.in](http://www.nitj.ac.in) email: [registrar@nitj.ac.in](mailto:registrar@nitj.ac.in)

**THIS DOCUMENT IS FOR REFERENCE ONLY. ONLY E-TENDERS WILL BE ACCEPTED**

**e-Tender Notice No. NITJ/PUR/Gym/112/2019**

**National Institute of Technology, Jalandhar invites e-tender for purchase of Gym Equipment(s) as per detail available at Annexure-I along with Tender Fee & EMD for the Department of Physical Education & Sports of the Institute as per details given below:**

I	Downloading & Submission of Online e-tender/bids	Start Date:30.01.2020 at 05:00 PM
II	Last date of submission of online bids	End Date: 20.02.2020 upto 05:00 PM
III	Physical submission of Tender Fee and EMD	End Date: 20.02.2020 upto 05:00 PM
IV	<b>Opening of Technical e-Bid (online)</b>	<b>24.02.2020 at 11:00 AM</b>

**Detailed Terms and Conditions are available in e-tender document. The bid document can be downloaded from the [CPP Portal](#).**

**Complete tender document is available for reference purposes on Institute website [www.nitj.ac.in](http://www.nitj.ac.in) and [CPP Portal](#). Only e-tenders will be accepted.**

**Registrar**



**Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY**

**G T Road By Pass, Jalandhar-144011, Punjab (India)**

EPABX-0181-2690301 & 453 website: [www.nitj.ac.in](http://www.nitj.ac.in) email: [registrar@nitj.ac.in](mailto:registrar@nitj.ac.in)

**Annexure-I**

**e-Tender Notice No. NITJ/PUR/Gym/112/2019**

**Date:**

**Detail of Gym Equipment, Tender Fee & EMD are as under:**

<b>Sr. no.</b>	<b>Item/Equipment</b>	<b>Qty.</b>	<b>Tender Fee</b>	<b>EMD</b>
1	Gym Equipment(s)	As per detail at Annexure-A	Rs. 500/-	Rs. 3,45,000/-

**Note: The quantity of required equipment/item may vary as per requirement.**

**\*Exemption of Tender fee & EMD will only be given to MSME/NSIC registered bidders.**



### Important Note

1. All corrigenda, addenda, amendments and clarifications regarding this tender document will be uploaded on the website [www.nitj.ac.in](http://www.nitj.ac.in) and CPP Portal and not in the newspaper; Bidders shall keep themselves updated with all such developments.
2. In case, the last date of receipt/opening of bids falls on holiday, the bids shall be receipt/opened on the next working day at same time.
3. In case, the last date of submission of EMD & Tender fee falls on holiday, the EMD & Tender fee shall be submitted on the next working day at same time.
4. Tenderer who have downloaded the tender document form from the institute website, shall submit a declaration along with tender document that I/We have downloaded the Tender Form from the institute website [www.nitj.ac.in](http://www.nitj.ac.in) and I/we have not tempered /modified the tender form in any manner. In case, if the same is found to be tempered/modified in any manner, I/we understand that my/our tender will be summarily rejected and I/we are liable to be banned from doing business with institute.
5. **Tender fee of Rs.500/- (Non- refundable) in the form of DD in favour of Director, D R B R Ambedkar NIT, Jalandhar.**
6. **EMD (refundable) in the form of DD in favour of Security- A/c, DR B R Ambedkar NIT, Jalandhar.**
7. **Both EMD and Tender fee are be submitted as per dates mentioned in schedule, failing which e-bids will not considered.**

❖ **All the bidders are required to submit the Tender Fee and EMD as per requirement of tender document failing which bids received straightway rejected and bid will be treated invalid.**

❖ **Note: If the bidder inadvertently or otherwise upload the quoted rates in the technical bid, the bid will be straightway rejected and treated invalid.**

❖ **If the bidder is exempted for payment of Tender Fee and EMD as NSIC/MSME registered bidders, then bidder is required to submit NSIC/MSME exemption certificate for same. The Certificate must be valid as on last date of submission of bid.**

**Tenderer must submit a scanned copy (duly signed and stamped) regarding terms & conditions as per our tender documents along-with make/model, specifications, bill of quantity as per required equipment in the technical bid for examine the bid as per our institute tender documents. It is noted that no rate should be depicted in the letter head.**



**Instructions to Tenderer**

1. No tender will be accepted in physical form. The bidders shall have to submit their bids online in Electronic Format under Digital Signatures. For participation in the e-tendering process, the bidders need to register themselves on CPP Portal.
2. Bids are to be submitted online and opened online as per time given failing which no tender will be considered..
3. Bids will be opened online as per time given schedule.
4. **Before submission of online bids, bidders must ensure that scanned copies of all the necessary/relevant documents have been uploaded with the bid which should be duly signed and stamped. The duly signed and stamped copies of Terms & Conditions of the tender, reply of the Questionnaire of Plant & Machinery and other documents of the Tender & Annexures must be uploaded, failing which their bids may be rejected.**
5. NIT JALANDHAR, will not be responsible for any delay in online submission of bids due to any reason whatsoever.
6. **Bidders should also upload the scanned copies of Tender fees/EMD/Exemption Certificate as specified in the tender documents along with online technical documents. EMD in the form of a Demand Draft in favour of the Security – A/c, Dr B R Ambedkar NIT, payable at Jalandhar (refundable separate) and Tender Fee in the form of a Demand Draft in favour of the Director, Dr B R Ambedkar NIT, payable at Jalandhar (Non- refundable separate) should also be submitted in physical form to the following address as per scheduled time given for physical submission of EMD and Tender fee. The Envelope should be super-scribed as EMD and Tender Fee for Tender for Supply of Gym Equipment(s) and sent to following address:-**  
  
**Kind Attention- Assistant Registrar (Purchase Section) Director,  
Dr B R Ambedkar National Institute of Technology,  
G T Road Amritsar By Pass, Jalandhar-144001, Punjab (India).**
7. The details of EMD specified in the tender document should be same as submitted online (scanned copies). Otherwise tender will be rejected summarily.
8. The conditional bids shall not be considered and will be out rightly rejected.

**Read and Accepted**

**(Signature & Stamp of Tenderer)**



9. The Financial Bid through e-tendering process shall be opened of only those bidders, who will qualify in the technical bid and approved by the Purchase Committee/Technical Experts. The date, time & place of opening of the financial bid(s) will be intimated in due course of time.
10. At any time prior to the deadline for submission of bid, the institute may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer(s), modify the tender document by issuance of an amendment.
11. The amendment will be uploaded on Institute website and CPP Portal only. In order to provide reasonable time to prospective tenderer(s), for preparing their bid as per amendment, the institute may, at its discretion extend the deadline for the submission of tender.
12. **The supplier must upload the original manuals / catalogue and Make/Model No. of the Equipment /Item to be supplied. Otherwise Bid will be rejected straightway.**
13. The Institute is not liable to pay any interest on EMD. Earnest money deposit shall be forfeited, if the tenderer, withdraws its bid during the period of tender validity. The Earnest money deposit of the tenderer, whose tender has been accepted, will be returned on the submission of **performance security @ 5% of the total value of the offer. The performance security will be kept till the warranty period + 02 months more of the Equipment /Item. The warranty period will start from the date of satisfactory installation of the Equipment /Item duly given by the concerned department.** Earnest money deposit of the successful tenderer shall be forfeited, if it refuses or neglects to execute the contract or fails to furnish the required performance security within the time frame as specified by the institute. The EMD(s) of other Bidder(s) whose offer are found according to required specifications/lowest will be released after finalization of Technical Bids/ Lowest Bid/Purchase.
14. The Format of Performance Bank Guarantee bond or Performance Bank Guarantee issued by the bank as per the format given in **Annexure "B" & "C"**.
15. Delivery time is the essence of the contract and must be met with.
16. Nearest specifications/better specifications can be considered. In case of deviation, complete justification should be furnished with proper documents.
17. The Director may accept a tender in part or whole of the quantity offered, reject any tender without assigning any reasons and may not accept the lowest bidder. Further in case of any doubt/dispute, the decision of the Director of the Institute shall be final.
18. The offer shall be kept valid for minimum 120 days.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



19. a) Either the Indian agent/ dealer on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.  
  
b) If an agent/ dealer submits bid on behalf of the Principal/OEM, the same agent /dealer shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.  
  
c) All offers other than those from the Principal/OEM should be supported by an authority letter from the manufacturer authorizing the dealer /supplier to tender on their behalf as per **Annexure-D**. In case of manufacturer, a certificate or a copy thereof to the effect that the bidder is a manufacturer of the Equipment /Item must be accompanied with the technical bid.
20. The supplier will be responsible till the entire stores contracted for, arrive in good condition at destination.
21. The tenderer should not have been debarred and/ or blacklisted by any Central Government/ or any State Government Department(s) . This must be supported by an affidavit as per format given in Annexure-“E”.
22. If any information furnished by the bidder is, at any stage found to be incorrect/false/fabricated, the Institute shall have the absolute right to forfeit the EMD, warranty/performance guarantees or/and security deposits, in addition to cancellation of contract, and in accordance with law, such other actions may be taken like black-listing of the bidder etc.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



## **TENDER EVALUATION**

Institute will evaluate all the proposals to determine whether these are complete in all respects as specified in the tender document. Evaluation of the proposals shall be done in two stages as:

**(a) Stage – I (Technical Evaluation):**

- (i) Institute shall evaluate the technical bid(s) to determine the following like the bid qualifies the essential eligibility criteria or not, the tenderer has submitted the EMD & Tender fee or not, any computational errors have been made or not, all the documents have been properly filled or otherwise, all the documents have been submitted/ uploaded with technical bid or not, the specifications, Make/Model, Catalogue of quoted Equipment /Item are as per requirement tender specifications or not, Authorization of Dealer / Distributor/ Exclusive Agent certificate from manufacturer is in order or not, Sales & service policy of equipment / item during warranty period and after warranty period will also be seen, location of their authorized service centre will also be seen for evaluation etc.

After evaluation of technical bid(s), a list of the qualifying tenderer (s)/ bidder (s) shall be made. Short-listed tenderer(s) will be informed of the date, time and place of opening of financial bid(s) and they may attend or depute their authorized representative/s to attend the schedule of opening of financial bid(s) on the scheduled date and time, if they wish to do so. The representative(s) should have a letter of authority to attend the price bid(s) opening event.

**Read and Accepted**

**(Signature & Stamp of Tenderer)**





**PART – II (e-FINANCIAL BID):**

- a) Bidders should offer the rates as per the format of BOQ as available on CPP Portal. **Detailed bill of material/quantity is also to be provided along with the price breakup of each item as per requirement of the tendered specification of the equipment in the online price bid at [CPP Portal](#).**

❖ **Note: The quoted amount as filled in the Annexure(s) of online financial bid and detailed bill of material/quantity provided with price break up of each item in the online financial bid should be tallied and both must be same, otherwise bid will be treated invalid.**

- b) Conversion to Single Currency: To facilitate evaluation and comparison, the Institute will convert all the bid prices expressed in the amounts in various currencies to the Indian Rupees as per the TT selling rates of RBI on the date of opening of technical bids.
- c) Custom, GST or any other taxes, Education Cess and other charges must be mentioned in the price bid. The financial evaluation/comparison will be made after including all the above mentioned charges/taxes.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



**ARBITRATION:**

In case of any dispute or difference arising out in connection with the tender conditions/job order/Contract, the Institute and the Seller/Service Provider will address the dispute/difference for a mutual resolution and failing which, the matter shall be referred for arbitration to a sole Arbitrator to be appointed by the Institute.

The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Jalandhar only. The decision of the Arbitrator shall be final and binding on both the parties.

**JURISDICTION:**

The courts at Jalandhar alone will have the jurisdiction to trial any matter, dispute or reference between parties arising out of this tender / contract. It is specifically agreed that no court outside and other than Jalandhar Court shall have jurisdiction in the matter.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



**(TERMS AND CONDITIONS (FOR THE SUPPLY OF GOODS, EQUIPMENT /ITEM)**

1. Rate should be quoted F.O.R NIT Jalandhar.
2. a) For Foreign Import goods/ Equipment, the rates will be evaluated on DAP basis alongwith the item/equipment to be supplied in Indian rupees (If any). Therefore, rates should be quoted on DAP basis with separately mentioning of CIF or FOB charges. The complete description viz. make and model of the Equipment / item and name of the manufacturer must be clearly indicated. The equipment should be insured upto NIT, Jalandhar. Institute will provide all the documents regarding custom clearance.  
  
b) e-Bids found without quoted upto DAP NIT value shall be treated as invalid.
3. Where the Equipment / Machinery/ Instrument are composed of several sub units/components, the rate should be quoted for each subunit/component separately. NIT Jalandhar reserves the right to increase or decrease the number of sub units/components and number of Equipment / Machinery/ Instrument according to its requirements.
4. The institute being government educational institute is having Excise and Custom duty exemption in terms of government notification No. 51/96-customs Dt. 23-7-1996 and No. 10/97-central excise Dt. 1-3- 1997 as amended from time to time, therefore taxes be quoted accordingly and this must be depicted in Price Bid clearly.
5. a) The tenderer(s) who are quoting rates in foreign currency should quote Custom Duty for import (Foreign) goods against Custom Duty Exemption Certificate. The tenders claiming custom duty as extra should specifically give the present rate of Custom Duty as payable against each Equipment /Item. The custom duty so claimed will be reimburse on custom duty receipt basis.  
  
b) The tenderer(s) who are quoting rates in Indian Rupees, the rates should be quoted inclusive of custom Duty against Custom Duty Exemption Certificate (if any). No custom duty will be paid separately. Only custom duty certificate will be provided.
6. GST or any other chargeable duty where applicable must be specifically mentioned, failing which no tax or duty will be allowed at subsequent stage.
7. All items shall be indicated both in words as well as in figures. If there is difference between amount quoted in words and figures, amount quoted in words shall prevail.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



**8. Payment:**

(a) 100% payment will be made against physical delivery, inspection, installation, training of the Equipment/Machinery/Instrument etc in the institute, receipt of satisfactory working report of the Equipment / Machinery/Instrument etc and receipt of Performance Bank Guarantee @ 5%.

b) **For Import Equipment /Item:** 90% of the DAP value of the equipment will be released, through irrevocable Letter of Credit (LC)/ Wire Transfer/ foreign draft/ draft at sight document. Balance 10% of the DAP value will be released after inspection, installation, training and performance bank guarantee of the Equipment / Machinery/Instrument etc in the institute. The payment charged by bidder on account of custom clearance, loading/unloading, transportation, insurance etc. as per price bid and delivery up to NIT, Jalandhar will be reimbursed against actual receipt basis in Indian rupees.

In case of payment through Letter of Credit, all the Bank charges within India will be borne by NIT Jalandhar and all bank charges outside India will be borne by the supplier.

**9. Warranty: Rates should be quoted with comprehensive warranty.** Besides this, policy regarding after sale service on the expiry of warranty period of Equipment / Machinery/Instrument etc may be explained. The bidders should attach duly signed and stamped certificate of **warranty** as per **Annexure-F** with the technical bid.

**10. Training: In house training (where applicable) after the installation and commissioning of Equipment / Machinery/Instrument etc shall be provided by the supplier.**

**11. Delivery:** Delivery date will be mentioned in the supply order. The time and date of delivery or dispatch stipulated in a supply order shall be deemed to be the essence of the supply order and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery, the delayed consignment will be accepted subject to penalty as laid down in the supply order, which will be recovered from the pending payments.

1. No recovery of penalty will be made, if the delayed supplies are acceptable by extending the delivery period by the Director with our any LD charges.
2. Director will allow extension on the request of the supplier by recording in writing that in exceptional circumstances the supply was beyond the control of the supplier and there was no loss to the institute.
3. Penalty on account of delay, Director NIT, Jalandhar reserves the right to impose 0.5% (Half) per cent penalty per week on account of delay in supply, if delivery received after expiry of the original delivery period. The total penalty will not exceed 10% of the value of the delayed goods.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



**12. Installation:** Supplier has to install the Equipment / Machinery/ Instrument within two to three weeks from the receipt of the Equipment / Machinery/Instrument etc in NIT Jalandhar.

13. Spares and Accessories, wherever required should be quoted separately and clearly, even if these are not asked for.

**14. Site Preparation:** The supplier shall inform NIT Jalandhar about the site preparation, if any, needed for the installation, immediately after receipt of the supply order. Supplier must provide complete details regarding space and all infrastructural requirements needed for the Equipment / Machinery/Instrument etc which NIT Jalandhar should arrange before the arrival of Equipment / Machinery/Instrument etc to ensure its early installation and smooth operation thereafter. The supplier may offer his advice and render assistance to NIT Jalandhar in the preparation of the site and other pre installation requirements.

**15.** The total scope of work includes the supply, installation, satisfactory commissioning and testing of the Equipment / Machinery/Instrument etc by the supplier, training at NIT Jalandhar, method development and validation for parameters as mentioned in specifications at **Annexure-A**. The supplier will complete installation & Commissioning of Machine within two to three weeks from the date of receipt of Equipment / Machinery/Instrument etc of NITJ.

**16.** Details about the service center for the quoted Equipment / Machinery/Instrument etc. in India may be mentioned.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



**SPECIAL CONDITIONS FOR SUBMITTING BID IN FOREIGN CURRENCY BY THE INDIAN AGENTS/DEALERS:**

1. The Tenderer should submit the following documents/information while quoting:
  - a) Foreign Principal's Performa invoice/quote indicating the commission payable to the Indian Agent and nature of after sales service to be rendered by the Indian Agent.
  - b) Copy of Agency agreement with the Foreign Principal and the Indian Agent, precise relationship between them and their mutual interest in the business.
  - c) Agency Commission will be paid in only Indian Currency.
  - d) Compliance of the tax laws by the Indian Agent.
2. The following information/documents are to be submitted wherever applicable.
  - Product Literature.
  - The earliest delivery period and country of origin of the Stores.
  - Banker's name, address, telephone/fax Nos. & e-Mail ID of the Contractor.
  - The approximate net and gross weight and dimensions of packages/cases.
  
  - Recommended spares for satisfactory operation for a minimum period of one year.
  
  - Details of any technical service, if required for erection, assembly, commissioning and demonstration.
3. The FOB/FCA and C & F prices quoted should be inclusive of all taxes, levies, duties arising in the tenderer's country.
4. Samples, if called for, should be sent free of cost.
5. The offer should be accompanied with with a certification that the quoted item/items has/have not been restricted or canalized under ITC (HS) classification of Import & Export items.
6. The authority of person signing the tender, if called for, shall be produced.
7. Instructions/ Operation Manual containing all assembly details including wiring diagrams should be sent wherever necessary in duplicate. All documents/ correspondence should be in English language only.
8. It is expressly agreed that the acceptance of the Stores Contracted for, is subject to final approval in writing by the Purchaser.
9. Part shipment is not allowed unless specifically allowed by the Institute.
10. Inspection/ Test Certificate (if required) should be provided.

**Read and Accepted.**

**(Signature & Stamp of Tenderer)**



**Acceptance**

We \_\_\_\_\_ read and accept the instructions to the tenderer, terms & conditions and all other documents as mentioned in the tender and shall Comply with them strictly.

Name of Bidder \_\_\_\_\_

Signature

Address \_\_\_\_\_

Seal of firm:

\_\_\_\_\_

\_\_\_\_\_

Date:



**Questionnaires A & B**

**QUESTIONNAIRE FOR PLANT & MACHINERY**

**Note: Please submit the reply in detail and also enclose the necessary documents with proof where required as per Questionnaire. These documents must be submitted in the technical bid document.**

Please state that you have submitted your quotations as per procedure mentioned below:-

➤ Bids consisting of technical details bringing out clearly in a separate sheet, the deviation in the specifications if any from that of tender enquiry specifications along with commercial terms and tender form.

1. Please attach list duly signed by you, for such spare parts and tools which are absolutely essential for proper maintenance and operation of machine for a period of two years giving full particulars of spare and tool with a price of each spare parts and tools separately.
2. Please confirm that you have adequate servicing and spare parts facilities in India in respect of Equipment /Item tendered by you or that you should arrange to provide such facilities simultaneously.
3. Please indicate that you guaranteed that before going out of production of spare parts, you will give adequate advance notice to the purchaser so that the institute may order his requirements of spares in one lot, if he so desire.
4. Please indicate that you guaranteed that if you go out of production of spare parts, then you will make available prints, drawings of the spare parts and specifications of the material at no cost if and when required in connection with Equipment /Item to enable the purchaser to fabricate or procure spare parts from other sources.
5. Please confirm that you undertake to enter into a rate contract with the purchaser to supply spare parts on an agreed basis for an agreed period.
6. Status:-
  - a) Indicate whether you are ISU or SSI
  - b) Are you registered with Government e-Marketing (GeM) for the item quoted? If so indicate whether there is any monetary limit or registration.
  - c) If you are a small scale unit registered with NSIC under single point registration scheme whether there is monetary limit.
7. a) If you are registered either with NSIC or with Government e-Marketing (GeM), please State whether you are registered with Directorate of industries of the state government concerned.  
  
b) If so, confirm whether you have attached a copy of the certificate, issued by Director of industries.
8. Please indicate:-  
Name & Full Address of your Banker
9. Please indicate whether you agree to submit advance samples if called upon to do so within the specified period of 21 days.





10. Business name and constitution of firm:-

- i) The Indian company Act. 1956
- ii) Indian partnership Act. 1932
- iii) Any act, if not, who are the owner/partners (please give full name and address)

11. Whether the tendering firm is / are:-

- i) Manufacturers authorized agents
- ii) Holders stock of the stores tendered for
- iii) **NBI manufacturer's agents please enclose with tender the copy of manufacturer's authorization.**

12. Please state whether the inspection clause is acceptable to you

13. Here state specifically:-

- i) Whether the price quoted by you is to the best of your knowledge and belief is not more than the price usually charged by you on stores of the same natures, class of description to any private purchase either foreign or as well as government purchaser. If not state the reason thereof if any also indicates the margin of Difference.
- ii) In respect of indigenous items for which there is a controlled price fixed by law, the price quoted shall not be higher than that the controlled price and rates available on DGS&D/ Government e-Marketing (GeM) contract. The reason thereof should be stated.

14. State whether business dealing with you has been banned by Ministry /Department of supply or any other Govt. Department.

15. Please confirm that you have read all the instruction carefully and have complied with accordingly.

**(Signature of Tenderer)**

(\_\_\_\_\_)

1. Full Name & Address of the person signing

(\_\_\_\_\_)

2. Whether signing as proprietor /partners



**Pre-qualification/Eligibility Criteria and some additional terms & conditions**

1. The Bidder must have Average annual turnover of at least Rs.1.5 crore (one Crore and fifty Lakhs) during each of the last 3 (three) preceding financial years, i.e., 2016-17, 2017-18 and 2018-19 from the sale of Gym equipments. For the purpose, the bidder should furnish the following financial information:
  - i) Annual financial statement for the last 3 (three) years should be supported by audited balance sheets and profit and loss accounts, duly certified by a Chartered Accountant, as submitted by the applicant to the Income Tax Department.
2. The Bidder must have persistent book stock of spare inventory of more than 10 lacs monthly from the last 1 year. The documentary proof from C.A. conforming the same must be submitted to ensure timely services during warranty period.
3. The Delivery and installation of all the gym equipments must be within 20 days from the date of order to Lowest bidder.
4. The service engineer of the company must visit atleast once in a week during warranty period. Otherwise penalty of Rs.6,000/- per week will be charged from the supplier from PBG Amount.
5. The Bidder/supplier must have ISO 9001-2015 certificate for supply of equipment's.
6. The service centre of the OEM must be in Jalandhar and fully operational.
7. Atleast 80% of the product quoted must be available on the website of OEM in order to authenticate the same.
8. The bidder must also quote for CAMC for two years after the expiry of warranty period in the BOQ. The Lowest bidder will be calculated on the basis of total cost of equipment and cost of CAMC for next two years. The CAMC shall cover all the cost of spares/services during the period. During CAMC, weekly visit of service Engineer is required i.e. total 52 visit in the year. The tender will be awarded on overall L1 basis. No split of bid will be allowed. The bidder must quote for all the products.



### **Stages of Evaluation of bids**

1. Initially the technical bids received will be evaluated by a duly constituted committee. Those bidders, who fulfill the criteria of Technical Bid will be asked to arrange a pre-inspection/demonstration of the products quoted within 60 Kms of this Institute to ensure the quality check.
2. Those bidder, who will be qualified/accepted in the above criteria will only be considered for financial bid opening and evaluation.
3. The bidder must also quote for CAMC for two years after the expiry of warranty period in the BOQ. The Lowest bidder will be calculated on the basis of total cost of equipment and cost of CAMC for next two years. The CAMC shall cover all the cost of spares/services during the period. During CAMC, weekly visit of service Engineer is required i.e. total 52 visit in the year. The tender will be awarded on overall L1 basis. No split of bid will be allowed. The bidder must quote for all the products.



# Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144011, Punjab (India)

EPABX-0181-2690301 & 453 website: [www.nitj.ac.in](http://www.nitj.ac.in) email: [registrar@nitj.ac.in](mailto:registrar@nitj.ac.in)

## TECHNICAL BID

Sr. No.	Mandatory Information	Fill in the details
01	Name of the Agency/ Bidder with address, telephone, email id	
02	Name of the representative/ owner of the company who is applying the bid	
03	Mention the following:- 1. GST No. 2. Bank Account Holder Name 3. Bank Account No. 4. IFC Code copies of the above documents must also to be uploaded	
04	Scan copy of Tender fee of <b>Rs. 500/-</b> and EMD of Rs. 3,45,000 to be uploaded.	
05	Please upload the specifications of the items as desired alongwith make/model of items and original catalogue/manual of each item. Otherwise bid will be rejected straightway..	
07	The Bidder must have Average annual turnover of at least Rs.1.5 crore (one Crore and fifty Lakhs) during each of the last 3 (three) preceding financial years, i.e., 2016-17, 2017-18 and 2018-19 from the sale of Gym equipments. The documentary proof may be uploaded of Chartered Accountant as asked in tender documents.	
08	The Bidder must have persistent book stock of spare inventory of more than 10 lacs monthly from the last 1 year. The documentary proof from C.A. confirming the same must be uploaded.	
09	The Bidder/supplier must have ISO 9001-2015 certificate for supply of equipment's. The copy of same must be uploaded	
10	The service centre of the OEM must be in Jalandhar. The Copy of the same must also to be uploaded	
11	The Manufacturer's Authorization form/OEM certificate must be uploaded as per Annexure-D	
12	Declaration regarding blacklisting / debarring for taking part in tender must be uploaded as per Annexure-E	
13	Certificate of warranty must be uploaded as per Annexure-F.	



**PROFORMA FOR PERFORMANCE STATEMENT**  
(For the Period of last 3 years)

<b>e-Tender Notice No. NITJ/PUR/Gym/112/2019</b>						
<b>Sr.No.</b>	<b>Order (full placed address of purchaser)</b>	<b>Order No. &amp; dated</b>	<b>Description and Qty. of Stores ordered</b>	<b>Value of Order</b>	<b>Date of Completion of delivery</b>	<b>Has the Equipment/Item been satisfactory commissioned</b>



**Specifications of Gym Equipment:-**

SR.N O.	NAME OF ITEM	SPECIFICATIONS	QTY.
1	COMMERCIAL MOTORIZED TREADMILL	<ul style="list-style-type: none"> <li>MOTOR RATING: AC MOTOR 5.5HP CONT/10 HP PEAK.</li> <li>SPEED: 1 TO 24 KMPH.</li> <li>INCLINE: 0 TO 24% AUTOMATIC.</li> <li>BELT SIZE: 74"(L) X 24"(W)</li> <li>ROLLER: 79MM CROWN EXTRA LARGE.</li> <li>SET UP AREA: 89"(L)X35"(W)X59"(H)</li> <li>DECK: 25MM PRE-WAXED PHENOLIC.</li> <li>CONSOLE FEEDBACK: HEART RATE, ELEVATION, TIME, DISTANCE SPEED AND CALORIES.</li> <li>DISPLAY: PROFILE MATRIX LED WITH 8 WINDOW DISPLAY.</li> <li>PROGRAMS: 16 PRE-SET PROGRAMS, BODY FAT, 3 USER PROGRAMS &amp; 3HRC.</li> <li>MAX USER WEIGHT: 180 KGS.</li> <li>U.P.S: HIGH FIDELITY SPEAKERS, COOLING FAN, EXTRA CUSHION DECK, MP3 COMPATIBLE, SAFETY KEY WITH VOLTAGE STABILIZER.</li> <li>HARD CORE COMMERCIAL USAGES.</li> <li>ERGONOMICALLY DESIGNED WITH ISO 9001 2015.</li> <li>LIFE TIME WARRANTY ON FRAME. NET WEIGHT NOT LESS THEN 180 Kgs.</li> <li>10 YEARS MOTOR WARRANTY.</li> <li>ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>COLOR : GREY MAIN FRAME WITH BLACK COMBINATION</li> </ul>	6 Pcs.
2	COMMERCIAL VOLTAGE STABILIZER FOR TREADMILL	<ul style="list-style-type: none"> <li>SPECIFICATIONS: COPPER WINDING.</li> <li>HEAVY DUTY.</li> <li>WEIGHT: 10 KGS.</li> <li>VOLTAGE: 90 V TO 285 V.</li> <li>HEAVY DUTY FOR COMMERCIAL USAGES</li> <li>2 YEARS COMPREHENSIVE WARRANTY.</li> <li>ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	6 Pcs.
3	COMMERCIAL CURVE TREADMILL	<ul style="list-style-type: none"> <li>DIMENSION: 77"(L) X 38"(W) X 56"(H)</li> <li>RUNNING SURFACE DIMENSION: 56" (L) X 19"(W)</li> <li>RUNNING BELT TYPE: 60 INDIVIDUAL SLATS HIGH QUALITY RUBBER SLATS.</li> <li>RUNNING SURFACE: 3/8" THICK SHOCK ABSORBING CUSHION.</li> <li>DRIVE SYSTEM: 112 PRECISION BALL BEARINGS WITH 12 ROLLER GUIDES.</li> <li>DRIVE MOTOR: SELF-PROPELLED.</li> <li>DISPLAY FEEDBACK: LED SCREEN COUNTING OF TIME, DISTANCE, CALORIES, PULSE AND SPEED.</li> <li>MODE/SET OPTION: TIME, DISTANCE AND CALORIES CAN BE MANUALLY SET AS PER USER REQUIREMENT.</li> <li>POWER SUPPLY: NOT REQUIRED.</li> <li>USER WEIGHT CAPACITY: 180 KGS.</li> <li>NOISE DEGREE: 80 DB(A).</li> <li>PROTECTION LEVEL: IP 20.</li> <li>FEATURES: RUNNING TEMPERATURE FROM: +5 DEGREE C TO + 40 DEGREE C, DIELECTRICAL INSULATION LEVEL II LEVEL.</li> <li>WITHOUT RESISTANCE CONTROL* ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>NET WEIGHT NOT LESS THEN 185 KGS, RUBBER BELT WITH ALUMINUM STRIPS COLOR: CARBON BLACK</li> </ul>	4 Pcs.



4	COMMERCIAL CROSS TRAINER	<ul style="list-style-type: none"> <li>• SET UP AREA: 84"(L)X30(W)X71(H).</li> <li>• STRIDES: 20 INCHES NATURAL STRIDES</li> <li>• MAXIMUM WATT: 250 WATS.</li> <li>• RESISTANCE LEVEL: 16 LEVELS, 240 WATTS.</li> <li>• RESISTANCE SYSTEM: ELECTRO-MAGNETIC RESISTANCE.</li> <li>• POWER: SELF GENERATED POWER SYSTEM.</li> <li>• PROGRAMS: 06 PROGRAMS - MANUAL, HRC, RANDOM, WEIGHT LOSS, CV AND HILL INTERVALS.</li> <li>• DRIVE SYSTEM: CENTRE DESIGN DEIVE, SUPER SILENT POLY-V BELT DRIVEN.</li> <li>• CARDIO MONITOR: IN-BUILT METALLIC PULSE SENSOR PROVIDED WITH T BAR STYLE HANDLE GRIPS ENABLES TO THE CARDIO MONITORING ON BOARD.</li> <li>• DISPLAY FEEDBACK: MULTI FEEDBACK READ OUT INSTANTLY DISPLAYS TIME, DISTANCE, RPM, CALORIES, HEART RATE, SPEED, WORK (RESISTANCE) LEVELS, WATTS AND METS (DOT MATRIX LED).</li> <li>• USER WEIGHT: 150 KGS.</li> <li>• U.S.P. : WATER BOTTLE AND MOBILE HOLDER.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• NET WEIGHT NOT LESS THEN 100 Kgs.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• COLOR: GREY</li> </ul>	6 Pcs.
5	COMMERCIAL RECUMBENT BIKE	<ul style="list-style-type: none"> <li>• SET UP AREA: 60"(L)X25"(W)X46"(H).</li> <li>• RESISTANCE LEVEL: 16 LEVELS.</li> <li>• RESISTANCE SYSTEM: ELECTRO-MAGNETIC RESISTANCE.</li> <li>• POWER: SELF GENERATED POWER SYSTEM.</li> <li>• PROGRAMS: 17 PROGRAMS- 12 PRESET (P1 TO P 12) 1 MANUAL, 4 USER, &amp; HRC (55%, 75%, 90% TRG)</li> <li>• DRIVE SYSTEM: CENTRE DESIGN DRIVE, SUPER SILENT, POLY-V BELT DRIVEN.</li> <li>• PEDALS: SELF BALANCE EXTRA WIDE PEDALS WITH ADJUSTABLE STRAPS FIT TO ANY SIZE USER CLOSE SPACING, SHOCK ABSORBING AND AIR CUSHION PROVIDES GENTLE MOMENTS.</li> <li>• SEAT: ERGONOMICALLY DESIGNED COMFORTABLE SEAT WITH FLEX BACK CUSHION, CONTOURED FOR LUMBER SUPPORT WITH EASY SLIDE ADJUSTMENT.</li> <li>• HANDLE BAR: U-BAR STYLE AT CONSOLE AND REAR HANDLE BAR WITH CONTRACT HEART RATE SENSOR.</li> <li>• CARDIO MONITOR: IN-BUILT HAND GRIP PULSE SENSOR PROVIDED WITH REAR HANDLE BAR GRIPS ENABLES TO THE CARDIO MONITORING ON BOARD.</li> <li>• DISPLAY: LED DISPLAY WITH COMPUTERIZED CONSOLE.</li> <li>• DISPLAY FEEDBACK: MULTI FEEDBACK READ OUT INSTANTLY DISPLAYS TIME, DISTANCE, RPM, CALORIES, PULSE, RESISTANCE LEVELS WATTS, AND SPEED.</li> <li>• CRANKY ASSEMBLY: 3 PIECES CRANK ASSEMBLY.</li> <li>• USER WEIGHT: 180 KGS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• NET WEIGHT NOT LESS THEN 52 KGS</li> </ul>	2 Pcs.



6	COMMERCIAL UPRIGHT BIKE	<ul style="list-style-type: none"> <li>• SETUP AREA: 44"(L)X22"(W)X59"(H).</li> <li>• MAXIMUM WATT: 350 WATTS.</li> <li>• RESTANCE LEVEL: 16 LEVELS.</li> <li>• RESISTANCE SYSTEM: ELECTRO-MAGNETIC RESISTANCE.</li> <li>• POWER: SELF GENERATED POWER SYSTEM.</li> <li>• PROGRAMS: 17 PROGRAMS- 12 PRESETS(P1 TO P12) 1 MANUAL, 4 USER, &amp; HRC (55%, 75%, 90% TRG).</li> <li>• DRIVE SYSTEM: CENTRE DESIGN DRIVE, SUPER SILENT, POLY-V BELT DRIVEN.</li> <li>• PEDALS: SELF BALANCE EXTRA WIDE PEDALS WITH ADJUSTABLE STRAPS FIT TO ANY SIZE USER CLOSE SPACING, SHOCK ABSORBING AND AIR CUSHION PROVIDES GENTLE MOMENTS.</li> <li>• SEAT: ERGONOMICALLY DESIGNED COMFORTABLE SEAT WITH FLEX CUSHION WITH 13 LEVELS VERTICAL SEAT ADJUSTMENT.</li> <li>• HANDLE BARS: U-BAR STYLE WITH ERGONOMICALLY ELBOW SUPPORT PAD AND IN-BUILT CONTACT HEART RATE SENSORS WITH HAND GRIPS.</li> <li>• DISPLAY: LED DISPLAY WITH COMPUTERIZED CONSOLE.</li> <li>• DISPLAY FEEDBACK: MULTI FEEDBACK READ OUT INSTANTLY DISPLAYS TIME, DISTANCE, RPM, CALORIES PULSE, RESISTANCE LEVELS, WATTS, AND SPEED.</li> <li>• MODE/SET OPTION: TIME, DISTANCE AND CALORIES CAN BE SET AS PER USER REQUIREMENTS.</li> <li>• ACCESSORY HOLDER: WATER BOTTLE AND MOBILE PHONE HOLDER.</li> <li>• CRANKY ASSEMBLY: 3 PIECES CRANK ASSEMBLY.</li> <li>• USER WEIGHT: 180 KGS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.NET WEIGHT NOT LESS THEN 45 KGS*</li> <li>COLOR: BLACK/GREY</li> </ul>	2 Pcs.
7	COMMERCIAL SPIN BIKE/ INDOOR CYCLE	<ul style="list-style-type: none"> <li>• USER WEIGHT: 200KGS.</li> <li>• SIZE: 58"(L)X21"(W)X49"(H), CE, ROHS &amp; ISO9001.</li> <li>• MACHINE WEIGHT: 80KGS.</li> <li>• FLY WHEEL WEIGHT: 24 KGS.</li> <li>• COLOUR OPTION: GREEN &amp; BLACK.</li> <li>• ADJUSTABLE SEAT AND FRONT HANDLE DOUBLE CHIP RESISTANCE SYSTEM.</li> <li>• PULL RESISTANT WAY FOR EMERGENCY BRAKE, EQUIPPED WITH STAINLESS STEEL PEDAL, ALL-INCLUSIVE SHELL, PROTECT WHEEL AND USERS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME. BACK WHEEL LOADED.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. NET WEIGHT NOT LESS THEN 75 KGS</li> <li>COLOR BLACK MAIN FRAME WITH NEON GREEN</li> </ul>	2 Pcs.





8	COMMERCIAL CROSSTRAINER AIR BIKE	<ul style="list-style-type: none"> <li>• DIMENSION: 49x30x57.</li> <li>• AIR-RESISTANCE, BELT DRIVE SYSTEM WITH TRANSPORTATION WHEELS AND LCD CONSOLE.</li> <li>• CONSOLE MEASURES: SPEED, TIME, DISTANCE, CALORIES, RPM AND WATTS.</li> <li>• PROGRAMS: INTERVAL, TARGET TIME, TARGET HEART RATE, TARGET CALORIES AND TARGET DISTANCE.</li> <li>• DISPLAY FUNCTION: TIME, SPEED, DISTANCE, RPM, WATT, CALORIES, PULSE, INTERVAL, TARGET HEART RATE.</li> <li>• HEAVY DUTY FRAME WITH REINFORCED PEDALS AND CRANK.</li> <li>• MICRO ADJUSTMENT ON THE SEAT UP AND DOWN AND BACK AND FORWARD.</li> <li>• HEAVY DUTY RUBBER GRIPS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON NET WEIGHT NOT LESS THEN 64 Kgs.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	2 Pcs.
9	COMMERCIAL OLYMPIC FLAT BENCH	<ul style="list-style-type: none"> <li>• DIMENSIONS : 169 x 189 x 113 CMS.</li> <li>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li> <li>• NAME OF TUBE : RECTANGULAR TUBING.</li> <li>• CAPSULE TUBE SIZE : 100MM X 50MM.</li> <li>• TUBE GAUGE : 3 MM.</li> <li>• WEIGHT STACK : FREE WEIGHT.</li> <li>• WEIGHT PLATE : 50 MM OLYMPIC PLATES REQUIRED.</li> <li>• WEIGHT HOLDER : 50MM, 04 NUMBER INBUILT WITH COLLAR.</li> <li>• TIPPED FEET : STRUCTURE RAISED 50 MM ABOVE FLOOR LEVEL WITH RUBBER TIPPED FEET. THIS PROVIDES ACCESS FOR CLEANING AND VACUUMING WITHOUT SCRATCHING THE PAINT.</li> <li>• CUSHIONING : DURA FIRM UPHOLSTERY OVER 2" HIGH DENSITY TOP USAGES FOAM.</li> <li>• FINISHING : PROPRIETARY TWO COAT POWDER PROCESS.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• NET WEIGHT NOT LESS THEN 80 KGS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS</li> </ul>	1 Pc.
10	COMMERCIAL OLYMPIC DECLINE BANCH	<ul style="list-style-type: none"> <li>• DIMENSIONS : 195 x 189 x 130 CMS</li> <li>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li> <li>• NAME OF TUBE : RECTANGULAR TUBING.</li> <li>• CAPSULE TUBE SIZE : 100MM X 50MM.</li> <li>• TUBE GAUGE : 3 MM.</li> <li>• WEIGHT STACK : FREE WEIGHT.</li> <li>• WEIGHT PLATE : 50 MM OLYMPIC PLATES REQUIRED.</li> <li>• WEIGHT HOLDER : 50MM, 04 NUMBER INBUILT WITH COLLAR.</li> <li>• TIPPED FEET : STRUCTURE RAISED 50 MM ABOVE FLOOR LEVEL WITH RUBBER TIPPED FEET. THIS PROVIDES ACCESS FOR CLEANING AND VACUUMING WITHOUT SCRATCHING THE PAINT.</li> <li>• CUSHIONING : DURA FIRM UPHOLSTERY OVER 2" HIGH DENSITY TOP USAGES FOAM.</li> <li>• FINISHING : PROPRIETARY TWO COAT POWDER PROCESS.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• NET WEIGHT: 110 KGS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.*LEG ADJUSTER SYSTEM</li> </ul>	1 Pc.



11	COMMERCIAL OLYMPIC INCLINE BENCH	<ul style="list-style-type: none"><li>• DIMENSIONS : 189 x 189 x 145 CMS.</li><li>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li><li>• NAME OF TUBE : RECTANGULAR TUBING .</li><li>• CAPSULE TUBE SIZE : 100MM X 50MM.</li><li>• TUBE GAUGE : 3 MM.</li><li>• WEIGHT STACK : FREE WEIGHT.</li><li>• WEIGHT PLATE : 50 MM OLYMPIC PLATES REQUIRED.</li><li>• WEIGHT HOLDER : 50MM, 04 NUMBER INBUILT WITH COLLAR.</li><li>• TIPPED FEET : STRUCTURE RAISED 50 MM ABOVE FLOOR LEVEL WITH RUBBER TIPPED FEET. THIS PROVIDES ACCESS FOR CLEANING AND VACUUMING WITHOUT SCRATCHING THE PAINT.</li><li>• CUSHIONING : DURA FIRM UPHOLSTERY OVER 2" HIGH DENSITY TOP USAGES FOAM.</li><li>• FINISHING : PROPRIETARY TWO COAT POWDER PROCESS.</li><li>• RUST PROOF : ELECTRO STATICALLY APPLIED POWDER COATED.</li><li>• COLOR : BLACK.</li><li>• APPLICATION : MUSCLE: PECTORALIS MAJOR, DELTOIDS, TRICEPS BRACHII.</li><li>• NET WEIGHT NOT LESS THEN 90 KGS.</li><li>• HARD CORE COMMERCIAL USAGES.</li><li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li><li>• LIFE TIME WARRANTY ON FRAME.</li><li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li></ul>	1 Pc.
12	COMMERCIAL FLAT BENCH	<ul style="list-style-type: none"><li>• DIMENSIONS: 137 X 71 X 43 CMS HIGH OVERALL DIMENSIONS IN THE FLAT POSITION</li><li>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li><li>• NAME OF TUBE : OVAL TUBING.</li><li>• TUBE GAUGE : 3 MM.</li><li>• THICK COMMERCIAL USAGES PAD AND DURABLE STITCHED VINYL UPHOLSTERY. FIRM AND COMFORTABLE.</li><li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li><li>• NET WEIGHT NOT LESS THEN 30 KGS.</li><li>• HARD CORE COMMERCIAL USAGES.</li><li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li><li>• LIFE TIME WARRANTY ON FRAME.</li><li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li></ul>	1 Pc.
13	COMMERCIAL UTILITY STOOL	<ul style="list-style-type: none"><li>• DIMENSIONS: 138 x 56 x 114 CMS HIGH OVERALL DIMENSIONS IN THE FLAT POSITION</li><li>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li><li>• NAME OF TUBE : OVAL TUBING.</li><li>• TUBE GAUGE : 3 MM.</li><li>• THICK COMMERCIAL USAGES PAD AND DURABLE STITCHED VINYL UPHOLSTERY. FIRM AND COMFORTABLE.</li><li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li><li>• NET WEIGHT: 20 KGS.</li><li>• HARD CORE COMMERCIAL USAGES.</li><li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li><li>• LIFE TIME WARRANTY ON FRAME.</li><li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li></ul>	2 Pcs.



14	COMMERCIAL MULTI ADJUSTABLE BENCH	<ul style="list-style-type: none"> <li>• DIMENSIONS: 165 x 56 x 52CMS HIGH OVERALL DIMENSIONS IN THE FLAT POSITION FRAME :</li> <li>• HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li> <li>• NAME OF TUBE : RECTANGULAR TUBING.</li> <li>• TUBE SIZE : 100MM X 50MM.</li> <li>• TUBE GAUGE : 3 MM.</li> <li>• THICK COMMERCIAL USAGES PAD AND DURABLE STITCHED VINYL UPHOLSTERY. FIRM AND COMFORTABLE. THE 3 POSITION INCLINE SEAT EASILY PLUGS IN FROM THE SIDE WITHOUT ANY PINS.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• NET WEIGHT NOT LESS THEN 60 KGS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	6 Pcs.
15	COMMERCIAL HYPER EXTENSION	<ul style="list-style-type: none"> <li>• DIMENSIONS: 66 X 122 X 89 CMS HIGH OVERALL DIMENSIONS IN THE FLAT POSITION FRAME :</li> <li>• HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li> <li>• NAME OF TUBE : RECTANGULAR TUBING.</li> <li>• TUBE SIZE : 100MM X 50MM.</li> <li>• TUBE GAUGE : 3 MM.</li> <li>• THICK COMMERCIAL USAGES PAD AND DURABLE STITCHED VINYL UPHOLSTERY. FIRM AND COMFORTABLE.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• NET WEIGHT NOT LESS THEN 55 KGS.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	1 Pc.
16	COMMERCIAL CROSSFIT WITH ACCESSORIES	<ul style="list-style-type: none"> <li>• SET UP AREA: 206"(L) X 206"(W) X 92" (H)</li> <li>• SET UP AREA: 206"(L) X 206"(W) X 92" (H) .</li> <li>• CABLE CROSS STATION X 1.</li> <li>• SUSPENSION CHIN UP BAR.</li> <li>• ROCK GRIP CHIN UP BAR.</li> <li>• POWER PIVOT.</li> <li>• 8 ACCESSORIES STORAGE SHELVES.</li> <li>• U-LINK ADJUSTMENT COLUMNS.</li> <li>• 4 BATTLE ROP ATTACHMENTS.</li> <li>• STEP-UP PLATFORM.</li> <li>• DIP HANDLE.</li> <li>• 8 STATION INTEGRATED COMBO GYM TRAINING CENTRE.</li> <li>• CUSTOMIZABLE, MULTI-PURPOSE EQUIPMENT, BUILT-IN STORAGE AND ACCESSORIES PROVIDE LIMITLESS OPPORTUNITIES TO TRAIN SMARTER, BETTER AND MORE EFFECTIVELY.</li> <li>• WITH ACCESSORIES: BATTLE ROPE 9 MTRS, LADDER 8 MTRS, MEDICINE BALLS 1KGS TO 5KGS 2PCS. EACH, VINYL COATED HEAVY DUTY KETTLE BELL 2KGS/2, 4KGS/2, 6KGS/2 8KGS/2, 10KGS/2, STRENGTH BAG WITH HANDLE EAR RESISTENT 5KGS/1, 10KGS/1, 15KGS/1, 20KGS/1, PUNCHING BAG 48" LEATHER 1PC.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• NET WEIGHT NOT LESS THEN 1250 KGS</li> </ul>	1 Pc.



17	COMMERCIAL CABLE CROSS MULTI STATION WITH HALF CAGE ONE SIDE	<ul style="list-style-type: none"> <li>• FRAME: THE EQUIPMENT USED HIGH STRENGTH STEEL TUBE WITH OVAL STEEL TUBE. TUBE THICKNESS 2.5MM.</li> <li>• WIRE: IMPORTED OILED STEEL WIRE, LOADED CAPACITY OF 1500 LBS.</li> <li>• PAINTING: DOUBLE LAYER PAINTING FOR CAR USE HIGH QUALITY FLASH SILVER POWDER, ELECTRO STAIC POWDER COATING.</li> <li>• WELDING: USED ADVANCED GERMAN MACHINERY, DOUBLE EFFECT WELDING PRECISION BASED ROBOTIC WELDING.</li> <li>• BENDING: TRACELESS AND SMOOTH BEND.</li> <li>• GUIDE ROD: NO.45 STEEL HANDLED BY HIGH FREQUENCY, HIGH HARDNESS IGH PRECISION CAN ENSURE THE LUBRICITY OF THE GUIDE ROD AND ENSURE THE USER'S SAFETY.</li> <li>• FEATURES: 5 WEIGHT STACK (4+1), DUAL ADJUSTABLE PULLEY/CABLE CROSS OVER, DUAL PULL DOWN PULLEY, SEATED ROWING/LONG PULL, TRICEP PULL DOWN, HEAVY DUTY CONSTRUCTION.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. NET WEIGHT NOT LESS THEN 1100 KGS</li> </ul>	1 Pc.
18	COMMERCIAL MULTI GYM 3 STATION WEIGHTED + 3 STATION FREE WEIGHT	<ul style="list-style-type: none"> <li>• DIMENSIONS : 102" (L) X 89" (W) X 79" (H).</li> <li>• FRAME STRUCTURES : COMBINATION OF HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li> <li>• NAME OF TUBE : SQUARE TUBING.</li> <li>• TUBE SIZE : 50 MM X 50 MM.</li> <li>• TUBE GAUGE : 2.5 MM.</li> <li>• WEIGHT STACK : 200 X 3 = 600 LBS.</li> <li>• WEIGHT PLATE : CAST IRON, MACHINE DRILLED TO EXACT SPEC AND EMPLOY OVERSIZED NYLON BUSHINGS FOR SUPER-SMOOTH OPERATIONS.</li> <li>• WEIGHT STACK ENCLOSURE : STEEL PROTECTIVE WEIGHT ENCLOSURE.</li> <li>• WEIGHT GUIDE RODS : 25 MM CHROME PLATED SOLID STEEL, HIGHLY POLISHED FOR SMOOTH MOVEMENTS.</li> <li>• WEIGHT SELECTOR PIN : 10 MM STEEL PIN.</li> <li>• ADJUSTMENTS : ADJUSTABLE OF SEATS, BACK RESTS AND PADS ARE MEETS ALL USER REQUIREMENTS.</li> <li>• PULL PINS : MOST ADJUSTMENT SECURED WITH COMMERCIAL GRADE SPRING LOADED PULL-PINS.</li> <li>• CABLE : 5.0 MM DIA., 4200 LBS RATED, COMMERCIAL GRADE, NYLON COATED AIRCRAFT CABLES.</li> <li>• PULLEY : MAINTENANCE FREE, FIBER GLASS REINFORCED NYLON PULLEYS FITTED WITH PREMIUM GRADE -A QUALITY ROLLER BEARINGS WITH V GROOVED CHANNEL.</li> <li>• PULLEY SIZES : 88 MM.</li> <li>• GRIPS : HIGH DENSITY FOAM RUBBER HAND GRIPS.</li> <li>• CUSHIONING : 02" INCH HIGH DENSITY TOP GRADE RESILIENT FOAM.</li> <li>• FINISHING : PROPRIETARY TWO COAT POWDER PROCESS.</li> <li>• RUST PROOF : ALL FRAME STRUCTURES ELECTRO STATICALLY POWDER COATED TO ENSURE MAXIMUM CORROSION AND CHIP RESISTANCE.</li> <li>• COLOR : GREY/ BLACK.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. NET WEIGHT NOT LESS THEN 540 KGS</li> </ul>	4 SET.



19	COMMERCIAL MULTI GYM 4 STATION WEIGHTED 4 + 3 STATION FREE WEIGHT	<ul style="list-style-type: none"><li>• DIMENSIONS : 130" (L) X 126" (W) X 83" (H).</li><li>• FRAME STRUCTURES : COMBINATION OF HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li><li>• NAME OF TUBE : SQUARE TUBING. TUBE SIZE : 50 MM X 50 MM. TUBE GAUGE : 2.5 MM.</li><li>• TUBE GAUGE : 2.5 MM.</li><li>• WEIGHT STACK : 200 X 4 = 800 LBS.</li><li>• WEIGHT PLATE : CAST IRON, MACHINE DRILLED TO EXACT SPEC AND EMPLOY OVERSIZED NYLON BUSHINGS FOR SUPER-SMOOTH OPERATIONS.</li><li>• WEIGHT STACK ENCLOSURE : STEEL PROTECTIVE WEIGHT ENCLOSURE.</li><li>• WEIGHT GUIDE RODS : 25 MM CHROME PLATED SOLID STEEL, HIGHLY POLISHED FOR SMOOTH MOVEMENTS.</li><li>• WEIGHT SELECTOR PIN : 10 MM STEEL PIN.</li><li>• ADJUSTMENTS : ADJUSTABLE OF SEATS, BACK RESTS AND PADS ARE MEETS ALL USER REQUIREMENTS.</li><li>• PULL PINS : MOST ADJUSTMENT SECURED WITH COMMERCIAL GRADE SPRING LOADED PULL-PINS.</li><li>• CABLE : 5.0 MM DIA., 4200 LBS RATED, COMMERCIAL GRADE, NYLON COATED AIRCRAFT CABLES.</li><li>• PULLEY : MAINTENANCE FREE, FIBER GLASS REINFORCED NYLON PULLEYS FITTED WITH PREMIUM GRADE -A QUALITY ROLLER BEARINGS WITH V GROOVED CHANNEL.</li><li>• PULLEY SIZES : 88 MM.</li><li>• GRIPS : HIGH DENSITY FOAM RUBBER HAND GRIPS. CUSHIONING : 02" INCH HIGH DENSITY TOP GRADE RESILIENT FOAM.</li><li>• FINISHING : PROPRIETARY TWO COAT POWDER PROCESS.</li><li>• RUST PROOF : ALL FRAME STRUCTURES ELECTRO STATICALLY POWDER COATED TO ENSURE MAXIMUM CORROSION AND CHIP RESISTANCE.</li><li>• COLOR : GREY/ WHITE.</li><li>• HARD CORE COMMERCIAL USAGES.</li><li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li><li>• LIFE TIME WARRANTY ON FRAME.</li><li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li><li>NET WEIGHT NOT LESS THEN 700 KGS</li></ul>	4 SET.
----	---	--	--------



20	MASSAGER GUN	<p>• HANDHELD MASSAGER, UNISEX PROFESSIONAL CORDLESS DEEP TISSUE MUSCLE MASSAGE GUN PORTABLE ELECTRIC PAIN RELIEF POWERFUL PERCUSSION THERAPY DEVICE, 6 MASSAGE HEADS FOR FULL BODY. • PROMOTE BLOOD AND LYMPHATIC CIRCULATION TO ACCELERATE WARMUP AND RECOVERY, RELIEF CORE MUSCLES TENSION AND REDUCE SORENESS, PREVENT FASCIITIS (A KIND OF PAINFUL INFLAMMATION CAUSED BY ADHESION OF FASCIA AND MUSCLES. PLEASE NOTE TO NOT TREAT THE SAME PART OVER 60 SECONDS, AND KEEP AWAY FROM IMPORTANT PARTS WHEN USING. • 6 MASSAGE HEADS TARGET DIFFERENT MUSCLE GROUP TO RELAX BODY; 3 ADJUSTABLE SPEED LEVELS DELIVERING UP TO 3200 VIBRATION PER MINUTE; EQUIP WITH QUALITY MOTOR, HAS ULTRA-STRONG HEAT DISSIPATION FUNCTION, WOULDN'T STOP WORKING AS OVERHEATED MOVEMENT. • CORDLESS MASSAGE GUN, EQUIPPED WITH 2400 MAH RECHARGEABLE LITHIUM BATTERY, COULD WORK ABOUT 3 HOURS PER CHARGE; DESIGN WITH LED BATTERY INDICATOR, EASY OPERATION, PERFECT FOR FITNESS LOVERS, PERSONAL TRAINER, MASSAGIST, ATHLETES AND ETC. SELF-MYOFASCIAL RELEASE. • INVENTORY LOCATION: AMERICAN WAREHOUSE; THE BODY MASSAGER WEIGHS 3.3 LBS, THE BIGGER ERGONOMIC AND DURABLE ANTISKID SILICONE GRIP MAKES THE MASSAGER EASIER AND COMFORTABLE TO HOLD AT HOME, GYM, OFFICE OR ANY PLACE FOR YOUR ENJOYMENT.</p>	6 Pcs.
21	COMMERCIAL CABLE JUNGLE	<p>•SET UP AREA: 165 x 188 x 226 CMS. • FRAME: THE EQUIPMENT USED HIGH STRENGTH STEEL TUBE WITH OVAL STEEL TUBE. TUBE THICKNESS 3 MM. • WIRE: IMPORTED OILED STEEL WIRE, LOADED CAPACITY OF 1500 LBS. • PAINTING: DOUBLE LAYER PAINTING FOR CAR USE HIGH QUALITY FLASH SILVER POWDER, ELECTROSTATIC POWDER COATING. • WELDING: USED ADVANCED GERMAN MACHINERY, DOUBLE EFFECT WELDING PRECISION BASED ROBOTIC WELDING. • BENDING: TRACELESS AND SMOOTH BEND. • GUIDE ROD: NO. 45 STEEL HANDLED BY HIGH FREQUENCY, HIGH HARDNESS HIGH PRECISION CAN ENSURE THE LUBRICITY OF THE GUIDE ROD AND ENSURE THE USER'S SAFETY. • FEATURES: 4 WEIGHT STACK (4), DUAL ADJUSTABLE PULLEY/ DUAL PULL DOWN PULLEY, SEATED ROWING/LONG PULL, TRICEP PULL DOWN, HEAVY DUTY CONSTRUCTION. •NET WEIGHT: 375 KGS. • HARD CORE COMMERCIAL USAGES. • ERGONOMICALLY DESIGNED WITH ISO 9001 2015 . • LIFE TIME WARRANTY ON FRAME. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. EXERCISE: LAT PULL DOWN/DUAL ADJUSTABLE PULLEY/BICEP PULL DOWN/44 WEIGHT STACK MS WEIGHT* ROBOTIC WELDING WITH CUSHIONED HIGH QUALITY SEATS 100 MM</p>	2 SET.



22	COMMERCIAL SMITH & SQUAT RACK	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 X 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE MAINTENANCE FREE. CABLE: STEEL CABLE 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM, 2500 LBS WEIGHT CAPACITY. PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. MAIN FRAME COLOR: GREY FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT. PRECISION GEARS FOR SMOOTH WORKOUT. SET UP AREA: 254 X 234 X 256 CMS. MACHINE WEIGHT NOT LESS THAN 355 KGS. HARD CORE COMMERCIAL USAGES. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFETIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.
23	COMMERCIAL HIGH LAT PULLEY	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTENANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT. HARD CORE COMMERCIAL USAGES. SET UP AREA: 132 X 71 X 241 CMS MACHINE WEIGHT NOT LESS THAN 240 Kgs. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.



24	COMMERCIAL GROUND PULLEY	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTENANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT. PRECISION GEARS FOR SMOOTH WORKOUT. HARDCORE COMMERCIAL USAGES. SET UP AREA: 180 X 91 X 203 CMS MACHINE WEIGHT NOT LESS THAN 240 Kgs. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.
25	COMMERCIAL CHEST PRESS	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE MAINTENANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM, 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR. PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT. PRECISION GEARS FOR SMOOTH WORKOUT. SET UP AREA: 142 X 119 X 183 CMS. MACHINE WEIGHT LESS THAN 240 Kgs. HARD CORE COMMERCIAL USAGE. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.





26	COMMERCIAL PECKER/REAR DELT	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE MAINTAINANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM, 2500 LBS WEIGHT CAPACITY CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT. SET UP AREA: 142 X 119 X 200 CMS. MACHINE WEIGHT NOT LESS THAN 240 Kgs. HARD CORE COMMERCIAL USAGE. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.
27	COMMERCIAL DIP CHIN ASSIST	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTAINANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT. HARD CORE COMMERCIAL USAGES. SET UP AREA: 122 X 122 X 221 CMS MACHINE WEIGHT NOT LESS THAN 281 Kgs. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.



28	COMMERCIAL SEATED LEG CURL	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTENANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT. HARD CORE COMMERCIAL USAGES. SET UP AREA: 132 X 117 X 155 CMS MACHINE WEIGHT NOT LESS THAN 220 Kgs. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.
29	COMMERCIAL LEG EXTENSION	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTENANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 80 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT. HARD CORE COMMERCIAL USAGES. SET UP AREA: 114 X 117 X 157 CMS MACHINE WEIGHT NOT LESS THAN 230 Kgs. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.



30	COMMER CIAL ABDOMIN AL MACHINE	<p>TUBE: ROUND TUBE Ø 89 MM THICKNESS: 3 MM PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTENANCE FREE. CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY. CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING. WEIGHT STACK: 80 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS. FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT. HARD CORE COMMERCIAL USAGES. SET UP AREA: 150 X 89 X 157 CMS MACHINE WEIGHT NOT LESS THAN 220 Kgs. ERGONOMICALLY DESIGNED WITH ISO 9001 2015. LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.
----	--	--	-------



31	COMMERCIAL LEG PRESS	<p>TUBE: ROUND TUBE Ø 89 MM          THICKNESS: 3 MM          PULLEY: HIGH STRENGTH PLASTIC Ø 106 x 20 MM WITH SEALED BEARING 6202 RS WITH V-GROOVE. MAINTENANCE FREE.          CABLE: STEEL CABLE Ø 3.5 MM JACKETED WITH HIGH QUALITY PVC OUTER Ø 5.5 MM. 2500 LBS WEIGHT CAPACITY.          CUSHION: PU FOAM WITH SYNTHETIC NON TEARABLE LEATHER FOR COMMERCIAL USE. BLACK &amp; BROWN COLOR          PAINT: HIGH CONCENTRATED POWDER COATING WITH DOUBLE VARNISH &amp; ANTI RUST COATING.          WEIGHT STACK: 100 KGS. STEEL STACK WITH OVERSEAS NYLON BUSHING FOR SMOOTH MOVEMENT. MAIN FRAME COLOR: GREY          SEATS, PADS &amp; GRIPS: ERGONOMIC &amp; ADJUSTABLE DESIGN FOR COMFORT &amp; STABILITY, ADJUSTMENT LEVER FOR SELECTING THE STARTING POSITION. DOUBLE PIVOTING PADS FOR REDUCING LIGAMENT STRESS, HIGH DENSITY FOAM RUBBER HAND GRIPS.          FEATURES: ROTATING PART ADOPTS THE HIGH QUALITY BEARINGS, DURABLE IN USE &amp; THERE IS NO NOISE WHILE WORKOUT PRECISION GEARS FOR SMOOTH WORKOUT.          COMMERCIAL USAGES. SET UP AREA: 143 X 119 X 157 CMS          MACHINE WEIGHT NOT LESS THAN 240 Kgs.          ERGONOMICALLY DESIGNED WITH ISO 9001 2015.          LIFE TIME WARRANTY ON FRAME. ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 Pc.
32	COMMERCIAL CHEST PRESS PLATE LOADED	<p>• IMPORTED TUBE THICKNESS: 3MM. • SET UP AREA: 154 X 103 X 168 CMS. • NET WEIGHT NOT LESS THEN 160 KGSG WEATHER RESISTANT          IMPORTED TUBE THICKNESS: 3MM. • LIFE TIME WARRANTY ON FRAME. • GERMAN DESIGN • HIGH QUALITIES STURDY MACHINE, ERGONOMIC DESIGN FOR HARD CORE COMMERCIAL USAGES WITH ISO 9001 2015 . • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS*FULLY BENT STRUCTURE WITH SEAMLESS ROBOTIC WELDING JOINTS * 100 MM UPHOLSTERY HEAVY DUTY NON TERABALE SEAT*MAIN FRAME COLOR BLACK WITH NEON GREEN ARMS HIGH QUALITY POWER COATING WEATHER RESISTANT</p>	1 Pc.
33	COMMERCIAL SHOULD ER PRESS PLATE LOADED	<p>•IMPORTED TUBE THICKNESS: 3MM. • SET UP AREA: 129 X 126 X 148CMS. • NET WEIGHT NOT LESS THEN 140KGS. • LIFE TIME WARRANTY ON FRAME. • GERMAN DESIGN • HIGH QUALITIES STURDY MACHINE, ERGONOMIC DESIGN FOR HARD CORE COMMERCIAL USAGES WITH ISO 9001 2015 . • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS*FULLY BENT STRUCTURE WITH SEAMLESS ROBOTIC WELDING JOINTS * 100 MM UPHOLSTERY HEAVY DUTY NON TERABALE SEAT*MAIN FRAME COLOR BLACK WITH NEON GREEN ARMS HIGH QUALITY POWER COATING WEATHER RESISTANT</p>	1 Pc.



34	COMMERCIAL LEG PRESS PLATE LOADED	SET UP AREA: 154X103X168CMS. • MACHINE WEIGHT NOT LESS THEN 155 KGS.*IMPORTED TUBE THICKNESS: 3MM. . • LIFE TIME WARRANTY ON FRAME. • GERMAN DESIGN • HIGH QUALITIES STURDY MACHINE, ERGONOMIC DESIGN FOR HARD CORE COMMERCIAL USAGES WITH ISO 9001 2015 . • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS*FULLY BENT STRUCTURE WITH SEAMLESS ROBOTIC WELDING JOINTS * 100 MM UPHOLSTERY HEAVY DUTY NON TERABALE SEAT*MAIN FRAME COLOR BLACK WITH NEON GREEN ARMS HIGH QUALITY POWER COATING WEATHER RESISTANT	1 Pc.
35	COMMERCIAL HACK SQUAT PLATE LOADED	•IMPORTED TUBE THICKNESS: 3MM. • SET UP AREA: 90x171x112 CMS. • MACHINE WEIGHT NOT LESS THEN 160KGS.. • LIFE TIME WARRANTY ON FRAME. • GERMAN DESIGN • HIGH QUALITIES STURDY MACHINE, ERGONOMIC DESIGN FOR HARD CORE COMMERCIAL USAGES WITH ISO 9001 2015 . • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS*FULLY BENT STRUCTURE WITH SEAMLESS ROBOTIC WELDING JOINTS * 100 MM UPHOLSTERY HEAVY DUTY NON TERABALE SEAT*MAIN FRAME COLOR BLACK WITH NEON GREEN ARMS HIGH QUALITY POWER COATING WEATHER RESISTANT	1 Pc.
36	COMMERCIAL ADJUSTABLE WEB BOARD	• DIMENSIONS: 178 X 64 X 132 CMS HIGH OVERALL DIMENSIONS IN THE FLAT POSITION FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME. • NAME OF TUBE : OVAL TUBING. • TUBE SIZE : 100MM X 50MM. • TUBE GAUGE : 3 MM. THICK COMMERCIAL USAGES PAD AND DURABLE STITCHED VINYL UPHOLSTERY. FIRM AND COMFORTABLE. • NET WEIGHT NOT LESS THEN 60 KGS. • HARD CORE COMMERCIAL USAGES. • ERGONOMICALLY DESIGNED WITH ISO 9001 2015 . • LIFE TIME WARRANTY ON FRAME. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.	1 Pc.
37	COMMERCIAL DUMBELLS	• HIGH QUALITY CNC 35 MM GRIP. • HIGH QUALITY RUBBER WEIGHTS PRECISION TECHNOLOGY, ERGONOMIC DESIGN. • NON TERABLE RUBBER, FIRST QUALITY. COMMERCIAL GRADE, ERGONOMIC DESIGN FOR EASY HOLDING. • 2.5KGS/8, 5KGS/8, 7.5KGS/12, 10KGS/14, 12.5KGS/8, 15KGS/8, 20KGS/6, 25KGS/4, 30KGS/4, 35KGS/2, 40KGS/2. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.	1000 Kgs.
38	COMMERCIAL 3-CUT WEIGHT PLATES	• HIGH QUALITY RUBBER COATING WITH NO SCRATCH/ABRASION ALUMINIUM BUSH HIGH QUALITY. • NON SLIP, COMMERCIAL GRADE, ERGONOMIC DESIGN FOR EASY HOLDING. • 2.5KGS/20, 5KGS/18, 7.5KGS/16, 10 KGS/26, 15KGS/8, 20KGS/8, 25KGS/8. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. WEIGHT SHOULD BE ACCURATE	1000 Kgs.



39	COMMERCIAL DUMBBELL RACK	<ul style="list-style-type: none"> <li>•FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME, ABS DUMBBELL HOLDER.</li> <li>• TUBE THICKNESS: 3.0 MM, OVAL PIPE.</li> <li>• SET UP AREA: 212 X 82 X 84 CMS.</li> <li>• CAPACITY: 20 PCS.</li> <li>• IMPORTED OR EQUIVALENT. LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. MADE WITH ROBOTIC WELDING</li> <li>*COLOR: GREY WITH BLACK HOLDERS</li> </ul>	3 Pcs.
40	COMMERCIAL WEIGHT PLATE STAND	<ul style="list-style-type: none"> <li>•FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME</li> <li>• TUBE THICKNESS: 3.0 MM, OVAL PIPE.</li> <li>• SET UP AREA: 79 X 79 X 112CMS.</li> <li>• IMPORTED OR EQUIVALENT. LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. MADE WITH ROBOTIC WELDING</li> <li>MADE WITH ROBOTIC WELDING WITH ABS PLATE HOLDERS</li> <li>* COLOR BLACK</li> </ul>	2 Pcs.
41	COMMERCIAL OLYMPIC ROD PLAIN 7'	<ul style="list-style-type: none"> <li>• BARBELL BAR: 30 MM SOLID WEIGHT BAR IS COMPACT AND CONVENIENT ENOUGH FOR ALL GYMS AND HOMES. THE LIFTING BAR FEATURES A SOLID CHROMED STEEL BAR WITH LOADABLE SLEEVES LENGTH OF 11.5 INCHES.</li> <li>• BENEFITS: BUILD AND ENGAGE MUSCLES IN YOUR ARMS, SHOULDERS, BACK WITH THE LIFTING BAR. YOU'LL IMPROVE PRODUCTIVITY AND ENDURANCE WHILE BOOSTING METABOLISM FROM THE ENERGY.</li> <li>• STANDARD WEIGHTLIFTING BAR: PERFORM A TOTAL BODY WORKOUT AT THE CONVENIENCE OF YOUR OWN HOME. WORKOUTS SUCH AS SQUATS, DEAD LIFTS, ROWS, BENCH PRESSES, CLEANS, ETC.</li> <li>• SAFETY: THESE WEIGHT PLATES ARE SECURED WITH LOCKED COLLARS TO PREVENT THEM FROM SLIDING OFF DURING THE EXERCISE.</li> <li>• IN-BOX CONTENTS: SOLID STRAIGHT &amp; CURL WEIGHT BAR WITH 2 LOCKS.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	6 Pcs.
42	COMMERCIAL OLYMPIC ROD PLAIN 4'	<ul style="list-style-type: none"> <li>• BARBELL BAR: 30 MM SOLID WEIGHT BAR IS COMPACT AND CONVENIENT ENOUGH FOR ALL GYMS AND HOMES. THE LIFTING BAR FEATURES A SOLID CHROMED STEEL BAR WITH LOADABLE SLEEVES LENGTH OF 7.5 INCHES.</li> <li>• BENEFITS: BUILD AND ENGAGE MUSCLES IN YOUR ARMS, SHOULDERS, BACK WITH THE LIFTING BAR. YOU'LL IMPROVE PRODUCTIVITY AND ENDURANCE WHILE BOOSTING METABOLISM FROM THE ENERGY.</li> <li>• STANDARD WEIGHTLIFTING BAR: PERFORM A TOTAL BODY WORKOUT AT THE CONVENIENCE OF YOUR OWN HOME. WORKOUTS SUCH AS SQUATS, DEAD LIFTS, ROWS, BENCH PRESSES, CLEANS, ETC.</li> <li>• SAFETY: THESE WEIGHT PLATES ARE SECURED WITH LOCKED COLLARS TO PREVENT THEM FROM SLIDING OFF DURING THE EXERCISE.</li> <li>• IN-BOX CONTENTS: SOLID STRAIGHT &amp; CURL WEIGHT BAR WITH 2 LOCKS.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	2 Pcs.



43	COMMERCIAL OLYMPIC ROD EZ 4'	<ul style="list-style-type: none"> <li>• BARBELL BAR: 30 MM SOLID WEIGHT BAR IS COMPACT AND CONVENIENT ENOUGH FOR ALL GYMS AND HOMES. THE LIFTING BAR FEATURES A SOLID CHROMED STEEL BAR WITH LOADABLE SLEEVES LENGTH OF 7.5 INCHES.</li> <li>• BENEFITS: BUILD AND ENGAGE MUSCLES IN YOUR ARMS, SHOULDERS, BACK WITH THE LIFTING BAR. YOU'LL IMPROVE PRODUCTIVITY AND ENDURANCE WHILE BOOSTING METABOLISM FROM THE ENERGY.</li> <li>• STANDARD WEIGHTLIFTING BAR: PERFORM A TOTAL BODY WORKOUT AT THE CONVENIENCE OF YOUR OWN HOME. WORKOUTS SUCH AS SQUATS, DEAD LIFTS, ROWS, BENCH PRESSES, CLEANS, ETC.</li> <li>• SAFETY: THESE WEIGHT PLATES ARE SECURED WITH LOCKED COLLARS TO PREVENT THEM FROM SLIDING OFF DURING THE EXERCISE.</li> <li>• IN-BOX CONTENTS: SOLID STRAIGHT &amp; CURL WEIGHT BAR WITH 2 LOCKS.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	2 Pcs.
44	COMMERCIAL BICEP STAND	<ul style="list-style-type: none"> <li>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME.</li> <li>• PIPE THICKNESS 2.5MM MADE OF OVAL PIPE 2x4 FOR HEAVY DUTY.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>NET WEIGHT NOT LESS THEN 20 KGS</li> </ul>	2 Pcs.
45	COMMERCIAL RUBBER FLOORING TILES 25MM	<ul style="list-style-type: none"> <li>• RUBBER FLOOR TILES WITH EPDM GRAINS FOR GYM &amp; CLUB USAGE.</li> <li>• SIZE OF THE EACH MAT - 20 INCH x 20 INCH.</li> <li>• THICKNESS OF THE EACH MAT IS 25 MM.</li> <li>• COLOR: TERRACOTTA WITH YELLOW/WHITE/RED EPDM GRAINS.</li> <li>• PROTECTS FLOOR FROM DUMBLES AND IRON GYM MATERIAL.</li> <li>• WITH INSTALLATION.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>WEIGHT OF TILE: 5500 GMS +-100 GMS.</li> </ul>	7800 Sq.Ft.
46	COMMERCIAL GYM FAN	<ul style="list-style-type: none"> <li>• BIG GYM FAN CREATES AIRFLOW FOR 500 M2 OR 1/3 OF FOOTBALL FIELD (36.6 METERS) COVERAGE. DIMENSION: 2.1 x 0.75 x 2.12 MTR (84"(L) x 28"(W) X 79"(H).</li> <li>• OUTPUT: 0.75KW</li> <li>• SPEED ADJUSTABLE: 0-200 RPM WITH 9 SPEED LEVELS.</li> <li>• TRANSPORTATION: EASY MOVABLE (4 WHEELS) WITH WHEEL LOCKING SYSTEM.</li> <li>• FRAME: POWER-COATED STEEL.</li> <li>• WING: ALUMINUM.</li> <li>• WEIGHT: 200 KGS.</li> <li>• COLOUR: NEON GREEN WINGS WITH BLACK BODY GREY WINGS WITH BLACK BODY.</li> <li>• USP: FAST TO USE AND MOVE HANDLES ON BOTH SIDES FOR EASY MOVE FITS THROUGH STANDARD INTERIOR.</li> <li>• HARD CORE COMMERCIAL USAGES.</li> <li>• ERGONOMICALLY DESIGNED WITH ISO 9001 2015 .</li> <li>• LIFE TIME WARRANTY ON FRAME.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>COLOR: BLACK FRAME WITH NEON GREEN FANS</li> </ul>	2 Pcs.



47	<p>COMMERCIAL BARBELL STAND WITH BARBELL STRENGTH AND ROD: PLAIN 10KGS/1, 15KGS/1, 20KGS/1, 25KGS/1 &amp; 30KGS/1 EZ: 10KGS/1, 15KGS/1, 20KGS/1, 25KGS/1 &amp; 30KGS/1 (TOTAL: 10 NOS.)</p>	<p>• FRAME : HIGH TENSILE STRENGTH STEEL, CONTINUOUS WELDED, FACTORY ASSEMBLED WEIGHT FRAME. • PIPE THICKNESS 2.5MM MADE OF OVAL PIPE 2x4 FOR HEAVY DUTY. • HIGH QUALITY RUBBER BOOTS ARE USED AT THE ENDS OF THE BASE PIPES OF AVOID DAMAGE TO THE GYM FLOOR. • BARBELL RODS WITH 34 MM GRIP. HIGH TENSILE RUBBER ON SIDES WITH TEAR RESISTANT RUBBER. • ROD LENGTH: 4'. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. TOTAL BARBELL WEIGHT 200 KGS &amp; BARBELL STAND WEIGHT NOT LESS THEN 65 KGS BARBELL STAND *COLOR: GREY FOR BARBELL STAND</p>	1 SET.
48	<p>COMMERCIAL STRETCH CAGE</p>	<p>Enhances Workout and Reduces Injury Risk The revolutionary TOPPRO Stretch Cage provides a dedicated, self-contained stretching area that gives users a safe platform for comprehensive stretching to increase flexibility and reduce the risk of injury. TOPPRO Stretch Cage eliminates the need for floor-based stretching or leaning uncomfortably over other equipment or an exercise ball. The TOPPRO Stretch Cage is state-of-the-art flexibility equipment that provides an effective stretching regimen for all ages and body types. Easy-To-Follow Stretching Regimen TOPPRO Stretch Cage comes with an easy-to-follow exercise placard that is displayed on the frame. This full color photo-illustrated display is organized by muscle groups and features 30 different stretching exercises. All are designed to mimic real-life, real world stretches. TOPPRO Stretch Cage effectively stretches the body in all three planes of motion (front to back, side to side, and rotational) while keeping the user in natural upright positions with four points of contact (both hands and both feet) for proper body alignment, stability and safety. • FRAME: STRUCTURAL TUBULAR STEEL FRAME. • FINISH: POWDER COAT PAINT. • BASE SURFACE: POLYETHYLENE PLATFORM WITH NON - SKID RUBBER PADDING. • SET UP AREA: 88"(H) x 52"(W) x 45"(L). • WEIGHT: 232 KGS. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	1 SET.
49	<p>COMMERCIAL STANDING &amp; SITTING TWISTER</p>	<p>• TWISTER (SITTING &amp; STANDING) WITH THE SUPPORT OF ADVANCED TECHNOLOGIES, THESE PRODUCTS ARE SPECIALLY DESIGNED FOR DIFFERENT KINDS OF EXERCISES. • TWISTER KFTS-1 A ERGONOMICALLY DESIGNED. • HIGH QUALITY RUBBER BOOTS ARE USED AT THE ENDS OF THE BASE PIPES OF AVOID DAMAGE TO THE GYM FLOOR. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</p>	2 Pc.





50	COMMER CIAL WRIST CURL MACHINE	<ul style="list-style-type: none"> <li>• STURDY STEEL FRAME 100 X 50 MM.</li> <li>• RUBBER COATED WEIGHT PLAT FOR SMOOTH &amp; SOUND LESS WORKING.</li> <li>• HIGH QUALITY UPHOLISTERY.</li> <li>WEIGHT STACK: 40 KGS, CUSHIONED SEAT AND REVOLVING HANDLE.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	2 Pc.
51	COMMER CIAL CRAZY FIT MASSAG ER	<ul style="list-style-type: none"> <li>• MOTOR: 2.0 HP.</li> <li>• SPEED RANGE: 1-30 LEVELS.</li> <li>• AMPLITUDE: 8 DEGREE.</li> <li>• DISPLAY WINDOW: 5 WINDOW LED.</li> <li>• DISPLAY: COUNT/ CALORIE/ DISTANCE/ SPEED/ TIME.</li> <li>• USER WEIGHT CAPABILITY: 160 KGS.</li> <li>• PACKING: 2 CARTONS SET.</li> <li>USP: 1) FAT BURNER USE 10 MINS A DAY EQUALS TO 45 MINS OF RUNNING. 2) IMPROVES BLOOD CIRCULATION. 3) INCREASES MOBILITY OF JOINTS.</li> <li>• NET WEIGHT: 65 KGS.</li> <li>• CERTIFICATIONS: • CE • RoHS.</li> <li>• FIT FOR COMMERCIAL USE.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	4 Pcs.
52	COMMER CIAL ACCESS ORIES	<ul style="list-style-type: none"> <li>• PLYO BOX/SOFT - 2 Pc.</li> <li>• PUNCHING DUMMY – 1 Pc.</li> <li>• CONES: 9" 12 Pcs. 12" 12 Pcs.</li> <li>• HURDLES: 9" 12 Pcs. 12" 12 Pcs.</li> <li>• WT.LIFTING BELT BROWN LEATHER SMALL:3Pcs., MEDIUM: 3 Pcs., LARGE:3 Pcs. &amp; XL 1 Pc.(TOTAL: 10 Pcs.)</li> <li>• WRIST WRAP: 10 Pcs.</li> <li>• KFDP-138 D-HANDLE : 2Pcs.</li> <li>• TRICEP ROPE : 5 Pcs.</li> <li>• ROWING HANDLE :5 Pcs.</li> <li>• HIGH LAT HANDLE 48" MB-011 :4 Pcs.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> </ul>	1 SET.
53	COMMER CIAL LEG SHAPER OUTDOO R GYM EQUIPME NT	<p>Dimension: 190x45x145cm *MAIN PIPE: 127 MM SUPPORTING PIPE: 32MM/42MM</p> <ul style="list-style-type: none"> <li>• MAXIMUM USER WEIGHT: 140KGS</li> <li>• RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY</li> <li>• FULL GI PIPE &amp; MS STEEL FABRICATION DESIGN</li> <li>• ISI CERTIFIED GI PIPE &amp; MS STEEL</li> <li>• ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS.</li> <li>• GERMAN ERGONOMIC DESIGN</li> <li>• HIGH SPEED BEARING 6006 NBC/SKF WITH FLINGE 24" FOR MACHINE MOUNTING.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• BASE PLATES DIA: 200MM.</li> <li>• THICKNESS OF BASE PLATE: 10MM</li> </ul>	8 SET.



54	COMMERCIAL TRIPLE TWISTER OUTDOOR GYM EQUIPMENT	<p>Dimension : 140x140x135cm MAIN PIPE: 127MM SUPPORTING PIPE: 32MM/42MM</p> <ul style="list-style-type: none"> <li>• MAXIMUM USER WEIGHT: 140KGS</li> <li>• RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY</li> <li>• FULL GI PIPE &amp; MS STEEL FABRICATION DESIGN</li> <li>• ISI CERTIFIED GI PIPE &amp; MS STEEL</li> <li>• ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS.</li> <li>• GERMAN ERGONOMIC DESIGN</li> <li>• HIGH SPEED BEARING 6006 NBC/SKF . WITH FLINGE 24" FOR MACHINE MOUNTING.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• BASE PLATES DIA: 200MM.</li> <li>• THICKNESS OF BASE PLATE: 10MM</li> </ul>	8 SET.
55	COMMERCIAL SHOULDER SHAPER OUTDOOR GYM EQUIPMENT	<p>Dimension : 205x75x190cm *MAIN PIPE: 127MM SUPPORTING PIPE: 32MM/42MM</p> <ul style="list-style-type: none"> <li>• MAXIMUM USER WEIGHT: 140KGS</li> <li>• RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY</li> <li>• FULL GI PIPE &amp; MS STEEL FABRICATION DESIGN</li> <li>• ISI CERTIFIED GI PIPE &amp; MS STEEL</li> <li>• ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS.</li> <li>• GERMAN ERGONOMIC DESIGN</li> <li>• HIGH SPEED BEARING 6006 NBC/SKF . WITH FLINGE 24" FOR MACHINE MOUNTING.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• BASE PLATES DIA: 200MM.</li> <li>• THICKNESS OF BASE PLATE: 10MM.</li> </ul>	8 SET.
56	COMMERCIAL CHEST SHAPER OUTDOOR GYM EQUIPMENT	<p>Dimension : 173x75x220cm MAIN PIPE: 6"(127MM)SUPPORTING PIPE: 32MM/42MM</p> <ul style="list-style-type: none"> <li>• MAXIMUM USER WEIGHT: 140KGS</li> <li>• RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY</li> <li>• FULL GI PIPE &amp; MS STEEL FABRICATION DESIGN</li> <li>• ISI CERTIFIED GI PIPE &amp; MS STEEL</li> <li>• ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS.</li> <li>• GERMAN ERGONOMIC DESIGN</li> <li>• HIGH SPEED BEARING 6006 NBC/SKF * WITH FLINGE 24" FOR MACHINE MOUNTING.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• BASE PLATES DIA: 200MM.</li> <li>• THICKNESS OF BASE PLATE: 10MM.</li> </ul>	8 SET.
57	COMMERCIAL DOUBLE AIR WALKER OUTDOOR GYM EQUIPMENT	<p>Dimension : 180x35x120cm *MAIN PIPE: 127MM SUPPORTING PIPE: 32MM/42MM</p> <ul style="list-style-type: none"> <li>• MAXIMUM USER WEIGHT: 140KGS</li> <li>• RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY</li> <li>• FULL GI PIPE &amp; MS STEEL FABRICATION DESIGN</li> <li>• ISI CERTIFIED GI PIPE &amp; MS STEEL</li> <li>• ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS.</li> <li>• GERMAN ERGONOMIC DESIGN</li> <li>• HIGH SPEED BEARING 6006 NBC/SKF * WITH FLINGE 24" FOR MACHINE MOUNTING.</li> <li>• ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS.</li> <li>• BASE PLATES DIA: 200MM.</li> <li>• THICKNESS OF BASE PLATE: 10MM.</li> </ul>	8 SET.



58	COMMERCIAL SINGLE SKIER OUTDOOR GYM EQUIPMENT	Dimension : 99x55x148cm *MAIN PIPE: 127MM SUPPORTING PIPE: 32MM/42MM • MAXIMUM USER WEIGHT: 140KGS • RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY • FULL GI PIPE & MS STEEL FABRICATION DESIGN • ISI CERTIFIED GI PIPE & MS STEEL • ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS. • GERMAN ERGONOMIC DESIGN • HIGH SPEED BEARING 6006 NBC/SKF * WITH FLINGE 24" FOR MACHINE MOUNTING. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. • BASE PLATES DIA: 200MM. • THICKNESS OF BASE PLATE: 10MM.	8 SET.
59	COMMERCIAL SHOULDER WHEEL OUTDOOR GYM EQUIPMENT	Dimension : 135x105x150cm *MAIN PIPE: 127MM SUPPORTING PIPE: 32MM/42MM • MAXIMUM USER WEIGHT: 140KGS • RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY • FULL GI PIPE & MS STEEL FABRICATION DESIGN • ISI CERTIFIED GI PIPE & MS STEEL • ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS. • GERMAN ERGONOMIC DESIGN • HIGH SPEED BEARING 6006 NBC/SKF * WITH FLINGE 24" FOR MACHINE MOUNTING. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. • BASE PLATES DIA: 200MM. • THICKNESS OF BASE PLATE: 10MM.	8 SET.
60	COMMERCIAL PULL UP AND DIPS OUTDOOR GYM EQUIPMENT	Dimension : *MAIN PIPE: 127MMSUPPORTING PIPE: 32MM/42MM • MAXIMUM USER WEIGHT: 140KGS • RUST PROOF POWDER COATING WITH GEERMAN TECHNOLOGY • FULL GI PIPE & MS STEEL FABRICATION DESIGN • ISI CERTIFIED GI PIPE & MS STEEL • ISO 9001-2015 CERTIFICATION FOR EQUIPMENTS. • GERMAN ERGONOMIC DESIGN • HIGH SPEED BEARING 6006 NBC/SKF * WITH FLINGE 24" FOR MACHINE MOUNTING. • ONE YEAR COMPREHENSIVE WARRANTY FOR ALL PARTS. • BASE PLATES DIA: 200MM. • THICKNESS OF BASE PLATE: 10MM.	8 SET.



**FORMAT FOR PERFORMANCE BOND/GUARANTEE**

**(Undertaking from the supplier on a Non Judicial Stamp Paper of requisite duly attested by Notary)**

In consideration for "The Registrar, National Institute of Technology Jalandhar (*hereinafter called NIT Jalandhar*) having agreed to release the payment of net value as per terms and conditions of a concluded Order No. \_\_\_\_\_ dated \_\_\_\_\_ (*hereinafter called 'the order'*) for supply of \_\_\_\_\_ (*here in after called 'the Equipment /Item* )to us Messrs

\_\_\_\_\_ (*hereinafter called 'the supplier'*) on submission of a Performance Bond to the satisfaction of NIT Jalandhar for the due performance of the said order

We, Messers \_\_\_\_\_ hereby submit the

FDR/TDR No \_\_\_\_\_

issued by \_\_\_\_\_ (Name of Bank) for \_\_\_\_\_ pledged in favour of Registrar, NIT Jalandhar as performance guarantee amount and hereby irrevocably, unconditionally and absolutely undertake against any loss or damage caused or suffered by NIT Jalandhar by reason of any failure of the supplier to perform or omission or negligence to perform any part of its obligations to the satisfaction of NIT Jalandhar in terms of the order.

We, the supplier, do hereby authorize Registrar, NIT Jalandhar to forfeit this Performance Guarantee amount / undertake to pay the amount due and payable under this guarantee without any demer merely on a demand from the NIT Jalandhar stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the NIT Jalandhar by reason of any breach by us of any of the terms and conditions contained in the said order or by reason of our failure or omission or negligence to perform the said order or any part thereof. We, the Supplier, undertake to pay to NIT Jalandhar any amount so demanded by NIT Jalandhar, notwithstanding:

- a) Any dispute or difference between NIT Jalandhar and supplier or any other person or between the supplier or any person or any suit or proceeding pending before any court or tribunal or arbitrator relating thereto; or
- b) The invalidity, irregularity or unenforceability of the order; or
- c) Any other circumstances which might otherwise constitute discharge of this guarantee, including any act of omission or commission on the part of NIT Jalandhar to enforce the obligations by the supplier or any other person for any reason whatsoever.

We, the Supplier, further agree that the performance Bond/ Guarantee herein contained shall be continued one and remain in full force and effect during the period that would be taken for the performance of the said order and that it shall continue to be enforceable till all the dues of the NIT Jalandhar under or by virtue of the said order have been fully paid and its claims satisfied or discharged or till the office of the Registrar, NIT Jalandhar certifies that terms and conditions of the said order have been fully and promptly carried out by us and accordingly discharges this Performance Bond/ Guarantee.

We, the Supplier, further agree with NIT Jalandhar, that NIT Jalandhar shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said order or to extend time of performance by the said supplier from time to time or to postpone for any time or from time to time and of the powers exercisable by the NIT Jalandhar against the said supplier and forbear or enforce any of the terms and conditions relating to the order and we shall not be relieved from our liability by reason of any such variation or extension being granted to us or for any forbearance, act or omission on the part of NIT Jalandhar or any indulgence by NIT Jalandhar to us or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

This Performance Bond/Guarantee will not be discharged due to the change in the constitution of the supplier. We, the Supplier, undertake not to revoke this Performance Bond / Guarantee except with the prior consent of NIT Jalandhar in writing.

The disputes relating to this Bank Performance Bond / Guarantee shall be resolved as per the terms and conditions of the order.



**FORMAT FOR PERFORMANCE BOND (BANK GUARANTEE)**

In consideration for the Registrar, National Institute of Technology Jalandhar, (*hereinafter called NIT Jalandhar*) having agreed to release the payment of net value as per terms and conditions of a concluded Order No. \_\_\_\_\_ dated \_\_\_\_\_ (*hereinafter called 'the order'*) for supply of \_\_\_\_\_ (*hereinafter called 'the Equipment /Item'*) to Messrs \_\_\_\_\_ (*hereinafter called 'the supplier'*) on submission of a Bank Guarantee to the satisfaction of NIT Jalandhar for the due performance of the said order.

We, \_\_\_\_\_ (*hereinafter called 'the Bank'*) at the request of the supplier do, as a primary obliger and not merely as surety, hereby irrevocably, unconditionally and absolutely undertake against any loss or damage caused or suffered by NIT Jalandhar by reason of any failure of the supplier to perform or omission or negligence to perform any part of its obligations to the satisfaction of NIT Jalandhar in terms of the order.

We, the Bank do hereby undertake to pay the amount due and payable under this guarantee without any demur merely on a demand from NIT Jalandhar stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by NIT Jalandhar by reason of any breach by the said supplier of any of the terms and conditions contained in a said order or any part thereof. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the bank under this guarantee, which shall not be considered as satisfied by any intermediate payment or satisfaction of any part of or obligation hereunder. However, our liability under this guarantee shall be restricted to an amount not exceeding \_\_\_\_\_.

We, the Bank, undertake to pay to NIT Jalandhar any amount so demanded by NIT Jalandhar, notwithstanding a). Any dispute and difference between NIT Jalandhar and supplier or any other person or between the supplier or any person or any suit or proceeding pending before any court or tribunal or arbitrator relating thereto or

a). The invalidity, irregularity or unenforceability of the order or

b). Any other circumstances which might otherwise constitute discharge of this guarantee, including any act of omission or commission on the part of NIT Jalandhar to enforce the obligations by the supplier or any other person for any reason whatsoever.

We, the Bank, further agree that the guarantee herein contained shall continue and remain in full force and effect during the period that would be taken for the performance of the said order and that it shall continue to be enforceable till all the dues of NIT Jalandhar under or by virtue of the said order have been fully paid and its claims satisfied or discharged or till the office of the Registrar, NIT Jalandhar confirms that the terms and conditions of the said order have been fully and promptly carried out by the said supplier and accordingly discharge this guarantee.

We, the Bank, hereby agree and undertake that any claim which the bank may have against the supplier shall be subject to and subordinate to the prior payment and performance in full of all the obligations of the bank hereunder and the bank will not, without prior written consent of NIT Jalandhar, exercise any legal rights or remedies of any kind in respect of any such payment or performance so long as the obligations of the bank hereunder remain owing and outstanding, regardless of the insolvency, liquidation or bankruptcy of the supplier or otherwise. We, the Bank, will not counter claim or set off against its liabilities to NIT Jalandhar hereunder any sum outstanding to the credit of NIT Jalandhar with it.

We, the Bank, further agree with NIT Jalandhar, that NIT Jalandhar shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said order or to extend time of performance by the said supplier from time to time or to postpone for any time or from time to time and of the powers exercisable by the NIT Jalandhar against the said supplier and forbear or enforce any of the terms and conditions relating to the order and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said supplier or for any forbearance, act or omission on the part of NIT Jalandhar or any indulgence by NIT Jalandhar to the said supplier or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

This guarantee will not be discharged due to the change in constitution of the Bank or the supplier.

We, the Bank, lastly undertake not to revoke this Guarantee during its currency except with the prior consent of NIT Jalandhar in writing.

The disputes relating to this Bank Guarantee shall be resolved as per the terms and conditions of the order.



**Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY**

**G T Road By Pass, Jalandhar-144011, Punjab (India)**

EPABX-0181-2690301 & 453 website: [www.niti.ac.in](http://www.niti.ac.in) email: [registrar@niti.ac.in](mailto:registrar@niti.ac.in)

**Annexure “D”**

**FORMAT FOR MANUFACTURER’S AUTHORIZATION FORM**

To,  
The Registrar  
Dr B. R Ambedkar National Institute of Technology  
Jalandhar

Sub. : e-Tender for “\_\_\_\_\_”.

Dear Sir,

We, \_\_\_\_\_, who are established and reputed manufacturers of \_\_\_\_\_, having factory/office at \_\_\_\_\_, hereby authorize M/s \_\_\_\_\_ [name & address of agents/distributors] to bid, negotiate and conclude the order with you for the above goods manufactured by us.

We shall remain responsible for the tender/Agreement negotiated by M/s

\_\_\_\_\_, jointly and severally. No company or firm or individual other than M/s \_\_\_\_\_ are authorized to bid, negotiate and conclude the order in regard to this business against this specific tender as for all business in the entire territory of India.

We hereby extend our full guarantee and warranty as per the terms and conditions of tender for the goods offered for supply against this invitation for bid by the above supplier.

1. \_\_\_\_\_
2. \_\_\_\_\_

**\*specify in detail manufacturer’s responsibilities** the services to be rendered by M/s \_\_\_\_\_ are as under:

- i) \_\_\_\_\_
- ii) \_\_\_\_\_

*[Specify the services to be rendered by the agent/distributor]* In case duties of the agent/distributor are changed or agent/ distributor is changed it shall be obligatory on us to automatically transfer all the duties and obligations to the new Indian Agent failing which we will ipso-facto become liable for all acts of commission or omission on the part of new Indian Agent/ distributor.

Yours faithfully,  
[Name & Signature] For and on behalf of M/s. \_\_\_\_\_ [Name of manufacturer]



**DECLARATION REGARDING BLACKLISTING / DEBARRING FOR TAKING PART IN TENDER**

**Self Attested**

I / We \_\_\_\_\_ (Tenderer) hereby declare that the firm / agency namely M/s. \_\_\_\_\_ has not been blacklisted or debarred in the past by Union / State Government or organization from taking part in Government tenders in India.

Or

I / We \_\_\_\_\_ (Tenderer) hereby declare that the Firm / agency namely M/s. \_\_\_\_\_ was blacklisted or debarred by Union / State Government or any Organization from taking part in Government tenders for a period of \_\_\_\_\_ years w.e.f. \_\_\_\_\_ to \_\_\_\_\_. The period is over on \_\_\_\_\_ and now the firm/company is entitled to take part in Government tenders.

In case the above information found false I / we are fully aware that the tender/ contract will be rejected / cancelled by Director, NIT Jalandhar, and EMD / SD shall be forfeited.

DEPONENT

**Attested:**

**(Stamp of Company with authorized sign)**

Name \_\_\_\_\_

Address \_\_\_\_\_



**CERTIFICATE OF WARRANTY**

- i). We certify that the warranty shall be for a period of \_\_\_\_\_ years for \_\_\_\_\_ and starting from the date of satisfactory installation, commissioning and handing over of the Equipment /Item and of the works conducted therewith covered under the supply order in working order. During the **warranty period, I/we shall provide free "after sale service" and the replacement of any part(s) of the** Equipment /Item or rectification of defects of work of the Equipment /Item will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above warranty shall begin only from the date of satisfactory and faultless functioning of the Equipment /Item for 60 days at NIT Jalandhar premises. The benefit of change in dates of the warranty period shall be in the interest of the use/your organization.
- ii). During the warranty period, we shall provide at least \_\_\_\_\_ **preventive maintenance visits**.
- iii). Uptime Guarantee: During the warranty period, we will be responsible to maintain the Equipment /Item in good working conditions for a period 350 days (i.e. 95% uptime) in a block of 365 days.
- a). All complaints will be attended by us within 2 working days of receipt of the complaint in our office.
- b). In case there is delay of more than 2 days in attending to a complaint from our side then you can count the number of days in excess of the permissible response time in the downtime. The above said response time of 2 days for attending to a complaint by us will not be counted in the downtime.
- c). **Penalty:** We shall pay a penalty equivalent to **0.5 % of the FOB/CIF** value of the Equipment /Item for every week or part thereof delay in rectifying the defect.
- Note: The right to accept the reason (s) for delay and consider reduction or wave off the penalty for the same shall be at the sole discretion of Director, NIT Jalandhar**
- iv). We certify that the Equipment /Item being/ quoted is the latest model and that spares for the Equipment /Item will be available for a period of at least \_\_\_\_\_ years and we also guarantee that we will keep the organization informed of any update of the Equipment /Item over a period of \_\_\_\_\_ years.
- v). We guarantee that in case we fail to carry out the maintenance within the stipulated period, NIT Jalandhar reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs/maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of Performance Bank Guarantee, the same shall be recoverable from us with/without interest in accordance with the circumstances.
- vi). We shall try to repair the Equipment /Item at NIT Jalandhar premises itself. However, the Equipment /Item will be taken to our site on our own expenses in case it is not possible to repair the same at NIT Jalandhar. We shall take the entire responsibility for the safe custody and transportation of the Equipment /Item taken out for repairs till the Equipment /Item is rehabilitated to the NIT Jalandhar after repair Any loss of Equipment /Item or its accessories under its charge on account of theft, fire or any other reasons shall be at our sole risk and responsibility which will be compensated to NIT Jalandhar for such losses at the FOB/CIF value for the damaged/lost Equipment /Item part, including accessories.
- vii). We undertake to perform calibration after every major repair/breakdown/taking the Equipment /Item for repair out of NIT Jalandhar premises.
- viii). In case of extended warranty, we undertake to carry out annual calibration of the Equipment /Item.
- ix). We guarantee that we will supply spare parts if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.
- x). We guarantee to the effect that before going out of production of spare parts, we will give adequate advance notice to you so that you may undertake to procure the balance of the life time requirements of spare parts.
- xi). We guarantee the entire unit against defects of manufacture, workmanship and poor quality of components.

**Signature & Seal of the Manufacturer/Tenderer**