



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Ref. e-Tender Notice No. NITJ/PUR/MBH/95/2022

Please find enclosed herewith the following:		Page No.
1.	e-Tender Notice No. NITJ/PUR/MBH/95/2022 & Schedule for Opening of the e-Tender	2
2.	Annexure-I (Detail of Equipment, Tender Fee & EMD)	3
3.	Important Note	4
4.	Instruction to Tenderers	5-7
5.	Tender Evaluation	8-9
6.	Terms & Conditions	10-11
7.	Acceptance of terms and conditions	12
8.	Questionnaires A & B	13-14
9.	Performa for performance statement	15
10.	Annexure 'A' (Specifications of the Equipment)	16-34
11.	Annexure 'A1' (Additional Terms and Conditions)	35
12.	Annexure 'B' & 'C' (Format for Performance Bond/ Guarantee & Format For Performance Bond (Bank Guarantee))	36-37
13.	Annexure – 'D' (Format for Manufacturer's Authorization Form)	38
14.	Annexure- 'E' (Declaration Regarding Blacklisting/ Debarring for taking part in Tender)	39
15.	Annexure –'F' (Certificate of Warranty)	40
16.	Annexure-'G' (Self Declaration for local content)	41

Assistant Registrar

Dr. B. R Ambedkar NIT Jalandhar

Email: arpurchase@nitj.ac.in



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

THIS DOCUMENT IS FOR REFERENCE ONLY. ONLY E-TENDERS WILL BE ACCEPTED

e-Tender Notice No. NITJ/PUR/MBH/95/2022

National Institute of Technology, Jalandhar invites e-tender for the Purchase of Active and Passive Components required for Mega Boys Hostel (Block – A, B & F) as per detail available at Annexure-I along with Tender Fee & EMD of the Institute as per details given below:

I	Downloading & Submission of Onlinee-tender/bids	Start Date: 01.03.2023 at 03:00 PM
II	Last date of submission of online bids	End Date: 21.03.2023 upto 03:00 PM
III	Physical submission of Tender Feeand EMD	End Date: 22.03.2023 upto 03:00 PM
IV	Opening of Technical e-Bid (online)	22.03.2023 at 03:00 PM

Detailed Terms and Conditions are available in e-tender document. The bid document can be downloaded from the [CPP Portal](#).

Complete tender document is available for reference purposes on Institute website www.nitj.ac.in and [CPP Portal](#). Only e-tenders will be accepted.

NOTE: This is a domestic Tender according to the DPIIT Order dated 16.09.2020 and subsequent amendments to the order for Public Procurement Preference & PROVISION FOR LOCAL SUPPLIERS TOWARDS PREFERENCE TO MAKE IN INDIA. The bidder is required to provide a declaration from the Original Equipment Manufacturer (OEM) on their letter head the percentage of Local content for the quoted instrument/Item and submit with the Technical Bid as per Annexure-G. Only class – I and class II Local Suppliers will be eligible to participate in tender. Non – Local Suppliers are not eligible to participate in tender. Bidder should also give details of the location(s) at which the local value addition is made in the Annexure, failing which the bid will be rejected.

Registrar



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure-I

Ref. No. e-Tender Notice No. NITJ/PUR/MBH/95/2022

Detail of Equipment, Tender Fee & EMD are as under:

Sr. no.	Item/Equipment	Qty.	Tender Fee	EMD
1.	Purchase of Active and Passive Components	As per Annexure 'A'	Rs. 500/-	Rs.1,90,600/-

Note: The quantity of required equipment/item may vary as per requirement.

***Exemption of Tender fee & EMD will only be given to MSME/NSIC registered bidders.**



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Important Note

1. All corrigenda, addenda, amendments and clarifications regarding this tender document will be uploaded on the website www.nitj.ac.in and CPP Portal and not in the newspaper; Bidders shall keep themselves updated with all such developments.
 2. In case, the last date of receipt/opening of bids falls on holiday, the bids shall be receipt/opened on the next working day at same time.
 3. In case, the last date of submission of EMD & Tender fee falls on holiday, the EMD & Tender fee shall be submitted on the next working day at same time.
 4. Tenderer who have downloaded the tender document form from the institute website, shall submit a declaration along with tender document that I/We have downloaded the Tender Form from the institute website www.nitj.ac.in and I/we have not tempered /modified the tender form in any manner. In case, if the same is found to be tempered/modified in any manner, I/we understand that my/our tender will be summarily rejected and I/we are liable to be banned from doing business with institute.
 5. **Tender fee of Rs.500/- (Non- refundable) in the form of DD in favour of Director, D R B R Ambedkar NIT, Jalandhar.**
 6. **EMD (refundable) in the form of DD in favour of Security- A/c, DR B R Ambedkar NIT, Jalandhar.**
 7. **Both EMD and Tender fee are to be submitted as per dates mentioned in schedule, failing which e-bids will not be considered.**
- ❖ **All the bidders are required to submit the Tender Fee and EMD as per requirement of tender document failing which bids received straightway rejected and bid will be treated invalid.**
 - ❖ **Note: If the bidder inadvertently or otherwise upload the quoted rates in the technical bid, the bid will be straightway rejected and treated invalid.**
 - ❖ **If the bidder is exempted for payment of Tender Fee and EMD as NSIC/MSME registered bidders, then bidder is required to submit NSIC/MSME exemption certificate for same. The Certificate must be valid as on last date of submission of bid.**

Tenderer must submit a scanned copy (duly signed and stamped) regarding terms & conditions as per our tender documents along-with make/model, specifications, bill of quantity as per required equipment in the technical bid for examine the bid as per our institute tender documents. It is noted that no rate should be depicted in the letter head.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Instructions to Tenderer

1. No tender will be accepted in physical form. The bidders shall have to submit their bids online in Electronic Format under Digital Signatures. For participation in the e- tendering process, the bidders need to register themselves on CPP Portal.
2. Bids are to be submitted online and opened online as per time given failing which no tender will be considered.
3. Bids will be opened online as per time given schedule.
4. **Before submission of online bids, bidders must ensure that scanned copies of all the necessary/relevant documents have been uploaded with the bid which should be duly signed and stamped. The duly signed and stamped copies of Terms & Conditions of the tender, reply of the Questionnaire of Plant & Machinery and other documents of the Tender & Annexures must be uploaded, failing which their bids may be rejected.**
5. NIT JALANDHAR, will not be responsible for any delay in online submission of bids due to any reason whatsoever.
6. **Bidders should also upload the scanned copies of Tender fees/EMD/Exemption Certificate as specified in the tender documents along with online technical documents. EMD in the form of a Demand Draft in favour of the Security – A/c, Dr B R Ambedkar NIT, payable at Jalandhar (refundable separate) and Tender Fee in the form of a Demand Draft in favour of the Director, Dr B R Ambedkar NIT, payable at Jalandhar (Non- refundable separate) should also be submitted in physical form to the following address as per scheduled time given for physical submission of EMD and Tender fee. The Envelope should be super- scribed as EMD and Tender Fee for Tender for Purchase of Active & Passive Components and sent to following address:-**

**Kind Attention- Assistant Registrar (Purchase Section)
Director,
Dr B R Ambedkar National Institute of Technology,
G T Road Amritsar By Pass, Jalandhar-144027, Punjab (India).**

7. The details of EMD specified in the tender document should be same as submitted online (scanned copies). Otherwise tender will be rejected summarily.
8. The conditional bids shall not be considered and will be out rightly rejected.

Read and Accepted

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

9. The Financial Bid through e-tendering process shall be opened of only those bidders, who will qualify in the technical bid and approved by the Purchase Committee/Technical Experts. The date, time & place of opening of the financial bid(s) will be intimated in due course of time.
10. At any time prior to the deadline for submission of bid, the institute may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer(s), modify the tender document by issuance of an amendment.
11. The amendment will be uploaded on Institute website and CPP Portal only. In order to provide reasonable time to prospective tenderer(s), for preparing their bid as per amendment, the institute may, at its discretion extend the deadline for the submission of tender.
- 12. The supplier must upload the original manuals / catalogue and Make/Model of the Equipment /Item. Otherwise bid is liable to be rejected.**
13. The Institute is not liable to pay any interest on EMD. Earnest money deposit shall be forfeited, if the tenderer, withdraws its bid during the period of tender validity. The Earnest money deposit of the tenderer, whose tender has been accepted, will be returned on the submission of **performance security @ 3% of the total value of the offer. The performance security will be kept till the warranty period + 02 months more of the Equipment /Item. The warranty period will start from the date of satisfactory installation of the Equipment /Item duly given by the concerned department.** Earnest money deposit of the successful tenderer shall be forfeited, if it refuses or neglects to execute the contract or fails to furnish the required performance security within the time frame as specified by the institute. The EMD(s) of other Bidder(s) whose offer are found according to required specifications/ lowest will be released after finalization of Technical Bids/ Lowest Bid/Purchase.
14. The Format of Performance Bank Guarantee bond or Performance Bank Guarantee issued by the bank as per the format given in **Annexure "B" & "C"**.
15. Delivery time is the essence of the contract and must be met with.
16. Nearest specifications/better specifications can be considered. In case of deviation, complete justification should be furnished with proper documents.
17. The Director may accept a tender in part or whole of the quantity offered, reject any tender without assigning any reasons and may not accept the lowest bidder. Further in case of any doubt/dispute, the decision of the Director of the Institute shall be final.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

18. The offer shall be kept valid for minimum 120 days.
19. a) Either the agent/ dealer on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
 - b) If an agent/ dealer submits bid on behalf of the Principal/OEM, the same agent /dealer shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
 - b) Only one agent/dealer of single Principle/OEM of foreign origin can submit the bid. If more than one agent/dealer of same OEM/Principal quote in the tender, then bids of all the bidders of single OEM/Principle are liable to be rejected.
 - c) All offers other than those from the Principal/OEM should be supported by an authority letter from the manufacturer authorizing the dealer /supplier to tender on their behalf as per **Annexure-D**. In case of manufacturer, a certificate or a copy thereof to the effect that the bidder is a manufacturer of the Equipment /Item must be accompanied with the technical bid.
20. The supplier will be responsible till the entire stores contracted for, arrive in good condition at destination.
21. The tenderer should not have been debarred and/ or blacklisted by any Central Government/ or any State Government Department(s). This must be supported by an affidavit as per format given in Annexure-“E”.
22. If any information furnished by the bidder is, at any stage found to be incorrect/false/fabricated, the Institute shall have the absolute right to forfeit the EMD, warranty/performance guarantees or/and security deposits, in addition to cancellation of contract, and in accordance with law, such other actions may be taken like black-listing of the bidder etc.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

TENDER EVALUATION

Institute will evaluate all the proposals to determine whether these are complete in all respects as specified in the tender document. Evaluation of the proposals shall be done in two stages as:

(a) Stage – I (Technical Evaluation):

- (i) Institute shall evaluate the technical bid(s) to determine the following like the bid qualifies the essential eligibility criteria or not, the tenderer has submitted the EMD & Tender fee or not, any computational errors have been made or not, all the documents have been properly filled or otherwise, all the documents have been submitted/ uploaded with technical bid or not, the specifications, Make/Model, Catalogue of quoted Equipment /Item are as per requirement tender specifications or not, Authorization of Dealer / Distributor/ Exclusive Agent certificate from manufacturer is in order or not, Sales & service policy of equipment / item during warranty period and after warranty period will also be seen, location of their authorized service center will also be seen for evaluation etc.

After evaluation of technical bid(s), a list of the qualifying tenderer (s)/ bidder (s) shall be made. Short-listed tenderer(s) will be informed of the date, time and place of opening of financial bid(s) and they may attend or depute their authorized representative/s to attend the schedule of opening of financial bid(s) on the scheduled date and time, if they wish to do so. The representative(s) should have a letter of authority to attend the price bid(s) opening event.

Read and Accepted

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

PART – II (e-FINANCIAL BID):

- a) Bidders should offer the rates as per the format of BOQ as available on CPP Portal. **Detailed bill of material/quantity is also to be provided along with the price breakup of each item as per requirement of the tendered specification of the equipment in the online price bid at [CPP Portal](#).**

❖ **Note: The quoted amount as filled in the Annexure(s) of online financial bid and detailed bill of material/quantity provided with price break up of each item in the online financial bid should be tallied and both must be same, otherwise bid will be treated invalid.**

ARBITRATION:

In case of any dispute or difference arising out in connection with the tender conditions/job order/Contract, the Institute and the Seller/Service Provider will address the dispute/difference for a mutual resolution and failing which, the matter shall be referred for arbitration to a sole Arbitrator to be appointed by the Institute.

The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Jalandhar only. The decision of the Arbitrator shall be final and binding on both the parties.

JURISDICTION:

The courts at Jalandhar alone will have the jurisdiction to trial any matter, dispute or reference between parties arising out of this tender / contract. It is specifically agreed that no court outside and other than Jalandhar Court shall have jurisdiction in the matter.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

(TERMS AND CONDITIONS (FOR THE SUPPLY OF GOODS, EQUIPMENT /ITEM)

1. Rate should be quoted F.O.R NIT Jalandhar and in INR only.
2. Where the Equipment / Machinery/ Instrument are composed of several sub units/components, the rate should be quoted for each subunit/component separately. NIT Jalandhar reserves the right to increase or decrease the number of sub units/components and number of Equipment / Machinery/ Instrument according to its requirements.
3. The institute being government educational institute is having Excise and Custom duty exemption in terms of government notification No. 51/96-customs Dt. 23-7-1996 and No. 10/97-central excise Dt. 1-3- 1997 as amended from time to time, therefore taxes be quoted accordingly and this must be depicted in Price Bid clearly.
4. GST or any other chargeable duty where applicable must be specifically mentioned, failing which no tax or duty will be allowed at subsequent stage.
5. All items shall be indicated both in words as well as in figures. If there is difference between amount quoted in words and figures, amount quoted in words shall prevail.
6. **Payment:**
 - (a) 100% payment will be made against physical delivery, inspection, installation, training of the Equipment/Machinery/Instrument etc. in the institute, receipt of satisfactory working report of the Equipment / Machinery/Instrument etc. and receipt of Performance Bank Guarantee @ 3%.
7. **Warranty: Rates should be quoted with comprehensive warranty.** Besides this, policy regarding after sale service on the expiry of warranty period of Equipment / Machinery/Instrument etc. may be explained. The bidders should attach duly signed and stamped certificate of **warranty** as per **Annexure-F** with the technical bid.
8. **Training: In house training (where applicable) after the installation and commissioning of Equipment / Machinery/Instrument etc. shall be provided by the supplier.**
9. **Delivery:** Delivery date will be mentioned in the supply order. The time and date of delivery or dispatch stipulated in a supply order shall be deemed to be the essence of the supply order and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery, the delayed consignment will be accepted subject to penalty as laid down in the supply order, which will be recovered from the pending payments.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

1. No recovery of penalty will be made, if the delayed supplies are acceptable by extending the delivery period by the Director with our any LD charges.
 2. Director will allow extension on the request of the supplier by recording in writing that in exceptional circumstances the supply was beyond the control of the supplier and there was no loss to the institute.
 3. Penalty on account of delay, Director NIT, Jalandhar reserves the right to impose 0.5% (Half) per cent penalty per week on account of delay in supply, if delivery received after expiry of the original delivery period. The total penalty will not exceed 10% of the value of the delayed goods.
- i) **Installation:** Supplier has to install the Equipment / Machinery/ Instrument within two to three weeks from the receipt of the Equipment / Machinery/Instrument etc. in NITJalandhar.
 - ii) Spares and Accessories, wherever required should be quoted separately and clearly, even if these are not asked for.
 - iii) **Site Preparation:** The supplier shall inform NIT Jalandhar about the site preparation, if any, needed for the installation, immediately after receipt of the supply order. Supplier must provide complete details regarding space and all infrastructural requirements needed for the Equipment / Machinery/Instrument etc which NIT Jalandhar should arrange before the arrival of Equipment / Machinery/Instrument etc to ensure its early installation and smooth operation thereafter. The supplier may offer his advice and render assistance to NIT Jalandhar in the preparation of the site and other pre installation requirements.
 - iv) The total scope of work includes the supply, installation, satisfactory commissioning and testing of the Equipment / Machinery/Instrument etc by the supplier, training at NIT Jalandhar, method development and validation for parameters as mentioned in specifications at **Annexure-‘A’ & ‘A1’** The supplier will complete installation & Commissioning of Machine within two to three weeks from the date of receipt of Equipment / Machinery/Instrument etc. of NITJ.
 - v) Details about the service center for the quoted Equipment / Machinery/Instrument etc. in India may be mentioned.

Read and Accepted.

(Signature & Stamp of Tenderer)



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Acceptance

We _____ read and accept the instructions to the tenderer, terms & conditions and all other documents as mentioned in the tender and shall comply with them strictly.

Name of Bidder _____

Signature

Address _____

Seal of firm:

Date



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Questionnaires A & B

QUESTIONNAIRE FOR PLANT & MACHINERY

Note: Please submit the reply in detail and also enclose the necessary documents with proof where required as per Questionnaire. These documents must be submitted in the technical bid document.

Please state that you have submitted your quotations as per procedure mentioned below:-

➤ Bids consisting of technical details bringing out clearly in a separate sheet, the deviation in the specifications if any from that of tender enquiry specifications along with commercial terms and tender form.

1. Please attach list dully signed by you, for such spare parts and tools which are absolutely essential for proper maintenance and operation of machine for a period of two years giving full particulars of spare and tool with a price of each spare parts and tools separately.
2. Please confirm that you have adequate servicing and spare parts facilities in India in respect of Equipment /Item tendered by you or that you should arrange to provide such facilities simultaneously.
3. Please indicate that you guaranteed that before going out of production of spareparts, you will give adequate advance notice to the purchaser so that the institute may order his requirements of spares in one lot ,if he so desire.
4. Please indicate that you guaranteed that if you go out of production of spare parts, then you will make available prints, drawings of the spare parts and specifications of the material at no cost if and when required in connection with Equipment /Item to enable the purchaser to fabricate or procure spare parts from other sources.
5. Please confirm that you undertake to enter into a rate contact with the purchaser to supply spare parts on an agreed basis for an agreed period.
6. Status:-
 - a) Indicate whether you are ISU or SSI
 - b) Are you registered with Government e-Marketing (GeM) for the item quoted? If so indicate whether there is any monetary limit or registration.
 - c) If you are a small scale unit registered with NSIC under single point registration scheme whether there is monetary limit.
7.
 - a) If you are registered either with NSIC or with Government e-Marketing (GeM), please State whether you are registered with Directorate of industries of the state government concerned.
 - b) If so, confirm whether you have attached a copy of the certificate, issued by Director of industries.
8. Please indicate:-
Name & Full Address of your Banker
9. Please indicate whether you agree to submit advance samples if called upon to do so within the specified period of 21 days.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

10. Business name and constitution of firm:-
 - i) The Indian company Act.1956
 - ii) Indian partnership Act.1932
 - iii) Any act, if not, who are the owner/partners (please give full name and address)

11. Whether the tendering firm is / are:-
 - i) Manufacturers authorized agents
 - ii) Holders stock of the stores tendered for
 - iii) **NBI manufacturer's agents please enclose with tender the copy of manufacturer's authorization.**

12. Please state whether the inspection clause is acceptable to you

13. Here state specifically:-
 - i) Whether the price quoted by you is to the best of your knowledge and belief is not more than the price usually charged by you on stores of the same natures, class of description to any private purchase either foreign or as well as government purchaser. If not state the reason thereof if any also indicates the margin of Difference.

 - ii) In respect of indigenous items for which there is a controlled price fixed by law, the price quoted shall not be higher than that the controlled price and rates available on DGS&D/ Government e-Marketing (GeM) contract. The reason thereof should be stated.

14. State whether business dealing with you has been banned by Ministry/Department of supply or any other Govt. Department.

15. Please confirm that you have read all the instruction carefully and have complied with accordingly.

(Signature of Tenderer)

(_____)

1. Full Name & Address of the person signing

(_____)

2. Whether signing as proprietor /partners



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

PERFORMA FOR PERFORMANCE STATEMENT

(For the Period of last 3 years)

e-Tender Notice No. NITJ/PUR/MBH/95/2022						
Sr. No.	Order (full placed address of purchaser)	Order No. & Dated	Description And Qty. of Stores Ordered	Value of Order	Date of Completion of Delivery	Has the equipment/Item been satisfactory commissioned



Specifications for Active and Passive Components

Active Components								
Sr No	Name of the equipment	Block A	Block B	Block F	Mega Guest House	Mess Area/Gym Area etc	Total Rqment	
A	Switch 24 PoE	03	03	03	01	02	12	
B	Distribution Switch 24 Port Fiber Port 10 G	01						01
C	Wi Fi Controller <i>17A Mode</i> <i>with licenses</i>	02						02
D	Access Points (Indoor) <i>with licenses</i>	6(GF) + 6(1 st) + 6(2 nd) + 6(3 rd) + 6(4 th) + 6(5 th) Total = 36	6(GF) + 6(1 st) + 6(2 nd) + 6(3 rd) + 6(4 th) + 6(5 th) + 6(6 th) Total = 42	6(GF) + 6(1 st) + 6(2 nd) + 6(3 rd) + 6(4 th) + 6(5 th) Total = 36	2(GF) + 2(1 st) + 2(2 nd) Total = 6	3(GF) + 3(1 st) + 3(2 nd) + 3(3 rd) + 3(4 th) Total 15	135	
E	Access Point (Outdoor) <i>with licenses</i>	8	8	8			24	
F	Fiber Modules 10G (Multi Mode)	7	7	7	4	5	30	
G	Fiber Modules 1G Single Mode Copper 1G				20		20	
H	Fiber Modules 10G (Single Mode)				02		02	
I	UPS 3 kVA With 42Ah sealed MF batteries with One Hour Back up or higher	One	One	One			04	
J	UPS 3 kVA with 42Ah, sealed MF batteries With One Hour Backup or higher	One (Server Room)						
Passive Components								
1.	Switch Racks 12U (Extra depth with 630mm) Fully loaded	03	03	03	01 (Server Room)	02	12	

[Handwritten signatures and initials in blue ink]



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

2	Fiber Patch code(Multi Mode) SC to LC	8	8	8	2	4	30
3	Fiber Patch code(Single Mode)SC to LC	02					02
4.	Fiber 6 Core (Multi mode)	500 m					500m
5	LIU 24 Port Fiber Fully loaded with SC Adapters and pigtail Cables (Multi mode)	15 nos					15 nos
6	Cat VI a cable	35 Bundles(305 meters each)					35 Bundles
7	24 Port patch panel cat VI a Fully Loaded	15 Nos					15 Nos
8	I/O SMB CAT VI a with faceplate and gang Box	165					165 Nos
9	Patch Code 1m CAT Via cable	325					325 Nos
10	PVC Channel 75x75	1500m approx					1500m (approx.)

Services Part:

1. Laying of CAT VI A cable cost per meter
2. Laying of OFC Cable cost per meter
3. Laying and fixing of PVC Channel Cost per meter
4. Termination of VAT VI a Cable at both ends (Rack and field end) Cost per No.
5. Testing , Labeling, Ferruling of CAT Via Cable Cost Per No
6. Installation and dressing of Rack Cost Per Rack
7. Fiber Splicing per Core Cost
8. Access point Installation and Configuration charge per Piece
9. Any other Miscellaneous charges

Note: Quantity of Active and Passive equipment/item may vary at the time of actual installation.



24 PORT SMART MANAGED PoE + SWITCH WITH 2x10G SFP ports and 2x10 Copper Port

Description of 24 port POE+ Switch

Parameter	Switch have 19" Rack Mountable (1U)
Form Factor	Switch have 19" Rack Mountable (1U)
Physical Dimensions	440 x 200 x 44 mm
Architecture	Non Blocking
Ports	It provides 24 10/100/1000Base-TX ports with PoE+with 2x10G SFP ports and 2x10 Copper Port
GBIC/SFP	support 2x10G SFP ports and 2x10 Copper Port
Management Interface	Web/SNMP/SSH/Telnet(IPv4/IPv6 ready)/Console
PoE	270W (PoE+ supported) with (6Kv) surge protection
Port Status	Power, Link/Act, PoE
Power over Ethernet	Support IEEE802.3af, IEEE802.3at
Surge Protection.	24 port PoE Interfaces, Max. PoE Wattage per Port: 30W with 6 Kv surge protection per port
MAC Addresses	Supported Up to 8K MAC addresses
Switching capacity and forwarding rate	56 Gbps 41.7 MPPS
VLANConfiguration	supports upto 4K VLAN Based on 802.1Q,MAC-Based VLAN, IP-Based VLAN Protocol-Based VLAN
	Voice VLAN, Guest VLAN, Private VLAN
	VLAN Mapping
	Double VLAN Markup (Basic Q-in-Q)
MAC Configuration	Support Static MAC Address, MAC Binding, MAC Filtering
Management	Support Web Management Support serial port management, Support TELNET management, Support SSH management
L2 Loop Protection	Support RMON 1,2,3,9 group support port loop detection Support STP/RSTP/MSTP

Handwritten signature and initials in blue ink.



Link Aggregation	Support manual Link Aggregation. Support LACP Up to 8 maximum aggregation groups, each containing up to 8 ports
QOS Support	Support WRR, SP, WFQ, Sorting Based on 802.1p, Support packet mapped to the corresponding output queue. Support to modify the packet's COS and DSCP sign, Support limit of data flow, Support statistics of data flow, Support mirroring of data flow
ACL Support	Based on Standard IP Based on Extend IP Based on MAC IP Based on MAC ARP Based on time Port Filtering
DHCP SNOOPING	Switch Support DHCP Snooping
IGMP SNOOPING	Switch Support IGMP Snooping
IPv6	ICMPv6 IPv6 Neighbor Discovery MLD Snooping IPv6 Telnet
Port Security	Each port can be configured into isolated protected port from each other
SNMP	Support SNMP protocol, Support SNMP TRAP, Support standard and private MIB
Cluster Management	Support neighbor discovery protocol, Support topology discovery protocol, Support manual and automated join cluster group, Support cluster unification management
OAM	Support 802.3ah, Support 802.1ag
Configuration Download/Upload and Upgrade Firmware	switch have Download/Upload and Upgrade Firmware availability.
Debugging Tools	Support Ping, Traceroute, Telnet client.
Port mirroring /span Port	Support many to one mirroring
DHCP SNOOPING	Support dynamic ARP binding to prevent ARP spoofing Support dynamic IP-MAC port binding

Handwritten signature and notes in blue ink.



	Support stationary port connect to DHCP server, to prevent privately connect to DHCP sever
AAA	Support 802.1x protocol, RADIUS , Support MAC-based 802.1X authentication, Support 802.1x guest VLAN
Layer 3 Switching support	Supports static Route and Static ARP
EAPS Protocol	switch supports ERPS
Power	AC Input 100-240V AC. Power Cable as per Indian Standards to be Provided.
Warranty Support	Switch should support 3 years of warranty

[Handwritten signatures and initials in blue ink]



Specifications 24 Port Distribution Switch

Sl.No	Minimum Specification
1	Switch should be fixed form factor with full Enterprise Layer 3 image supporting IPv4 and IPv6 and BGP with the latest Firmware as available with Line rate non-blocking performance.
2	24x 10G SFP+ with 2x 40G ports
3	656 Gbps Switching Capacity and throughput 488Mbps must be offered from Day 1
4	10G-LR optic -2 no per switch. Should be from Switch OEM.
5	24x 1G/10G SFP+ ports & 8* 1G RJ45 port
6	The switch should support HA options in Active - Active or Active Backup configuration as required, all supporting features and licenses to be provided to support the same. Through VSF
7	The switches should be interconnected to offer line rate speed as desirable.
8	The switch should support relevant IG/10G interfaces to connect.
	Performance
9	Minimum 1 Tbps backplane or more with non-blocking performance supported by toly/Miercom or equivalent reports.
10	Minimum 32K MAC addresses and ARP table
11	Switch should have 512MB RAM and 4MB packet buffer
12	4K 802.1Q vlans with 4K vlan ID support
	Networking Features
13	Should support L3 routing in hardware for both IPv4 and IPv6 packets
14	Should support 64K route table capacity for IPv4 and IPv6 in hardware.
15	Should support Static Route, OSPF, BGP from Day one for both IPv4 and IPv6 considering all License,
16	Should support 8 ports upto max 128 LAG groups, should be able to LAG across switches
17	Switch should have BGP, VRF
18	MLD Snooping v1/v2, MLD snooping, IGMP Snooping v1/v2/v3, PIM technologies
	Security Features
19	Should support all AAA functions with RADIUS and TACACS integration.
20	Should support various strom control functions.
21	Should support 802.1x implementation using RADIUS
22	Should support Ingress and Egress Acls
	Management Function
23	Should support encrypted communication between the user accessing the device namely using all
24	Should support features like LLDP, LLDP-MED or equivalent
25	The Operating image should be modular in architecture with the industry standard CLI would be

[Handwritten signatures and initials in blue ink]



26	Should support sFlow or equivalent
27	Should support management function like Ping, Telnet, Tracert for both IPv4 and IPv6
	Physical parameter of switch
28	Switch should have minimum 512MB RAM, 32 MB SPI Flash 128M Nand flash and 4 MB packet buffer
29	AC 120/240 V (50/60 Hz)
30	The proposed switch should be offered 2 Fixed Fan
31	Operating temperature: 32° to 104°F (0° to 40°C)
32	AC 120/240 V (50/60 Hz)
	Compliant Standards:
33	Should be ROHS Complied Self Certified
34	OEM warrant for 5year

Handwritten signature in blue ink.

Handwritten signature in blue ink.



Specifications of WLAN Controller

Sr. No	Specifications
1	WLAN Controller Architecture
1.1	The wireless controller shall have Six RJ-45 auto-sensing 10/100/1000 ports ((IEEE 802.3 Type 10Base-T, IEEE 802.3u Type 100Base-TX, IEEE 802.3ab Type 1000Base-T)
1.2	The wireless controller should one fixed WAN ports & three convertable ports for load balancing Two fixed LAN ports & three convertible ports
1.3	The device should have 1 console port (RJ-45/DB9)
1.4	The device should support 1 USB for Keyboard / Mouse
1.5	Shall support IEEE 802.11b/g/n/ac Access Points for centralized management and control
1.6	The device should support DMZ function for server hosting applications
1.7	Shall support up to 512 AP's and 512 Users
1.8	The wireless controller shall be 1U 19" Rack-Mountable (the rack mounting kit shall be included)
2	WLAN Controller Mobility Features
2.1	Shall support fast roaming providing service transparency and fast hand-offs across Access Points within and across subnet boundaries
2.2	Shall support QoS and security services which follow users as they roam
2.3	Shall have full service capabilities for wireless networks controlled across the WAN
2.4	Shall support central configuration of virtual service communities (or SSIDs) QoS, authentication, encryption, and VLANs
2.5	The proposed WLAN Architecture shall support distributed traffic forwarding allowing traffic to flow directly from source to destination, eliminating needless traffic to pass through the controller, delivering better performance and faster, more- responsive applications

[Handwritten signatures]



2.6	Shall support distributed 802.1x authentication allowing controlled access points to directly authenticate users through an external RADIUS server without controller involvement
2.7	Shall support WAN failover over multiple WAN connection
2.8	Shall support Port forwarding for hosting virtual server
2.9	Shall support VPN or PPTP/L2TP
2.10	Shall support basic L3 routing features such as Static Routing
2.11	Shall support separate internal DHCP server can be configured for each LAN port to provide IP address to DHCP client devices
3	WLAN Controller Security Features
3.1	Shall support authentication based on user credentials (802.1X/EAP), hardware identifiers (MAC address, WEP key), and HTML login
3.2	Shall support authentication and authorization through external RADIUS AAA services
3.3	Shall support built-in stateful firewall for secure connection to Internet
3.4	Shall support secure management interfaces, including access through CLI/Web
3.5	Shall support Access Control Lists based on IP address, protocol types and port filtering and URL filtering
3.6	Shall support VLAN mapping of guest access traffic for secure passage through corporate network
3.7	Shall have Captive portal for guest user authentication , MAC Authentication , PPPoE Authentication , Web Authentication for users
4	WLAN Controller Management & Other Features
4.1	Shall control a network of 512 Access points ensuring consistent security, QoS, and roaming services from AP to AP
4.2	Shall have scalability consistent in 802.11 a/b/g and 802.11n networks
4.3	Shall support auto AP discovery, monitoring and configuration through CAP/WAP protocol
4.4	Shall support central management of wireless access point operating modes
4.5	Shall support plug-and-play auto-discovery and software installation for easy access point deployment

[Handwritten signatures and initials in blue ink]



Shall have easy-to-use web-based administrator interface	
4.6	Shall support accurate seamless integration with wired network, leveraging existing L2/L3 infrastructure resources, e.g., QoS, VLANs, and External RADIUS AAA
4.7	Shall support RADIUS activity statistics collection per-user for billing by data volume and elapsed session time
4.8	AC can dynamically adjust uniform distribution of users among different AP using Policy Rules
4.9	Operating temperature up to 40°C
4.10	

[Handwritten signatures in blue ink are present to the right of the table.]



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

0	Technical Specification	INDOOR (CEILING/WALL)	OUTDOOR (POLE / WALL)
1	Chipset		
2	Mounting	Ceiling / Wall	POLE / WALL
3	Antenna Type	Internal	Internal
4	Number Of Radios	2	2
5	Frequency Band	Dual band	Dual band
6	Supported Wi-fi Standards	802.11a/b/g/n/ac	802.11a/b/g/n/ac
7	Max Wireless Signal Range in Mts	50	300
8	Channel Width (MHz)	80 MHZ	80 MHZ
9	Maximum Data Rate MBps	1200	1200
10	Supported Encryption	WEP/WPA2/AES	WEP/WPA2/AES
11	Receiver Sensitivity in db	-94	-94
12	Transmit power (tx)(dBm)	27 dbm	27 dbm
13	Mode : AP / Router / Repeater / WISP	YES	YES
14	Radio Resource Management such for power channel, coverage hole detection and performance optimization	Available	Available
15	Support for Load Balancing between 2-4 Ghz and 5 Ghz (Via Controller)	Available	Available
16	Support for Configurable Carrier Threshold	Available	Available
17	Device Management	Available	Available
18	Support for QoS for Voice over Wireless	Available	Available
19	Support for MIMO	MIMO	MIMO
20	Number of MIMO supported & Spatial Streams (Per band)	2X2:2	2X2:2
21	Number of WLAN (SSID) per AP	8	8
22	Maximum clients Nos	128	128
23	Support for Autonomous access- point option	Available	Available
24	Number of 10/100/1000 port	2	2

[Handwritten signatures in blue ink]



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

25	Support for Beam forming	Available	Available
26	Operate as a sensor for wireless IPS	Available	Available
27	Support for QoS and Video Call Admission Control capabilities	Available	Available
28	Support for Rogue access point detection	Available	Available
29	Support for Wireless Intrusion Protection System	Available	Available
30	WPC certified	Available	Available
31	Support non-Wi-Fi detection for off-channel rogues and Containment for both radio while serving the client simultaneously	Available	Available
32	Powering options (Such as AC/DC, 802/3af PoE, 802/3at PoE+), specify	DC + 802.3at PoE	DC + 802.3at PoE
33	Operating Temperature Range (Degree C)	0 ~ 40 DEG CEL	- 40 ~ 55 DEG CEL
34	Operating Humidity (%RH)	0%~90%	0%~90%
35	Weight (grams)	<1000	<1000
36	OEM Warranty (Years)	3	3
37	Ingress Protection	IP31	IP67
38	FIT / FAT Mode'	YES	YES
39	WLAN controller	As quoted	As quoted
40	Modes Supported	AP + Repeater + Router	AP + Repeater + Router



Specifications of 10G SFP LC Type Transceiver (Qty 30)

Item	Operational	Specification
1	Architecture	10G SX-SFP Multi-mode Fiber Transceiver
2	Connector	It should have duplex LC Connector
3	Flow control.	Support 802.3z
4	Mode/Fiber Type	Multimode
5	Support Max Cable Distance	280 to 550m
6	Support wavelenght	:850nm
7	Case Operating Temperature:	0° ~ 70°
8	Storage Relative Humidity:	5% to 95%

Specifications of 10G SFP LC Type Copper Transceiver (Qty 20)

Item	Operational	Specification
1	Architecture	10G SX-SFP Multi-mode Copper Transceiver
2	Connector	It should have duplex LC Connector
3	Flow control.	Support 802.3z
4	Mode/Fiber Type	Multimode
5	Support Max Cable Distance	280 to 550m
6	Support wavelenght	:850nm
7	Case Operating Temperature:	0° ~ 70°
8	Storage Relative Humidity:	5% to 95%

Specifications of 10G SFP LC Type Copper Transceiver (Qty 20)

Item	Operational	Specification
1	Architecture	10G SX-SFP Single-mode Fiber Transceiver
2	Connector	It should have duplex LC Connector
3	Flow control.	Support 802.3z
4	Mode/Fiber Type	Multimode

By [Signature] Qty Conf



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

	Support Max Cable Distance	280 to 550m
5	Support wavelenght	:850nm
	Case Operating Temperature:	0° ~ 70°
7	Storage Relative Humidity:	5% to 95%

[Handwritten signatures and initials in blue ink]



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Specifications of UPS 3 KVA with 42Ah

S. No.	PARAMETER	MINIMUM SPECIFICATIONS
1.	Capacity in KVA/KW	3KVA/3KW
2.	UPS System Description	3 KVA True Online Pure Sine with 30 minutes backup on SVF batteries, MS Rack, interconnection cables and wire from UPS to battery bank.
	Input (Rectifier)	
3.	Primary source voltage	230 VAC 1 Phase
4.	Input Voltage Range	180 - 295 V AC
5.	Input Frequency Range	50-60Hz \pm 5%
6.	Input power factor	> 0.99
7.	THDi rating	< 5% at full load
	Output (Inverter)	
8.	DC volts	72 V/96 V as per OEM VDC Design
9.	Output voltage	230 VAC 1 Phase (adjustable to 220/230/240 V) \pm 1%
10.	Output frequency	50 Hz /60 Hz (+/- 1%)
11.	Output Power Factor	Unity.(2KVA=2KW)
12.	THD Voltage rating	< 2% for Linear load & <5% for non - linear load
13.	Overall Efficiency	Upto 83%
14.	Isolation Transformer	Should be inbuilt in the UPS cabinet and at the input of UPS
15.	Transfer Time (AC Mode to battery mode)	Zero
16.	Display Panel	LCD display along with LED indicators
17.	Output Socket	Min 2 no. of programmable IEC 10A socket & 2 Nos 6A Socket & 1No Terminal Block of min 30 Ampere. The IEC output sockets can be programmed and configured to define load priority.
18.	Battery Management	Should be inbuilt within the UPS System
19.	Back-up	Min 30 minutes backup @0.8 load PF with minimum 3024 VAH or higher
20.	Status on LED & LCD display	Normal Mode, Load on Battery, Load on Bypass, System Fault, load %age, output current, battery voltage..
21.	Audible Alarm	Mains Failure/Low battery /UPS Warning / Overload/Fault & BypassMode etc.
22.	Ambient temperature	0 to 40 Deg.C
23.	Standards	ISO Standard 9001:2015,ISO 140001, CE , EN-IEC 62040 1,2 & 3 certified product , BIS – make in India & ROHS compliance product
24.	Communications & other ports	RS232 and USB and EPO feature.
25.	Network interface	Optional SNMP card compatibility for future up gradation for web monitoring
26.	Warranty	2 years on UPS & Batteries both.
27.	Preferred/Approved Brand :	APC-Schneider /Emerson –Vertiv /Legrand-Numeric only
28.	Service support & other	OEM should have 2-3 own /ASP based service centers in the state for better & timely service support, need to share atleast 2 engineers contact details with service centre address details in the region of installation. Quoted product should be available on OEM Website with as per asked technical compliance.

Terms and conditions:

1. Ups output power factor should be unity KVA=KW (ideally).
2. Ups should be with inbuilt isolation transformer at input section of the ups.
3. Minimum guaranteed VAH 302.



SPECIFICATION FOR FIBER RACKMOUNT 24 Port LIU (LOADED DRAWER TYPE)

SR.NO.	SPECIFICATION / QUALITATIVE REQUIREMENT
1.	Suitable to mount at different positions (depth wise) on standard 1U 19 inch racks. Drawer type to pull out for easy maintenance when assembled in racks.
2.	Cold Rolled Steel material with black powder coating
3.	Three types of cable entry holes for different size cables through cable glands, covered with rubber cable grommets/covers.
4.	Splicing of 24 fibers in each plastic fiber splicing trays with integrated cable spool design.
5.	Non removable top cover and no rear cover. Drawer type to pull out for better access of interior.
6.	Suitable for assembling 6/12/24/48 (SC/LC, Simplex/Duplex) adapters on rackmount ports.
7.	Accessories kit consists of Cable management rings/Cable saddles (6 nos), Cable glands (PG13.5, 2 nos), Splice rods (24/48 nos), Blanking clips (24 nos), Velcro ties (12 nos.), Cable ties (6 nos.), Cable inlet/outlet hole covers (2 types, 2 nos each)
8.	Cable management rings/Cable saddles can be mounted inside the rackmount, no provision to mount outside in front of the adapter panel.
9.	Suitable for storing up to 3 meters of 900 μ m tight buffered fiber pigtail per adapter.
10.	Panel Dimensions : 482 x 220 x 44.3 mm (Length x Width x Height)
11.	Splice Tray Dimensions : 220 x 90 x 15 mm (Length x Width x Height)
12.	Port identification numbers printed on the Adapter panel
13.	Standards: Comply as per ANSI/TIA-568-C.3, ISO/IEC 11801, RoHS Compliant.
14.	Operating Temperature : -20 °C to +70° C Installation Temperature : -20 °C to +70° C



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

SPECIFICATION FOR FIBER PATCH CORD MULTI MODE

SR.NO.	SPECIFICATION/QUALITATIVE REQUIREMENT
1	Fiber optic patch cord with two core (Duplex) fiber cable terminated with SC connector at one end and LC connector at other end.
2	The terminated connectors in assemblies are designed and are compatible with industry standards (ANSI/TIA-568-C.3, ISO/IEC 11801).
3	Have good geometrical characteristics of apex offset & radius of curvature & fiber height
4	100% factory terminated and tested for optical characteristics & fiber end face finish.
5	Fiber type OM2 (50/125 μm)(Corning Clear Curve),
6	Buffer Diameter : 0.9 ± 0.05 mm, Jacket Thickness : 0.35 ± 0.05 mm, Strength Member as Aramid yarn
7	Cable Diameter : 2.0 ± 0.2 (Simplex), 2.0 x 3.8 ± 0.2 (Duplex)
8	Jacket colour :Orange and Jacket Material : LSZH
9	Connector Ferrule : Ceramic, Apex Offset should be <50um, Fiber height should be ±100nm
10	Connector Repeatability ≤ 0.2dB with 1,000 times mating cycles.
11	Connector cable retention: 50 N (11.24 lbs), Crush resistance : 100N/100mm, Bend Radius: 20xDiameter of cable
12	Attenuation : OM2 ≤ 3.0 dB/km (@850 nm), ≤ 1.0 dB/km (@1300 nm)
13	Band Width : OM2 ≥ 500 MHz.km (@850 nm), ≥ 500 MHz.km (@1300 nm)
14	Insertion Loss (@850 & 1300nm): SM (UPC/PC) Type: SC: ≤ 0.3 dB Return Loss (@850 & 1300nm): SM (UPC/PC) Type : SC : ≥30 dB
15	Standards: IEC 60332-1, ANSI/TIA-568-C.3, ISO/IEC 11801 RoHS Compliant
16	Installation Temperature: -20 °C to +70° C, Operating Temperature : -20 °C to +70° C
17	Available in various length in meters



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

TENDER SPECIFICATION FOR MULTIMODE UNITUBE ARMoured FIBER CABLE

SR.NO.	SPECIFICATION/QUALITATIVE REQUIREMENT
1	06-Core, Multimode 50/125 micron primary coated buffers, Armoured Loose Tube, ECCS (Electrolytic Chrome Coated Steel) Tape, Jelly Filled Loose Tube.
2	Two Steel Wires/Rods embedded in outer periphery of the jacket as strength members. UV Stabilised jacket and protected from Rodent attacks
3	Complying to ANSI/TIA-568-C.3, ISO/IEC 11801, Telecordia GR-20 Core, IEC 60793-1/60794-1, EN 50173, RoHS Compliant
4	Suitable for use in indoor/outdoor ducts, direct burial and backbone cabling
5	Loose tube material : Polybutylene Terephthalate (PBT) with Natural/White Colour having Inner Diameter/Outer Diameter $1.7/2.5 \pm 0.1$ mm
6	Peripheral strength member as two steel wires/rods having dimensions as 0.6 ± 0.05 mm
7	Moisture Barrier as Water Swellable Tape, Armouring ≥ 0.150 mm (ECCS Tape), Number of Ripcords as 01 no polyester based yarns.
8	Outer sheath material as HDPE with diameter as 7.5 ± 0.5 mm having thickness of 1.5mm nominal
9	Weight of the cable for 04/06/0812 core (HDPE): 65.0 ± 10 kg/km
10	Fiber colour and Loose tube colour as per ANSI/TIA standards.
11	Tensile Strength : 1000 N, Crush Resistance : 4000 N/100mm
12	Minimum bend radius: 20 x Diameter (during installation), Minimum bend radius : 10 x Diameter (during full load)
13	Fiber Type : 50/125 (OM2)
14	Attenuation : 50/125 (OM2) (≤ 2.7 dB/km (@850 nm), ≤ 0.8 dB/km (@1300 nm)
15	Band Width : 50/125(OM2) (≥ 500 MHz.km (@850 nm), ≥ 500 MHz.km (@1300 nm)
16	Core Cladding Concentricity Error : ≤ 1.0 μ m
17	Cladding Diameter : 125 ± 1 μ m , Coating Diameter : 250 ± 15 μ m
18	Cladding Non-circularity : ≤ 1 %
19	Installation Temperature : -20 °C to $+70$ ° C, Operating Temperature : -20 °C to $+60$ ° C
20	Cable Size and Standard Length: 4F to 12F : 2/4kms ± 10 %



Cat VI a Cable

1. The 4 pair Unshielded Twisted Pair cable shall be UL0 Listed and ETL verified.
2. Cable should meet the requirements of TIA/EIA-568-C.2 and ISO/IEC 11801
3. Nominal Outer Diameter of Cable should be 5.6+/-0.2mm and Conductor Diameter 0.49 +/-0.01mm (23 AWG)
4. Conductor Solid bare Copper and Outer jacket sheath FRPVC and UL approved CM rated cable. Jacket color: Grey
5. Insulation : High Density Polyethylene Solid & Diameter : 0.89 ± 0.01 mm
6. Printed sequential Length Counter of each meter on Outer Jacket
7. Construction: 4 twisted pairs separated by internal PE Cross Separator.
8. Full separator. Half shall not be accepted. Rip Cord is must.
9. Category 6 UTP cables shall Supports Gigabit Ethernet (1000 base-T) standard and Operates at bandwidth of 250MHz
10. All passive copper and fiber from same make.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure "A1"

Additional Terms and Conditions

1. The equipment/components should have 3 years warranty.
2. Additional CAMC of 2 years may also be quoted on the expiry of 3 years warranty in the financial bid.
3. The offered active and passive components must be compatible and should be integrated with existing infrastructure of institute's network.
4. The L1 bid will be considered by taking into consideration the overall rate quoted by bidder including CAMC for the period of 2 years.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure “B”

FORMAT FOR PERFORMANCE BOND/GUARANTEE

(Undertaking from the supplier on a Non Judicial Stamp Paper of requisite duly attested by Notary) In consideration for “The Registrar, National Institute of Technology Jalandhar (hereinafter called NIT Jalandhar) having agreed to release the payment of net value as per terms and conditions of a concluded Order No. _____ dated _____ (hereinafter called ‘the order’) for supply of _____ (here in after called ‘the Equipment /Item) to us Messrs _____ (hereinafter called ‘the supplier’) on submission of a Performance Bond to the satisfaction of NIT Jalandhar for the due performance of the said order.

We, Messer’s _____ hereby submit the FDR/TDR No. _____ issued by _____ (Name of Bank) for _____ pledged in favour of Registrar, NIT Jalandhar as performance guarantee amount and hereby irrevocably, unconditionally and absolutely undertake against any loss or damage caused or suffered by NIT Jalandhar by reason of any failure of the supplier to perform or omission or negligence to perform any part of its obligations to the satisfaction of NIT Jalandhar in terms of the order.

We, the supplier, do hereby authorize Registrar, NIT Jalandhar to forfeit this Performance Guarantee amount / undertake to pay the amount due and payable under this guarantee without any demur merely on a demand from the NIT Jalandhar stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the NIT Jalandhar by reason of any breach by us of any of the terms and conditions contained in the said order or by reason of our failure or omission or negligence to perform the said order or any part thereof. We, the Supplier, undertake to pay to NIT Jalandhar any amount so demanded by NIT Jalandhar, notwithstanding:

- a) Any dispute or difference between NIT Jalandhar and supplier or any other person or between the supplier or any person or any suit or proceeding pending before any court or tribunal or arbitrator relating thereto; or
- b) The invalidity, irregularity or unenforceability of the order; or
- c) Any other circumstances which might otherwise constitute discharge of this guarantee, including any act of omission or commission on the part of NIT Jalandhar to enforce the obligations by the supplier or any other person for any reason whatsoever.

We, the Supplier, further agree that the performance Bond/ Guarantee herein contained shall be continued one and remain in full force and effect during the period that would be taken for the performance of the said order and that it shall continue to be enforceable till all the dues of the NIT Jalandhar under or by virtue of the said order have been fully paid and its claims satisfied or discharged or till the office of the Registrar, NIT Jalandhar certifies that terms and conditions of the said order have been fully and promptly carried out by us and accordingly discharges this Performance Bond/ Guarantee.

We, the Supplier, further agree with NIT Jalandhar, that NIT Jalandhar shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said order or to extend time of performance by the said supplier from time to time or to postpone for any time or from time to time and of the powers exercisable by the NIT Jalandhar against the said supplier and forbear or enforce any of the terms and conditions relating to the order and we shall not be relieved from our liability by reason of any such variation or extension being granted to us or for any forbearance, act or omission on the part of NIT Jalandhar or any indulgence by NIT Jalandhar to us or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

This Performance Bond/Guarantee will not be discharged due to the change in the constitution of the supplier. We, the Supplier, undertake not to revoke this Performance Bond / Guarantee except with the prior consent of NIT Jalandhar in writing.

The disputes relating to this Bank Performance Bond / Guarantee shall be resolved as per the terms and conditions of the order.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure “C”

FORMAT FOR PERFORMANCE BOND (BANK GUARANTEE)

In consideration for the Registrar, National Institute of Technology Jalandhar, (*hereinafter called NIT Jalandhar*) having agreed to release the payment of net value as per terms and conditions of a concluded Order No.

dated _____ (*hereinafter called ‘the order’*) for supply of _____ (*hereinafter called ‘the Equipment /Item’*) to Messrs _____ (*hereinafter called ‘the supplier’*) on submission of a Bank Guarantee to the satisfaction of NIT Jalandhar for the due performance of the said order.

We, _____ (*hereinafter called ‘the Bank’*) at the request of the supplier do, as a primary obliger and not merely as surety, hereby irrevocably, unconditionally and absolutely undertake against any loss or damage caused or suffered by NIT Jalandhar by reason of any failure of the supplier to perform or omission or negligence to perform any part of its obligations to the satisfaction of NIT Jalandhar in terms of the order.

We, the Bank do hereby undertake to pay the amount due and payable under this guarantee without any demur merely on a demand from NIT Jalandhar stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by NIT Jalandhar by reason of any breach by the said supplier of any of the terms and conditions contained in a said order or any part thereof. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the bank under this guarantee, which shall not be considered as satisfied by any intermediate payment or satisfaction of any part of or obligation hereunder. However, our liability under this guarantee shall be restricted to an amount not exceeding _____.

We, the Bank, undertake to pay to NIT Jalandhar any amount so demanded by NIT Jalandhar, notwithstanding a). Any dispute and difference between NIT Jalandhar and supplier or any other person or between the supplier or any person or any suit or proceeding pending before any court or tribunal or arbitrator relating thereto or

- a). The invalidity, irregularity or unenforceability of the order or
- b). Any other circumstances which might otherwise constitute discharge of this guarantee, including any act of omission or commission on the part of NIT Jalandhar to enforce the obligations by the supplier or any other person for any reason whatsoever.

We, the Bank, further agree that the guarantee herein contained shall continue and remain in full force and effect during the period that would be taken for the performance of the said order and that it shall continue to be enforceable till all the dues of NIT Jalandhar under or by virtue of the said order have been fully paid and its claims satisfied or discharged or till the office of the Registrar, NIT Jalandhar confirms that the terms and conditions of the said order have been fully and promptly carried out by the said supplier and accordingly discharge this guarantee.

We, the Bank, hereby agree and undertake that any claim which the bank may have against the supplier shall be subject to and subordinate to the prior payment and performance in full of all the obligations of the bank hereunder and the bank will not, without prior written consent of NIT Jalandhar, exercise any legal rights or remedies of any kind in respect of any such payment or performance so long as the obligations of the bank hereunder remain owing and outstanding, regardless of the insolvency, liquidation or bankruptcy of the supplier or otherwise. We, the Bank, will not counter claim or set off against its liabilities to NIT Jalandhar hereunder any sum outstanding to the credit of NIT Jalandhar with it.

We, the Bank, further agree with NIT Jalandhar, that NIT Jalandhar shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said order or to extend time of performance by the said supplier from time to time or to postpone for any time or from time to time and of the powers exercisable by the NIT Jalandhar against the said supplier and forbear or enforce any of the terms and conditions relating to the order and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said supplier or for any forbearance, act or omission on the part of NIT Jalandhar or any indulgence by NIT Jalandhar to the said supplier or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

This guarantee will not be discharged due to the change in constitution of the Bank or the supplier.

We, the Bank, lastly undertake not to revoke this Guarantee during its currency except with the prior consent of NIT Jalandhar in writing.

The disputes relating to this Bank Guarantee shall be resolved as per the terms and conditions of the order.



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure "D"

FORMAT FOR MANUFACTURER'S AUTHORIZATION FORM

To,
The Registrar
Dr B. R Ambedkar National Institute of
Technology Jalandhar

Sub. : e-Tender for "_____".

Dear Sir,

We, _____, who are established and reputed manufacturers of _____, having factory/office at _____, hereby authorize M/s _____ [name & address of agents/distributors] to bid, negotiate and conclude the order with you for the above goods manufactured by us.

We shall remain responsible for the tender/Agreement be negotiated by M/s _____, jointly and severally. No company or firm or individual other than M/s _____ are authorized to bid, negotiate and conclude the order in regard to this business against this specific tender as for all business in the entire territory of India.

We hereby extend our full guarantee and warranty as per the terms and conditions of tender for the goods offered for supply against this invitation for bid by the above supplier.

****specify in detail manufacturer's responsibilities the services to be rendered by***

M/s _____ are as under:

- i) _____
- ii) _____

[Specify the services to be rendered by the agent/distributor] In case duties of the agent/distributor are changed or agent/ distributor is changed it shall be obligatory on us to automatically transfer all the duties and obligations to the new Indian Agent failing which we will ipso-facto become liable for all acts of commission or omission on the part of new Indian Agent/ distributor.

Yours faithfully,

[Name & Signature] For and on behalf of M/s. _____ [Name of manufacturer]



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure "E"

DECLARATION REGARDING BLACKLISTING / DEBARRING FOR TAKING PART IN TENDER

Self Attested

I / We _____ (Tenderer) hereby declare that the firm / agency namely M/s. _____ has not been blacklisted or debarred in the past by Union / State Government or organization from taking part in Government tenders in India.

Or

I / We _____ (Tenderer) hereby declare that the Firm / agency namely M/s. _____ was blacklisted or debarred by Union / State Government or any Organization from taking part in Government tenders for a period of

_____ years w.e.f. _____ to _____. The period is over on _____ and now the firm/company is entitled to take part in Government tenders.

In case the above information found false I / we are fully aware that the tender/ contract will be rejected / cancelled by Director, NIT Jalandhar, and EMD / SD shall be forfeited.

DEPONENT

Attested:

(Stamp of Company with authorized sign)

Name _____

Address _____



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure “F”

CERTIFICATE OF WARRANTY

- i) I/We certify that the warranty shall be for a period of _____ years for _____ and starting from the date of satisfactory installation, commissioning and handing over of the Equipment/Item and of the works conducted therewith covered under the supply order in working order. During the **warranty period, I/we shall provide free “after sale service” and the replacement of any part(s) of the** Equipment /Item or rectification of defects of work of the Equipment /Item will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above warranty shall begin only from the date of satisfactory and faultless functioning of the Equipment /Item for 60 days at NIT Jalandhar premises. The benefit of change in dates of the warranty period shall be in the interest of the use/your organization.
- ii) During the warranty period, we shall provide at least _____ **preventive maintenance visits.**
- iii) Uptime Guarantee: During the warranty period, we will be responsible to maintain the Equipment/Item in good working conditions for a period 350 days (i.e. 95% uptime) in a block of 365 days.
- a) All complaints will be attended by us within 2 working days of receipt of the complaint in our office.
- b) In case there is delay of more than 2 days in attending to a complaint from our side then you can count the number of days in excess of the permissible response time in the downtime. The above said response time of 2 days for attending to a complaint by us will not be counted in the downtime.
- c) **Penalty:** We shall pay a penalty equivalent to **0.5 % of the FOB/CIF** value of the Equipment /Item for every week or part thereof delay in rectifying the defect.

Note: The right to accept the reason (s) for delay and consider reduction or wave off the penalty for the same shall be at the sole discretion of Director, NIT Jalandhar

- iv) We certify that the Equipment /Item being/ quoted is the latest model and that spares for the Equipment /Item will be available for a period of at least _____ years and we also guarantee that we will keep the organization informed of any update of the Equipment /Item over a period of _____ years.
- v) We guarantee that in case we fail to carry out the maintenance within the stipulated period, NIT Jalandhar reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs/maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of Performance Bank Guarantee, the same shall be recoverable from us with/without interest in accordance with the circumstances.
- vi) We shall try to repair the Equipment /Item at NIT Jalandhar premises itself. However, the Equipment/Item will be taken to our site on our own expenses in case it is not possible to repair the same at NIT Jalandhar. We shall take the entire responsibility for the safe custody and transportation of the Equipment /Item taken out for repairs till the Equipment /Item is rehabilitated to the NIT Jalandhar after repair. Any loss of Equipment /Item or its accessories under its charge on account of theft, fire or any other reasons shall be at our sole risk and responsibility which will be compensated to NIT Jalandhar for such losses at the FOB/CIF value for the damaged/lost Equipment /Item part, including accessories.
- vii) We undertake to perform calibration after every major repair/breakdown/taking the Equipment /Item for repair out of NIT Jalandhar premises.
- viii) In case of extended warranty, we undertake to carry out annual calibration of the Equipment /Item.
- ix) We guarantee that we will supply spare parts if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.
- x) We guarantee to the effect that before going out of production of spare parts, we will give adequate advance notice to you so that you may undertake to procure the balance of the life time requirements of spare parts.
- xi) We guarantee the entire unit against defects of manufacture, workmanship and poor quality of components.

Signature & Seal of the Manufacturer/Tenderer



Dr B R AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY

G T Road By Pass, Jalandhar-144027, Punjab (India)

EPABX-0181-2690301-453 Email registrar@nitj.ac.in

Annexure-G

SELF DECLARATION
[For Local Content of Products, Services or Works]

To,

The Director

Dr.B.R.Ambedkar NIT Jalandhar

1. With reference to Order No. P- 45021/2/2017-PP(BE-II) dated 16-09-2020 of DPIIT, Ministry of Commerce and Industry, Govt. of India, we fall under the following category of supplier (please tick the correct category) for the items for which this tender has been floated and beingbided.

Class I local supplier – has local content equal to more than 50%. Local contents added at _____(name of location).

Class II local supplier – has local content more than 20% but less than 50%. Local contents added at _____(name of location).

Non-local supplier – has local content less than or equal to 20%. Local contents added at _____(name of location).

2. We are solely responsible for the abovementioned declaration in respect of category of supplier. False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which we may can be debarred for up to 2 years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Signature & seal of the company

Name and address of the organization

.....
.....
.....

Note: In cases of procurement for a value in excess of Rs. 10 crores, the 'Class-I local supplier' / 'Class-II local supplier' shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.